



**Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021**

**School:** LUCENA CITY NATIONAL HIGH SCHOOL

**Address:** MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

**Building:** KUDARAT

**Floor:** GROUND

**Room/Grp No.:** 21

Seat No.	Last Name	First Name	Middle Name	School Attended
9	ABRENICA	BRYAN	LOUIE	UNIVERSITY OF BATANGAS

**REMINDER:** USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021

School: LUCENA CITY NATIONAL HIGH SCHOOL

Address: MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

Building: KUDARAT Floor: GROUND Room/Grp No.: 22

Seat No.	Last Name	First Name	Middle Name	School Attended
9	BAUTISTA	JOHAH	DE VILLA	MANUEL L. QUEZON UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination. These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021**

**School:** LUCENA CITY NATIONAL HIGH SCHOOL

**Address:** MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

**Building:** KUDARAT

**Floor:** GROUND

**Room/Grp No.:** 23

Seat No.	Last Name	First Name	Middle Name	School Attended
9	CAJIGAL	AIZLE HANNAH KIRSTEN	BAY	UNIVERSITY OF BATANGAS

**REMINDER:** USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021**

**School:** LUCENA CITY NATIONAL HIGH SCHOOL

**Address:** MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

**Building:** KUDARAT

**Floor:** GROUND

**Room/Grp No.:** 24

Seat No.	Last Name	First Name	Middle Name	School Attended
9	CELESTIAL	JESSELLE	MABILANGAN	BATANGAS STATE UNIVERSITY

**REMINDER:** USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.





**Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021**

**School:** LUCENA CITY NATIONAL HIGH SCHOOL

**Address:** MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

**Building:** KUDARAT

**Floor:** GROUND

**Room/Grp No.:** 25

Seat No.	Last Name	First Name	Middle Name	School Attended
9	FERRER	MARIANNE JOY	BAUTISTA	ST. ANNE COLLEGE OF LUCENA, INC

**REMINDER:** USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021**

**School:** LUCENA CITY NATIONAL HIGH SCHOOL

**Address:** MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

**Building:** KUDARAT

**Floor:** GROUND

**Room/Grp No.:** 26

Seat No.	Last Name	First Name	Middle Name	School Attended
9	MAGBOO	MARIEL	BRUCAL	UNIVERSITY OF BATANGAS

**REMINDER:** USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021

School: LUCENA CITY NATIONAL HIGH SCHOOL

Address: MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

Building: LAKANDULA Floor: SECOND Room/Grp No.: 40

Seat No.	Last Name	First Name	Middle Name	School Attended
9	MAZO	IMEL JOHN	MONTOJO	UNIVERSITY OF THE EAST - MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.  
These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021

School: LUCENA CITY NATIONAL HIGH SCHOOL

Address: MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

Building: LAKANDULA		Floor: SECOND		Room/Grp No.: 41
Seat No.	Last Name	First Name	Middle Name	School Attended
9	PAMIS	IREJANE	DE MESA	UNIVERSITY OF BATANGAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.  
These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.





**Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021**

**School:** LUCENA CITY NATIONAL HIGH SCHOOL

**Address:** MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

**Building:** LAKANDULA

**Floor:** SECOND

**Room/Grp No.:** 42

Seat No.	Last Name	First Name	Middle Name	School Attended
9	PAREDES	NICOLE	SABANGAN	UNIVERSITY OF EASTERN PHILIPPINES - CATARMAN

**REMINDER:** USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



Professional Regulation Commission  
LUCENA  
CIVIL ENGINEERS  
NOVEMBER 14 & 15, 2021

School: LUCENA CITY NATIONAL HIGH SCHOOL

Address: MAHARLIKA HIGHWAY, ELVIRA RAZON ARANILLA COMPOUND, BRGY. IBABANG DUPAY LUCENA CITY, QUEZON 4301

Building: LAKANDULA		Floor: SECOND		Room/Grp No.: 43
Seat No.	Last Name	First Name	Middle Name	School Attended
9	VILLANUEVA	JIAN CARLO	MENDOZA	UNIVERSITY OF BATANGAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.  
These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.