

Republic of the Philippines Professional Regulation Commission Manila

BIDS AND AWARDS COMMITTEE Resolution No. 2022 - 115(B)

RECOMMENDING FOR THE APPROVAL OF THE CHAIRPERSON OF THE PROFESSIONAL REGULATION COMMISSION, THE AWARD OF CONTRACT FOR THE PROVISION OF VARIOUS SUBSCRIPTION: LOT 2 PROCUREMENT OF ONE THOUSAND (1000) LICENSES FOR CLOUD ENDPOINT SECURITY SOLUTION TO IMAX TECHNOLOGIES, INC. WITH A TOTAL BID AMOUNT OF ONE MILLION ONE HUNDRED THOUSAND PESOS (Php1,100,000.00)

WHEREAS, the Bids and Awards Committee (BAC) caused the posting of the invitation to apply for eligibility and to bid through Public Bidding in the Professional Regulation Commission (PRC) website, the Philippine Government Electronic Procurement System (PhilGEPS), and BAC Bulletin Board for the project: Provision of Various Subscription: Lot 2 - Provision of One Thousand (1000) Licenses for Cloud Endpoint Security Solution with an approved budget for the contract of One Million One Hundred Thousand Pesos (Php1,100,000.00).

WHEREAS, on August 8, 2022, a pre-procurement conference was held to discuss the terms of reference prepared and submitted by the end user for the abovementioned project before the preparation of the bidding documents.

WHEREAS, on August 25, 2022 a pre-bid conference via video conferencing was held to explain and clarify the bidding documents and to accommodate any inquiry which the bidders may have. This was attended only by one (1) prospective bidder namely: IMAX Technologies, Inc. (IMAX). Only IMAX purchased the Bidding Documents.

WHEREAS, Section 30, Rule IX of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, known as the "Government Procurement Reform Act", requires that the preliminary examination of the bids be conducted by merely checking for the presence or absence of documentary requirements using a non-discretionary "pass/fail" criterion. If a bidder submits the required document, it shall be rated "passed" for the particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed".

WHEREAS, on September 7, 2022, during the submission and opening of bids, only IMAX submitted its bidding document. Upon evaluation, IMAX passed the eligibility and technical evaluation. Its bid was opened and its bid proposal is in the amount of One Million One Hundred Thousand Pesos (Php1,100,000.00). Thus, IMAX was declared as the Single Calculated Bidder and was subjected to Post-Qualification.

WHEREAS, on September 9, 2022, a post-qualification was conducted at the BAC Conference Room, PRC Central Office, located at the 4th Floor of the PRC Annex Building. IMAX presented the original copies of the eligibility and technical documents submitted during the opening of bids, including the additional requirements for post qualification.

WHEREAS, IMAX having passed the post-qualification, was declared to be the Single Calculated and Responsive Bidder.

WHEREFORE, the BIDS AND AWARDS COMMITTEE RESOLVES, as it hereby RESOLVED, to recommend for approval of the Chairperson of the Professional Regulation Commission, the award of contract for the PROVISION OF VARIOUS SUBSCRIPTION: LOT 2 PROCUREMENT OF ONE THOUSAND (1000) LICENSES FOR CLOUD ENDPOINT SECURITY SOLUTION TO IMAX TECHNOLOGIES, INC. WITH A TOTAL BID AMOUNT OF ONE MILLION ONE HUNDRED THOUSAND PESOS (Php1,100,000.00).

Done in the City of Manila, Philippines, this 7th day of November 2022.

BIDS AND AWARDS COMMITTEE

MARIA LIZAM. HERNANDEZ Vice-Chairperson ZASA HENRIETTA P. NARVAEZ WILMA T. UNANA Member Member TEODORO V. MENDOZA II **REGIE O. TORRES** Alternate Member Provisional Member, IT Projects

APPROVED:

CHARITO A. ZAMORA

Chairperson

Page 2 - 0 12 BAC Resolution -2022 RECOMMENDING FOR THE APPROVAL OF THE CHAIRPERSON OF THE PROFESSIONAL REGULATION COMMISSION, THE AWARD OF CONTRACT FOR THE PROVISION OF VARIOUS SUBSCRIPTION: LOT 2 PROCUREMENT OF ONE THOUSAND (1000) LICENSES FOR CLOUD ENDPOINT SECURITY SOLUTION TO IMAX TECHNOLOGIES, INC.

Page - 2 - of 2