



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABAG	DANIELLE LOIS	GARCIA	BATANGAS STATE UNIVERSITY - ALANGILAN
2	ABANTE	JOHN JULIUS	KALAW	BATANGAS STATE UNIVERSITY - ALANGILAN
3	ABDON	JUSTINE CELLY	BAUAN	BATANGAS STATE UNIVERSITY - ALANGILAN
4	ABSULIO	RONALYN	ZAIDE	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
5	AGLAG	BIANCA CAMILLE	DIOSO	LAGUNA STATE POLYTECHNIC UNIVERSITY - SAN PABLO (LSPC)former (SPCSAT)
6	AGUDA	NICOLE YSABELLE	SEVILLA	BATANGAS STATE UNIVERSITY - ALANGILAN
7	AGUILERA	NIXUS TYRONE	MANALO	BATANGAS STATE UNIVERSITY - ALANGILAN
8	ALDOVINO	JEANEL	LOPEZ	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALMENDRAS	GENINE	VILLANUEVA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	ALMONTE	MHEREL	MANATIGA	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
3	ANDALIS	AERON	DAYO	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
4	ARAGO	SYMON CHRISTIAN	MACAPAGAL	BATANGAS STATE UNIVERSITY - ALANGILAN
5	ARELLANO	MELADY	ZARA	BATANGAS STATE UNIVERSITY - ALANGILAN
6	BALMES	SHEILA MAE	DE CHAVEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
7	BANDAYREL	MARANA	VALENCIA	SAINT LOUIS UNIVERSITY
8	BATULA	KAPEY ROSE ANN	CABALQUINTO	CENTRAL BICOL STATE UNIV. OF AGRICULTURE- (for.CSSAC)-PILI

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BAUTISTA	FAITH	LAMOCA	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
2	BEJO	FRANS LYNDON	BELEN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	BELANDO	CHERRY ROSE	CAEG	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
4	BENITEZ	JOSHUA ALLAN	LIPAT	BATANGAS STATE UNIVERSITY - ALANGILAN
5	BERAÑA	INDIRA	CALALUAN	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	BUAYABAN	FATIMA	VERDIDA	CEBU INSTITUTE OF TECHNOLOGY - UNIVERSITY
7	CABRAL	SHAINA MICAH	MAALA	BATANGAS STATE UNIVERSITY - ALANGILAN
8	CABRERA	JOY	SALCEDO	LAGUNA STATE POLYTECHNIC UNIVERSITY - SAN PABLO (LSPC)former (SPCSAT)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CAHAYON	JENNIFER	PANALIGAN	BATANGAS STATE UNIVERSITY-ARASOF-NASUGBU
2	CALINISAN	JEFFERSON	MARIANO	BATANGAS STATE UNIVERSITY - ALANGILAN
3	CAMINO	CARMELLI FIEL	MELENDREZ	UNIVERSITY OF SANTO TOMAS
4	CECILIA	ALLYSON IVAN	CASTILLO	MALAYAN COLLEGES LAGUNA
5	CERVANA	JEAN CHARISSE	LAYGO	BATANGAS STATE UNIVERSITY - ALANGILAN
6	DALISAY	ARVIN DAVE	PANGANIBAN	BATANGAS STATE UNIVERSITY - ALANGILAN
7	DAMPIL	JOEL JR	GUNDAYAO	MALAYAN COLLEGES LAGUNA
8	DE GUZMAN	HOMER	DELFIN	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DE LA CUESTA	DEXTER	VILLAJIN	BATANGAS STATE UNIVERSITY-ARASOF-NASUGBU
2	DEL MUNDO	REI JEUZ	CADAO	ADVENTIST UNIVERSITY OF THE PHILIPPINES
3	EDRA	PAUL EMMANUEL	LADINES	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
4	ESTEVA	LIZETTE	LIMBO	BATANGAS STATE UNIVERSITY-ARASOF-NASUGBU
5	GALAROSA	ANA PATRICIA	JUAREZ	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	HABULAN	ALJAY	ALVAREZ	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	HILAPO	JOISE PATRICE	MERCADO	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
8	JARCIA	CARL CHRISTIAN	CAMBUSA	BICOL UNIVERSITY-LEGAZPI

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LIWANAG	HELEN	BARCELON	BATANGAS STATE UNIVERSITY-ARASOF-NASUGBU
2	MAME	HAZEL	MENDOZA	BATANGAS STATE UNIVERSITY - ALANGILAN
3	MARANAN	NIÑA CAROL	VIARO	BATANGAS STATE UNIVERSITY - ALANGILAN
4	MASICAT	CZARINA JEAN	NIELO	MALAYAN COLLEGES LAGUNA
5	MENDOZA	VINCE CHRISTIAN	NUESTRO	BATANGAS STATE UNIVERSITY - ALANGILAN
6	MISTEOLA	SARAH ELAINE	BRIONES	BATANGAS STATE UNIVERSITY - ALANGILAN
7	OLIVAR	KIARA LAINNE	JAVIER	BATANGAS STATE UNIVERSITY - ALANGILAN
8	OPEÑA	ERICA MAE	OLAYON	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PACIA	NESSLYN	ROTONI	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	PANOPIO	DIONELLE	ARELLANO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
3	PAREJA	MARGARETTE	CALMA	MALAYAN COLLEGES LAGUNA
4	POLITICO	KATRINA	ULIP	GOLDEN GATE COLLEGES
5	QUEVADA	ALLIAH	BALANAA	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
6	RAMIREZ	CARMINA	MANATAD	LAGUNA STATE POLYTECHNIC UNIVERSITY-LOS BAÑOS
7	RUZ	CRISTINE	CARASCAL	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
8	SALAMAT	AVA JOBELLE	ABISAMIS	MALAYAN COLLEGES LAGUNA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 8

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SALAZAR	SOCORRO LIZETTE	FANER	BATANGAS STATE UNIVERSITY-BATANGAS CITY (PBMIT)
2	SALES	MICHELLE	ILAGAN	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
3	SANA	CHRISTINE	ALCANTARA	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
4	SANCHEZ	ELVIE	PANGANIBAN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	SUAZO	JUDY ANN	BALTAZAR	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
6	SUMAYAO	PAMELA ROSE	AGLAG	LAGUNA STATE POLYTECHNIC UNIVERSITY - SAN PABLO (LSPC)former (SPCSAT)
7	TAN	MARLENE JOY	CLARITO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
8	TEJANO	KRISTEL	CADSAWAN	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
LUCENA
CHEMICAL TECHNICIAN
OCTOBER 29, 2021**

School : DALUBHASAAN NG LUNGSOD NG LUCENA

Address : LUCENA CITY HALL ANNEX BLDG., BARANGAY ISABANG, LUCENA CITY

Building : ANNEX

Floor : 1ST

Room/Grp No. : 9

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TULIPAN	JAREN	URRIQUIA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	UMANDAL	RONIEL	FETALVERO	BATANGAS STATE UNIVERSITY - ALANGILAN
3	URSOLINO	JERICK	CONTINENTE	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
4	VALIN	REGINE ANNE	VILLANUEVA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	VELASCO	CAMILLE	MACATANGAY	BATANGAS STATE UNIVERSITY - ALANGILAN
6	VILLANUEVA	AIRA	EMNAS	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	YIBAN	MARIBEL	MARTUS	SORSOGON STATE COLLEGE-SORSOGON

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.