



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL

Floor : 2ND

Room/Grp No. : 201

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABACAN	DEXTER	ADARLO	BATANGAS STATE UNIVERSITY - ALANGILAN
2	ABAD	LOURD ADRIAN	GENERAL	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	ABALORA	MA ALLYSA NICOLE	BARRERA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
4	ABANTAO	ERROL GERARD	ALBELDA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
5	ABARQUEZ	KEMUEL ARIES	RUPIDO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	ABARQUEZ	KIMBERLY		BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	ABAYON	DIANNE	BERGORO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
8	ABE	JOHN ROBERT	ABDON	UNIVERSITY OF BATANGAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 202

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABECIA	BRYAN CARL	ELI	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	ABEL	GIANNE RAIKA	ARCEGA	BATANGAS STATE UNIVERSITY - ALANGILAN
3	ABEL	MARCEDEZ BENZ	ANGALA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	ABEL	SHERWIN	ANGULO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	ABELARDE	JOHN JAY	ADAJAR	UNIVERSITY OF BATANGAS
6	ABELGOS	NICHERSON	NERI	RIZAL TECHNOLOGICAL UNIVERSITY
7	ABENION	MARK ROMMEL	TERRADO	UNIVERSITY OF THE PHILIPPINES-DILIMAN
8	ABIDO	JOHN MICHAEL	VILLON	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 203

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABINO	RONMARK	TOLENTINO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
2	ABITAN	LORRIE ANNE MAE	LAGUNSAD	BATANGAS STATE UNIVERSITY - ALANGILAN
3	ABOC	JOHN JOSHUA	FLORESTA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	ABONG	PAUL ANDREW	VIRTUCIO	DE LA SALLE UNIVERSITY-DASMARIÑAS
5	ABONITA	MIKA MAUREEN	BALDOMERO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
6	ABORDO	JAYNARD	MINIMO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
7	ABRAGANTE	CHRISTIAN	LINCALLO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	ABUBO	REIZEL YNA	MAMIIT	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 204

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABUEVA	LORD CHARLES	YUKI	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	ACEBO	DARWIN DAVES	QUINIA	UNIVERSITY OF BATANGAS
3	ACLAM	JAIROUS KARL	BALIANG	CENTRAL COLLEGES OF THE PHILIPPINES
4	ACLAN	FLORENZO MIGUEL	ASEBO	DE LA SALLE UNIVERSITY-LIPA
5	ACLETA	RODANIM JR	TINOY	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	ACOSTA	KARL KENREO	PASCUAL	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	ACOSTA	VINCENT	BONDAL	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	ACOT	KRYSMYR ANNE	MENDOZA	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 205

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ADAOAG	JAN ANTHONY	MARZAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	ADDATU	SACHO OSWALD	CRUZ	NEW ERA UNIVERSITY
3	ADORA	ERGINEL	CERBITO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
4	ADRANEDA	REYMARK	SILVA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	ADUCA	MARK ANTON	RODRIGUEZ	NATIONAL UNIVERSITY-MANILA
6	AFABLE	GEM	BERNAS	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
7	AGDA	MARK ANTHONY	PECAYO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
8	AGENA	JAYSON	ABREU	GOLDEN GATE COLLEGES

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 206

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AGILLON	QUEEN JOBELLE	BUENO	WESTMEAD INTERNATIONAL SCHOOL
2	AGKIS	DIANA	PARAS	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
3	AGRAO	KAREN	CASTILLO	BATANGAS STATE UNIVERSITY - ALANGILAN
4	AGRIPA	CHRISTIAN	CORONADO	UNIVERSITY OF SANTO TOMAS
5	AGUADO	CHARLES EMMANUEL	BARREDO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	AGUILA	JOAQUIN MIGUEL	UMALI	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	AGUILAR	MARKNESTH	SAMSON	RIZAL TECHNOLOGICAL UNIVERSITY
8	AGUILON	MARVIN	DEONON	UNIVERSITY OF THE EAST-CALOOCAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 207

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AGUSTIN	EDWARD JOSEPH	TUAZON	HOLY ANGEL UNIVERSITY
2	AGUSTIN	KENO	BAUTISTA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	AGUSTIN	KYLL VINSON	GRAGANZA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
4	AGUSTIN	REGINE DENISSE	QUIMLAT	NATIONAL UNIVERSITY-MANILA
5	AKUT	ALEXIS JOHN	CALAYAG	UNIVERSITY OF SANTO TOMAS
6	ALAMAG	PAOLA DIANNE	GOMEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
7	ALARCON	GLACE VERONICA	GARCIA	ADAMSON UNIVERSITY
8	ALARCON	JONELL	STA ANA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 208

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALARCON	MARTIN LOUIE	CAMET	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	ALBURO	JOBERT	PANTERIA	POLYTECHNIC INSTITUTE OF TABACO
3	ALCABASA	ARADEL	RIVERA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
4	ALCANTARA	ABHEAZEAR	DE CASTRO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STO. TOMAS
5	ALCANTARA	JED PHILLIP	LANSANGAN	BATANGAS STATE UNIVERSITY - ALANGILAN
6	ALCAZAR	ALDREN RHEY	SANTIAGO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	ALCEDERA	RUSSEL	DE ASIS	COLEGIO DE LA PURISIMA CONCEPCION
8	ALCONABA	ARMSTRONG	AMOSCO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 209

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALCONABA	COLLINS	AMOSCO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
2	ALCORIZA	ANTHONY	CRUZ	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
3	ALDANESE	JAMES	VALDELLON	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
4	ALDEMITA	MARRON	ATIENZA	ADAMSON UNIVERSITY
5	ALEDO	MARIE EMILY	REGENCIA	PRESIDENT RAMON MAGSAYSAY STATE UNIVERSITY-(FOR RMTU)-IBA
6	ALEJANDRE	ALEJANDRO MARCO	VICTORIA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
7	ALEJANDRO	OLIVER JR	DELA CRUZ	RIZAL TECHNOLOGICAL UNIVERSITY
8	ALENTAJAN	GISELLE	ABANTO	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL Floor : 2ND Room/Grp No. : 211

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALFARO	HAROLD	CORTEZ	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
2	ALFARO	JOHN KENNETH	CASTRO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
3	ALFONSO	DARWIN	MANABAT	DE LA SALLE UNIVERSITY-DASMARIÑAS
4	ALIDON	DAVID	CABAGTONG	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	ALIM	CRISTALYN	ELLORIG	LYCEUM OF THE PHILIPPINES - CAVITE
6	ALINSUNURIN	ARNEL	DEL ROSARIO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
7	ALIPIO	BRYAN	CANDELARIO	UNIVERSITY OF LUZON (LUZON COLL.)
8	ALIPIO	REXMEL	MELAD	CAGAYAN STATE UNIVERSITY-TUGUEGARAO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL

Floor : 2ND

Room/Grp No. : 212

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALMADIN	CAMILLE	FULGAR	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
2	ALMARIO	GIAN CARLO	ABAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	ALMARIO	LINDSTER	HERNANDEZ	MALAYAN COLLEGES LAGUNA
4	ALMAZAN	JOHN CARLO	-	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	ALMAZAN	MARK JULIAN	GOYALA	UNIVERSITY OF THE PHILIPPINES-DILIMAN
6	ALMENDRAS	KIERVYN	PASCOR	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
7	ALMIRANTE	EDGARDO EMMANUEL II	TOMAS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	ALMOITE	RON MICHAEL	OPREDO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 213

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALMOJERA	TOM EDUARD	POVADORA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
2	ALMONICAR	GELBERT	BIOCO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
3	ALONZO	JANREN JOASH	ARQUIZA	UNIVERSITY OF PERPETUAL HELP RIZAL-CALAMBA CAMPUS
4	ALSONG	JESSIE DAVIE	PALAD	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
5	ALTURA	NENNCYLEY	BENEDICTO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	ALUNDAY	BRAVEHEART	AO-WAT	MANUEL L. QUEZON UNIVERSITY
7	ALVA	GERARDO	CASTRO	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
8	ALVAREZ	AXL ALAISTAIR	PATARAY	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 216

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALVAREZ	CARLOS MARCELO	ANATALIO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	ALVERO	JOHN CARLO	YTAC	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	ALVIENTO	ERICK	VILLAMAR	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	AMADOR	MARY JOY	DOLLENTAS	NAVAL STATE UNIVERSITY (for.NAVAL INST)-NAVAL
5	AMANDY	ROSELLE	CAJAYON	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	AMBOJIA	TYRONE JAMES	BAYONA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	AMOLAT	OSRAM JADE	LABRAGUE	LYCEUM OF THE PHILIPPINES - CAVITE
8	AMON	VAN ERIC	SAYAT	DE LA SALLE UNIVERSITY-DASMARIÑAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 2ND **Room/Grp No. :** 217

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AMOYAN	ALDWIN	ACOSTA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
2	AMPER	CHRISTIAN	ALIM	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	AMURAO	NIKKO	CLEOFE	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
4	ANABAAB	WILBERT	DADIA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
5	ANAY	AMIEL OHWEEN	BAYAS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	ANDAL	VINCENT LOUIE	GONZALES	DE LA SALLE UNIVERSITY-LIPA
7	ANDAYA	KENJIE	TAMINAYA	PHILIPPINE COLLEGE OF SCIENCE & TECHNOLOGY-CALASIAO
8	ANDRES	CHRISTIAN NEIL	DE LUNA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY
Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA
Building : GRADE SCHOOL Floor : 2ND Room/Grp No. : 218

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ANG	LEON ALDRIN	ANDRADA	UNIVERSITY OF SANTO TOMAS
2	ANGELES	APRIL	GUTIERREZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	ANGELES	BEN ISRAEL	JIMENEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	ANGELES	JEROME	TALASTAS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	ANGELES	KRIS ANNE	DELA CRUZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	ANGELES	MELVIN	GONZALES	LYCEUM NORTHWESTERN UNIVERSITY-DAGUPAN CITY
7	ANGELES	RAMIUS ALEXANDER	JAVIER	UNIVERSITY OF SANTO TOMAS
8	AÑON	JOHN PAUL	BONA	PAMANTASAN NG LUNGSOD NG VALENZUELA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 3RD **Room/Grp No. :** 301

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AÑONUEVO	ALLAN JOSHUA	GONZAGA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	ANTONIO	ALDRAECH	TORRES	HOLY ANGEL UNIVERSITY
3	ANTONIO	MARK PATRICK	CALACAT	NATIONAL UNIVERSITY-MANILA
4	APLACADOR	EZRAH	MABUTE	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
5	APOLONIA	HENBRIX	GOCE	UNIVERSITY OF BATANGAS
6	APOSTOL	JENSEN		CAGAYAN STATE UNIVERSITY-TUGUEGARAO
7	APOSTOL	WELMAR	TULINGIN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	APRAN	JELLIZA	ESPIRITU	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL

Floor : 3RD

Room/Grp No. : 303

Seat No.	Last Name	First Name	Middle Name	School Attended
1	APUANG	IVY JOY	BIGCAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	AQUINO	ARTURO JR	UBANDO	UNIVERSITY OF LUZON (LUZON COLL.)
3	AQUINO	FAUSTINE CARLO	DE JESUS	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
4	AQUINO	JAKE HARLEY	PALCE	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	AQUINO	JANN YSHMAEL	YANILLA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	AQUINO	TRISTAN JR	FONTALBA	LYCEUM OF THE PHILIPPINES UNIVERSITY-MANILA
7	ARAGON	CEDRIC	MAGNO	NATIONAL UNIVERSITY-MANILA
8	ARANDA	ALBERT	MENDOZA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA
Building : GRADE SCHOOL

Floor : 3RD Room/Grp No. : 304

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ARAO	JOSE	TURINGAN	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
2	ARAZAS	JOSE POCHOLO	RICASATA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
3	ARCEGA	VINCENT GARLAN	ECRAELA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	ARCEÑO	ALFRED	BORREROS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
5	ARCEO	JOHN PAUL	SECUSANA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	ARDIENTE	ANDREI LOUIE	PEREZ	UNIVERSITY OF SANTO TOMAS
7	ARDIMER	JETHRO	MAGLASANG	SAINT JOSEPH INSTITUTE OF TECHNOLOGY
8	AREGLADO	CARREN JOY	LUCERO	UNIVERSITY OF BATANGAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY
Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA
Building : GRADE SCHOOL Floor : 3RD Room/Grp No. : 305

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AREGLO	EMMANUEL	COLLADO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	ARELLANO	ALDWIN JOSHUA	COQUILLA	ADAMSON UNIVERSITY
3	ARELLANO	BIANCA MARIZ	LOZANO	UNIVERSITY OF BATANGAS
4	ARELLANO	HAROLD	BORJA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
5	ARELLANO	JHON VINCE	GUALTER	BATANGAS STATE UNIVERSITY - ALANGILAN
6	ARELLANO	JOEMARI	TOVERA	PAMANTASAN NG LUNGSOD NG VALENZUELA
7	ARELLANO	MADELYN RAI	PANGANIBAN	DE LA SALLE UNIVERSITY-LIPA
8	ARELLANO	MEINALD	MIRASOL	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL

Floor : 3RD

Room/Grp No. : 306

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ARGUELLES	LIMUEL JOHN	OBLIGADO	UNIVERSITY OF THE EAST-MANILA
2	ARIOLA	JAIRUS ANTONI	MORENO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
3	ARISTON	MELREGINO	PAMINTUAN	DE LA SALLE UNIVERSITY-DASMARIÑAS
4	ARMADA	KIM KENNETH	ABONO	ILOILO SCIENCE & TECHNOLOGY UNIVERSITY(FOR W.V.C.S.T.-MAIN CAMPUS)
5	ARMINTIA	JOHN LESTER	BIAG	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
6	ARNISTO	BRYAN GIUSEPPE	CORONADO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	ARTYMIK	ALDRICH WENCESLAS	BENITEZ	NATIONAL UNIVERSITY-MANILA
8	ASERIT	KARL	LUNA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL Floor : 3RD Room/Grp No. : 307

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ASIDAO	JOSE LUIS	GARCIA	NATIONAL UNIVERSITY-MANILA
2	ASILO	MICHAEL JHONN	GAYATIN	UNIVERSITY OF BATANGAS
3	ASPI	RENN GABRIELLE	ELEDA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	ASUNCION	ARNOLD MICHAEL	AQUINDE	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
5	ASUNCION	JERWIN	PINEDA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	ASUQUE	DIOMEDES	RAMOS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	ATANACIO	JADE RUI	TADEJA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	ATRERO	GWEN ELOISE ANDREA	MIRANDA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY
Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA
Building : GRADE SCHOOL **Floor :** 3RD **Room/Grp No. :** 308

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AUNGON	MENCHIE	DAYOT	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
2	AVILES	ALDRIN	GRATOL	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	AVILES	ROMMEL	LASTIMOSA	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
4	BAAY	DANTE	LIBOTAN	SOUTHERN LEYTE STATE UNIVERSITY (SLSCST)-SOGOD
5	BABEHIS	DIANE	MENDOZA	PAMANTASAN NG LUNGSOD NG VALENZUELA
6	BABIJIS	RODRIGO JR	ORTUA	PAMANTASAN NG LUNGSOD NG VALENZUELA
7	BACANI	AMIEL JOHN	SAMPANG	HOLY ANGEL UNIVERSITY
8	BACELONIA	DANIEL	PABIA	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 3RD **Room/Grp No. :** 309

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BACERO	MARK DARWIN	FRANCISCO	CAPIZ STATE UNIVERSITY (CIT)(PSPC)-MAIN CAMPUS
2	BACLIG	LEONARDO	DOLOR	URDANETA CITY UNIVERSITY (CCU)
3	BACORRO	GLENN	SISON	UNIVERSITY OF PANGASINAN
4	BACUDO	GREG PAUL	SALMOREN	SOUTHERN MINDANAO COLLEGES
5	BACULOT	JEFFREY	RAMIREZ	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	BADILLOS	JOHN RUSELL	JURILLA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	BAGASON	LEO JUNIOR	BASCO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	BAGTAS	KARL ANGELO	LIANG	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 3RD **Room/Grp No. :** 310

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BAGUING	REYMEL JAY	SAMARISTA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	BAHIAN	JEFFERSON	SALOME	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MARAGONDON
3	BALAGAN	JEFFERSON	DEL PILAR	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
4	BALAGTAS	ALDRIAN	VINUYA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
5	BALANLAY	MARK CLITO	CABAGTONG	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
6	BALANON	MARK BRYAN	ABENES	DON MARIANO MARCOS MEMORIAL STATE UNIVERSITY-SAN FERNANDO
7	BALAOEG	DARWIN	ESPERO	MANUEL L. QUEZON UNIVERSITY
8	BALASE	KENNETH GADWAYNE	GACITA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 3RD **Room/Grp No. :** 312

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BALATBAT	JAPHET	JUMAWAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	BALBIDO	KENNETH AXCEL	ALEJO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	BALBOA	ANTHONY	HERNANDEZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	BALDERAMA	CHRISTIAN CARLO	VIOLA	UNIVERSITY OF SANTO TOMAS
5	BALDERAS	FRANCIS JUN	BAÑAS	ILOILO SCIENCE & TECHNOLOGY UNIVERSITY(FOR W.V.C.S.T.-MAIN CAMPUS)
6	BALDIVISO	JAMES JR	AGASCON	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	BALDOMERO	MARK JUSTIN	BUGAYONG	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	BALERITE	NORIEL	VILLAR	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL **Floor :** 3RD **Room/Grp No. :** 313

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BALLESTEROS	JEREMIAH	MARTINEZ	ADAMSON UNIVERSITY
2	BALLESTEROS	SHERWIN WILLIAM	ZOLETA	MALAYAN COLLEGES LAGUNA
3	BALMES	HAROLD	LORENZO	CAGAYAN STATE UNIVERSITY-TUGUEGARAO
4	BALMES	JAYMAR	GUNAY	BATANGAS STATE UNIVERSITY - ALANGILAN
5	BALOTCOPO	MARIYLL NIKKI		BATANGAS STATE UNIVERSITY - ALANGILAN
6	BALSAMO	JILLIANE MAE	CANJA	BATANGAS STATE UNIVERSITY - ALANGILAN
7	BALTES	RENATO	VILLANUEVA	ALEJANDRO COLLEGE
8	BALUYOT	CHARREL	DELA CRUZ	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL

Floor : 3RD

Room/Grp No. : 316

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BAÑAGA	MARLON DAVE	CAMAGAY	LYCEUM NORTHWESTERN UNIVERSITY-DAGUPAN CITY
2	BANCA	ALLAN	OGANIA	MANUEL L. QUEZON UNIVERSITY
3	BANDONG	JERON	BARROZO	COLEGIO DE DAGUPAN (for.COMPUTRONIX COLL)
4	BANDONG	NUCKHIE	RAMOS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	BANGCAYA	JICASIO	LUIZ	RIZAL TECHNOLOGICAL UNIVERSITY
6	BANGUG	BRIAN MARC ANTHONY	AGRAVIADOR	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	BANGUIS	WENDYLYN	REYES	UNIVERSITY OF SOUTHEASTERN PHILIPPINES-BISLIG CAMPUS
8	BANJAWAN	JAMAILA	ABAD	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL Floor : 3RD Room/Grp No. : 317

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BANTANG	JOHN MARK	FORTEZA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
2	BANTAYAN	RESDEL	SARMIENTO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
3	BAQUIRAN	LORENZO JOSE		UNIVERSITY OF THE PHILIPPINES-DILIMAN
4	BARANAL	GERALD	MADULIN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
5	BARASONA	ANDREA	REBULLIDO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
6	BARATA	ARIEL JR	VALENTOS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
7	BARBA	ROWEL	RELLORA	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
8	BARBOSA	GILBERTSON	CORONEL	DE LA SALLE UNIVERSITY-LIPA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : HOLY TRINITY ACADEMY

Address : CALABASH ROAD, BALIC-BALIC, SAMPALOC, MANILA

Building : GRADE SCHOOL Floor : 3RD Room/Grp No. : 318

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BARBOSA	JHON JAYSON DEXTER		LYCEUM OF THE PHILIPPINES - CAVITE
2	BARCELONA	CAMILLE KAYE	DELA CRUZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	BARISTO	ALBADA	LAHI	MAHARDIKA INSTITUTE OF TECHNOLOGY
4	BARLONGO	KIM SHERWIN	ALLAS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	BARQUILLA	MHARK ANGELO	SUMODEBILA	PAMANTASAN NG LUNGSOD NG VALENZUELA
6	BARRIENTOS	RANDELL NICO	BALUYAN	UNIVERSITY OF THE EAST-MANILA
7	BARRION	KENN	CAMAGONG	DE LA SALLE UNIVERSITY-DASMARIÑAS
8	BARRION	WILLERT JHUN	MARTEL	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG

Floor : 1ST

Room/Grp No. : GRP 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BARROS	PATRICK	LETARGO	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
2	BARTE	ARVIN JAY	CAPIO	UNIVERSITY OF THE PHILIPPINES-DILIMAN
3	BARTOLOME	JON JOE NEIL	LIWANAG	COLEGIO DE SAN GABRIEL ARCANGEL
4	BARTOLOME	JUAN PAOLO	PALAD	UNIVERSITY OF THE EAST-MANILA
5	BARTOLOME	ROMER EVERT	BONCOLMO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	BARUNDIA	DENELLE	TATLONGHARI	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA
7	BASABE	ROAN MARK	DAISOG	BICOL UNIVERSITY-LEGAZPI
8	BASANAL	SAMUEL JR	LONZAGA	UNIVERSITY OF THE EAST-MANILA
9	BASCO	GIKO AUGUSTO	EISMA	MALAYAN COLLEGES LAGUNA
10	BASCO	YNO ELIEL	JUICO	HOLY ANGEL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG **Floor :** 1ST **Room/Grp No. :** GRP 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BASCOS	ORIEL	TOLEDO	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
2	BASINGAN	JAKE	ALFECHÉ	DE LA SALLE UNIVERSITY-DASMARIÑAS
3	BATAC	ALEXANDER	SEDA	UNIVERSITY OF SANTO TOMAS
4	BATAC	JOHN LEIRON	SANTIAGO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	BATALLA	NELVIN	CALAMAYA	RIZAL TECHNOLOGICAL UNIVERSITY
6	BATAN	MARK RUZZEL	LOTA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	BATERINA	MARK WENDEL	RAYMUNDO	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA
8	BATHAN	JHON ARIS	SISTONA	NATIONAL UNIVERSITY-MANILA
9	BATHAN	JOD	SOUZA	BATANGAS STATE UNIVERSITY - ALANGILAN
10	BATIN	GENERSON	FERNANDEZ	PANPACIFIC UNIVERSITY INC.(FOR.PANPACIFIC UNIVERSITY NORTH PHILIPPINES

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG

Floor : 1ST

Room/Grp No. : GRP 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BAUSON	MAYVELYN	CASTILLO	WESTMEAD INTERNATIONAL SCHOOL
2	BAUTISTA	BIENVENIDO JR	MERCADO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
3	BAUTISTA	CHARLENE	VICENTE	DE LA SALLE UNIVERSITY-DASMARIÑAS
4	BAUTISTA	HARVEY	AREVALO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	BAUTISTA	HENESSI	SY	UNIVERSITY OF THE PHILIPPINES-DILIMAN
6	BAUTISTA	JESSA	LINA	BATANGAS STATE UNIVERSITY - ALANGILAN
7	BAUTISTA	JOHN ROBERT	TAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	BAUTISTA	JOSE SANTIAGO	MANGLO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
9	BAUTISTA	MAVILOU	CATSUELA	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
10	BAUTISTA	NIKO	GANZA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY
Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : OPEN SPACE - NEW BLDG Floor : 1ST Room/Grp No. : GRP 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BAUTISTA	RICHARD	ANDRES	MANUEL S. ENVERGA UNIV. FOUNDATION- LUCENA CITY
2	BAWET	DARWIN	CAUILAN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	BAYAUA	MARCIAL	RAMILO	NUEVA VIZCAYA STATE UNIVERSITY (NVPC)- BAMBANG
4	BAYDO	JEROME	MOJICA	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
5	BAYER	RIZZA	CULIS	BATANGAS STATE UNIVERSITY - ALANGILAN
6	BEDIA	JEROME NHIEL	LAGUNA	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
7	BEDICO	LANCE	RAMOS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	BELANDRES	ZEGFRED	ORTEGA	NEW ERA UNIVERSITY
9	BELEN	NOMER JR	SUGPATAN	EMILIO AGUINALDO COLLEGE-DASMARIÑAS
10	BELINO	RAFAEL	DEL MUNDO	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG Floor : 1ST Room/Grp No. : GRP 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BELLEN	MARK ANDREU	CONSTANTINO	RIZAL TECHNOLOGICAL UNIVERSITY
2	BELLO	EMMANUEL	GEOLIN	PAMANTASAN NG LUNGSOD NG VALENZUELA
3	BELMONTE	RIGOR	BAUTISTA	NATIONAL UNIVERSITY-MANILA
4	BELTRAN	AERIELLE ANNE	PARUNGAO	UNIVERSITY OF THE PHILIPPINES-DILIMAN
5	BELTRAN	JAY	AVENTURADO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MARAGONDON
6	BELTRAN	ROWEN JUNELLE	BONIFACIO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	BENCITO	DONARD ELIJA	HILARIO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
8	BENEBE	JUAN CARLOS	CAMPOS	ADAMSON UNIVERSITY
9	BENITEZ	KARL	SANGALANG	BATANGAS STATE UNIVERSITY - ALANGILAN
10	BENITO	KRISKIERLICA	PACHECO	URDANETA CITY UNIVERSITY (CCU)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG **Floor :** 1ST **Room/Grp No. :** GRP 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BENITO	MON ALVIN	ERGUISA	URDANETA CITY UNIVERSITY (CCU)
2	BENTAZAL	TONI KHRYZZ	VILLANUEVA	NEW ERA UNIVERSITY
3	BENZON	RYAN LLOYD	COLOMA	MARIANO MARCOS STATE UNIVERSITY-BATAC
4	BERANGO	JOEGENE	REYES	UNIVERSITY OF NUEVA CACERES
5	BERGONIA	LEO ROCHESTER	TOMAS	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	BERGUNDO	HAROLD	BINUYA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	BERNABE	BERNARD	CRUZ	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	BERNABE	RALPH AGUSTIN	SANCHEZ	CAVITE STATE UNIVERSITY (CAVITE C.A.T)- ROSARIO
9	BERNARDO	EMMANUEL JUSTIN	CASTILLO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
10	BERNARDO	JERICO	TORRES	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG **Floor :** 1ST **Room/Grp No. :** GRP 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BERSABE	MEKKAELA	PEÑA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	BETER	DAINTY	FELIX	UNIVERSITY OF SANTO TOMAS
3	BETUIN	JOHN EDUARD	FELIX	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	BILLONES	CARLOS ARTHUR	LAMIS	WEST NEGROS COLLEGE
5	BILLONES	ELDEN KYLE	BOLAÑOS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	BIO	MARK ANGELO	PURA	UNIVERSITY OF THE EAST-CALOOCAN
7	BISCOCHO	HARVEY	DIMALIBOT	BATANGAS STATE UNIVERSITY - ALANGILAN
8	BISCOCHO	JHON PAUL	REGALARIO	UNIVERSITY OF BATANGAS
9	BIYO	JOHN MARK	TOMENIO	NATIONAL UNIVERSITY-MANILA
10	BLANES	NINA GAHEY	REDUBLO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY
Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : OPEN SPACE - NEW BLDG Floor : 1ST Room/Grp No. : GRP 8

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BOHOL	ARNOLD	RODRIGO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	BOLARIO	JOHN FRED	ALVARAN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	BOLINAS	JEAN	ESQUIVEL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	BOLIVAR	MERVIC MONBIEN	SANTOS	UNIVERSITY OF THE EAST-CALOOCAN
5	BOLO	WILLIAM CARL	BUO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
6	BONDOC	KENNETH	MALIG	HOLY ANGEL UNIVERSITY
7	BONDOC	NEIL EDGARD	CANLAS	UNIVERSITY OF THE EAST-MANILA
8	BONGO	ARIEL	GUMOP-AS	CAGAYAN DE ORO COLLEGE
9	BONIFACIO	JONAS PATRICK	LIBIRAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
10	BOOL	LIEZEL	VITORIN	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : OPEN SPACE - NEW BLDG **Floor :** 1ST **Room/Grp No. :** GRP 9

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BOOL	VERONICA	GUTIERREZ	BATANGAS STATE UNIVERSITY - ALANGILAN
2	BOQUIREN	KRISTIAN ERIC NES	NAVARRO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
3	BORJA	DENNIS	SAMSON	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	BORJA	JOHN RICHARD	REYES	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	BORJA	YEOJ VON	CARBALLO	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
6	BORLONGAN	JAYBOY	SAN ANTONIO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	BORRES	JENIEVEB	YURAG	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	BRAZAL	BRIAN	BUSTAMANTE	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
9	BRINGINO	MELVIN	LESNIANA	POLYTECHNIC INSTITUTE OF TABACO
10	BRIONES	JOYCE	DEL CASTILLO	WESTMEAD INTERNATIONAL SCHOOL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : OPEN SPACE - NEW BLDG

Floor : 1ST

Room/Grp No. : GRP
10

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BRIONES	RICHARD DEAN	MAGUNDAYAO	DE LA SALLE UNIVERSITY-LIPA
2	BUCATAN	ROMMEL	RAMOS	NATIONAL UNIVERSITY-MANILA
3	BUCCAT	IAN MARLO	CASTILLANO	RIZAL TECHNOLOGICAL UNIVERSITY
4	BUENAVISTA	ED NATHAN	BITO-ON	WEST NEGROS COLLEGE
5	BUGARIN	ACE PATRICK	AGUSTIN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	BUGAYONG	PATRICK KARL	ENDOZO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	BUGTONG	RENTZ ANDREW	MENDOZA	RIZAL TECHNOLOGICAL UNIVERSITY
8	BUGTONG	ZANDER	MACAHILAS	GARCIA COLLEGE OF TECHNOLOGY
9	BUKIRIN	PATRICK GERALD	SAN ANTONIO	UNIVERSITY OF THE PHILIPPINES-DILIMAN
10	BUKUHAN	MYRON KEN	ROMAN	UNIVERSITY OF THE PHILIPPINES-DILIMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST PLACID - RC GYM **Floor :** 1ST **Room/Grp No. :** GRP 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BULACSAO	ADRIAN NEIL	SANTIAGO	HOLY ANGEL UNIVERSITY
2	BULAWAN	REYNALDO	BATICAN	CAGAYAN DE ORO COLLEGE
3	BUNAG	LORA MAE	CRUZ	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	BUÑAG	REX ERWIN	ORDOÑA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
5	BUNDANG	RICHARD	ARANDA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	BURCA	RAYMUND	JIMENO	RIZAL TECHNOLOGICAL UNIVERSITY
7	BURGOS	JOHN RONMARK	MORELOS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	BURGOS	RENTZ LUIGI	TUIZA	MALAYAN COLLEGES LAGUNA
9	BUSCAGAN	LADY GIFT	TADLE	UNIVERSITY OF SOUTHEASTERN PHILIPPINES- DAVAO CITY
10	BUSTAMANTE	JOHN VON	VALDEZ	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST PLACID - RC GYM

Floor : 1ST

Room/Grp No. : GRP 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BUSTO	EMMAN JOSHUA	BALITON	UNIVERSITY OF THE PHILIPPINES-DILIMAN
2	CAAY	AGATHA	QUINTOS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	CABAG	FELIX III	NACARIO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
4	CABAGTONG	MARIAN JOY	LAGRIMAS	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
5	CABAIS	JEFERSON	BALISACAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	CABALLEJO	ALYSSA NICOLE	NAMION	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	CABANG	GABRIEL	PAWAY	UNIVERSITY OF SANTO TOMAS
8	CABANGUNAY	REYNALDO	BARDILAS	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
9	CABATINGAN	ANDREW	PACAMPARA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
10	CABE	EDGAR JR	GALOS	MANUEL L. QUEZON UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST PLACID - RC GYM

Floor : 1ST

Room/Grp No. : GRP 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CABEROY	JEXTER	FULGUERINAS	RIZAL TECHNOLOGICAL UNIVERSITY
2	CABOTAJE	CAROL JHAN PAUL	CORDOVA	NATIONAL UNIVERSITY-MANILA
3	CABRAL	GERWARDS	IMPERIAL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-LOPEZ
4	CABRERA	ELBERT	LABASAN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
5	CABRERA	EMMANUEL	BALAGTAS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	CABRERA	JESSICA	TALBAN	BATANGAS STATE UNIVERSITY - ALANGILAN
7	CABREROS	RAVEN PEARL	GATCHALIAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	CABUGNASON	YISAK	LOPEZ	MALAYAN COLLEGES LAGUNA
9	CABUNILAS	EMMANUEL	CAÑADA	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
10	CAC	ERIC DALE	ESTRELLA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST PLACID - RC GYM

Floor : 1ST

Room/Grp No. : GRP 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CACHO	WONNA MAY	GREMIO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	CADUNGOG	MARK ALFRED	AGUILAR	CENTRAL COLLEGES OF THE PHILIPPINES
3	CAGUIAT	HEZRON	LOPEZ	HOLY ANGEL UNIVERSITY
4	CAJIGAS	KELBY ALLEN	POBLETE	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	CALABIA	EDMUNDO JR	INOVAL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	CALABIA	MARK OWEN		POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	CALAMBA	MARK JOHN	SAGUIDON	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES
8	CALANGI	JUMER PAUL	GARCIA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
9	CALANGIAN	JONG JONG	DIMALANTA	VIRGEN MILAGROSA UNIVERSITY FOUNDATION
10	CALANTOC	MARK ANTHONY	SALAZAR	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST PLACID - RC GYM Floor : 1ST Room/Grp No. : GRP 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CALATA	KRISTIAN PAOLO	SANTIAGO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	CALDERON	CHRISTOPHER	ALVARADO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	CALDERON	NERISSA	MAGAÑA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	CALIMLIM	RAY CHRISTOPHER	ANTONIO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	CALMA	KEVIN JORGE	AREJA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
6	CALMA	ROYCE BRYAN	CABALU	HOLY ANGEL UNIVERSITY
7	CALPE	JOHN REYNOLD	OLASO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
8	CALUMPIANO	CHARLON	GIANAN	ADAMSON UNIVERSITY
9	CALUYA	JEDIDIAH DAVID	GRIPAL	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
10	CAMBA	DANIEL	LUMBANIA	UNIVERSITY OF LUZON (LUZON COLL.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY
Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : ST PLACID - RC GYM Floor : 1ST Room/Grp No. : GRP 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CAMINGAL	JOSEPH LEMUEL	ACEVEDA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	CAMPOS	JONARD	GUERRERO	UNIVERSITY OF PANGASINAN
3	CAMPOS	RONALD		UNIVERSITY OF CEBU
4	CAMUS	KENNETH	SANDICHO	UNIVERSITY OF THE EAST-MANILA
5	CANAMAQUE	RHODORA	VIRAY	PALAWAN STATE UNIVERSITY-P. PRINCESA
6	CANARIA	NEIL VINCENT	OBAN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	CANDA	JASPER JOHN	BAÑAGA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	CANGA	ERNEST BENEDICT	CHAN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
9	CANILLO	JAY	MAHILUM	SOUTHERN LEYTE STATE UNIVERSITY (SLSCST)-SOGOD
10	CANLAPAN	ANDREI DOMINIC	HENSON	HOLY ANGEL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY
Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : ST PLACID - RC GYM Floor : 1ST Room/Grp No. : GRP 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CANLAS	KING ARNIE	URETA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	CANLAS	MARK LOUIS	DE LEON	HOLY ANGEL UNIVERSITY
3	CANLAS	RODRIGO JR	FAJARDO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	CANLAS	WENDELL	CAMPOS	NEW ERA UNIVERSITY
5	CANSINO	ARDEL	FABABAIR	BATANGAS STATE UNIVERSITY - ALANGILAN
6	CANTAL	JOHN MARK	FAMI	CAVITE STATE UNIVERSITY (CAVITE C.A.T)- ROSARIO
7	CANTINA	JEFFREY	GUEVARA	DE LA SALLE UNIVERSITY-DASMARIÑAS
8	CANTOS	PAULO LEO	ENRIQUEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
9	CANTOS	RANDELL	PANOPIO	BATANGAS STATE UNIVERSITY - ALANGILAN
10	CAÑUBAS	BRENDALYN	PANUNCIAL	BATANGAS STATE UNIVERSITY - ALANGILAN
11	CAPADOSA	JOYCIE	ARAÑADOR	PAMANTASAN NG LUNGSOD NG VALENZUELA
12	CAPAROSO	ANGELICA ROSE	GONZALES	UNIVERSITY OF THE PHILIPPINES-DILIMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : MVP GYMNASIUM Floor : 1ST Room/Grp No. : GRP 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CAPARROS	RAPHAEL	RAMIRO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	CAPILI	JEOFREY JR	PASCUA	LYCEUM OF THE PHILIPPINES - CAVITE
3	CAPINPIN	MELOWIN JOY	SAIREZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	CAPIRAL	ADRIEL JOHN	ILAS	DE LA SALLE UNIVERSITY-DASMARIÑAS
5	CAPUNITAN	IVAN	OLIVAR	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	CARASI	GABRIEL	VALENZUELA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
7	CARCIDO	NENA LIE	MORADO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	CARGULLO	LENNARD ALLEN	PERIO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MARAGONDON
9	CARINGAL	JHON KIM	MENDOZA	MALAYAN COLLEGES LAGUNA
10	CARIÑO	KIM	DULOJAN	UNIVERSITY OF THE EAST-MANILA
11	CARREAL	JOHN PHILIP	LOPEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
12	CARREON	RAMON II	PALMA	UNIVERSITY OF THE EAST-CALOOCAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : MVP GYMNASIUM Floor : 1ST Room/Grp No. : GRP 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CASALLA	JISHMAEL	VILLALON	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	CASAPAO	KARL ADRIEN	ESPELITA	BATANGAS STATE UNIVERSITY - ALANGILAN
3	CASES	MARK EDREAN	ABEJAR	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	CASIDING	PATRICK JOSHUA	GAILA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	CASIN	BELEN	ESPERIDION	PAMANTASAN NG LUNGSOD NG VALENZUELA
6	CASIÑAS	ALDRIN	LABORINA	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
7	CASIO	MARIA IGNACIA	REASOL	WESTERN INSTITUTE OF TECHNOLOGY
8	CASPE	ELBERT	GALVE	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
9	CASTALONE	BENGEL	PAMPLONA	UNIVERSITY OF RIZAL SYSTEM-MORONG
10	CASTAÑEDA	MICHAEL FRANCIS	RAMIS	UNIVERSITY OF THE EAST-MANILA
11	CASTILLO	AIRA JANE	PEDRAJAS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
12	CASTILLO	ARTHUR	MEREZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : MVP GYMNASIUM Floor : 1ST Room/Grp No. : GRP 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CASTILLO	CHRISTIAN	CARDENAS	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
2	CASTILLO	CHRISTOPHER	ULGASAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	CASTILLO	JAYCEL	GONZALES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	CASTILLO	JOSHUA	ESGUERRA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	CASTILLO	LEE-ANN	BERGORO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
6	CASTILLO	REYNALDO JR	BO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
7	CASTOR	DON CARLO	CAPINLAC	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	CASTRO	EDUARDO	MANIAGO	FAR EASTERN UNIVERSITY-MANILA
9	CASTRO	JASPER ADRIAN DWIGHT	VELASQUEZ	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
10	CASTRO	JOSHUA RAFAEL	BARONGAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
11	CASTUERA	JOMAR	PATAL	WESTMEAD INTERNATIONAL SCHOOL
12	CATACUTAN	JEAN CLARK	DELA MERCED	UNIVERSITY OF THE EAST-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : MVP GYMNASIUM

Floor : 1ST

Room/Grp No. : GRP 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CATAGA	CHRISTINE MARYSE	DE ROXAS	DE LA SALLE UNIVERSITY-DASMARIÑAS
2	CATALAN	NORBERTO	GONZALES	COLEGIO DE LA PURISIMA CONCEPCION
3	CATANGAY	JAN ARVIN	REYES	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	CAYANAN	KENNETH	BANAWA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	CELEMIN	CHRISTIAN REY	DE CASTRO	BATANGAS STATE UNIVERSITY - ALANGILAN
6	CELESTE	JAN MICHAEL DAN	ORDOÑEZ	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	CELESTIAL	MOSAK	TRIA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	CELESTINO	ARGENE NEIL	ALCANTARA	MALAYAN COLLEGES LAGUNA
9	CELON	MARIA CHARLOTTE	LLAGAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
10	CENTENA	KRISTINE LOU	SANTOS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
11	CENTENO	BEATRICE KIM	REPANCOL	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
12	CENTENO	JOHN LEMUEL	REPANCOL	UNIVERSITY OF THE PHILIPPINES-DILIMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY
Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : MVP GYMNASIUM Floor : 1ST Room/Grp No. : GRP 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CEPE	CHRISTOPHER JEROME	CASIN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	CERICOS	ISAAC REYDEN	APAT	UNIVERSITY OF BOHOL
3	CERVANTES	TRISTAN	VILLAR	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	CHAVEZ	CHRISTIAN	MALIT	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	CHAVEZ	EMMANUEL	BILANO	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	CHAVEZ	JENIBILLE	BAREL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	CHAVEZ	MARK NICOLE	PADILLA	UNIVERSITY OF SANTO TOMAS
8	CHING	JERO	REYES	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
9	CHUA	AZRIEL KYLE	MAGPOC	UNIVERSITY OF THE PHILIPPINES-DILIMAN
10	CHUA	CARL JORDAN	ATENDIDO	CENTRAL COLLEGES OF THE PHILIPPINES
11	CHUA	JUSTIN JAMES	SINSON	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
12	CHUA	MARK GLENN	QUEJADO	UNIVERSITY OF THE EAST-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : MVP GYMNASIUM

Floor : 1ST

Room/Grp No. : GRP 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CIAS	MARIA JHEA MAY	CONTRERAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-LOPEZ
2	CINCO	JONEL JR	GRANDE	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
3	CLARITO	DENZEL	CABALLERO	WESTERN INSTITUTE OF TECHNOLOGY
4	CLAVEL	ARIES	TIDON	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	CLEMENTE	JUSTIN ANTHONY	SANTARINA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	CLEMENTE	KELLY ANDREI	PEÑAFLORE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	CLITAR	RIZA	CONSTANTE	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
8	CODILAN	JAYVEE	ROCERO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
9	COLAT	KURT LOUIE	SANTOS	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA
10	COLES	RAYMART	AMOYO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
11	COLIAT	ROMMIELYNE	UNTALAN	UNIVERSITY OF BATANGAS
12	COLLAO	NASH NICHOL	ARCILLA	CAMARINES SUR POLYTECHNIC COLLEGE-NABUA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : MVP GYMNASIUM

Floor : 1ST

Room/Grp No. : GRP 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	COMETA	KENNETH	EBERO	WESTMEAD INTERNATIONAL SCHOOL
2	COMIA	EULLA	CORTEZ	DE LA SALLE UNIVERSITY-DASMARIÑAS
3	COMON	JERALD	MACALINO	HOLY ANGEL UNIVERSITY
4	COMPUESTO	EMERLAND JOYCE	VILLAMOR	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
5	CONCEPCION	NATHANIEL	DE GUIA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	CONSEJO	BENJOE	BURIEL	COLEGIO DE LA PURISIMA CONCEPCION
7	CONSIGNADO	JOLINE MARTHA	VILLANUEVA	DE LA SALLE UNIVERSITY-LIPA
8	CONSTANTINO	ANGELO	BARUNDIA	NATIONAL UNIVERSITY-MANILA
9	CONTRERAS	ANTONIO MIGUEL	VILLENA	UNIVERSITY OF BATANGAS
10	CONTRERAS	CARLO ANGELO	OCAMPO	UNIVERSITY OF PERPETUAL HELP RIZAL-CALAMBA CAMPUS
11	CONTRERAS	JODL AARON	DE GUZMAN	DE LA SALLE UNIVERSITY-DASMARIÑAS
12	CONTRERAS	MICHAEL	RICAFUENTE	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST MAURS BLDG **Floor :** **Room/Grp No. :** 41E

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CORADO	JULIUS	JOCOSOL	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
2	CORDOVA	AL JHON	DONAFELIS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	CORDOVA	ANTHONY	SARAZA	ADAMSON UNIVERSITY
4	CORNEJO	HEIDI	DALISAY	BATANGAS STATE UNIVERSITY - ALANGILAN
5	CORNEJO	REWE		UNIVERSITY OF THE EAST-MANILA
6	CORNELIO	CARLO	NAVIDAD	DON MARIANO MARCOS MEMORIAL STATE UNIVERSITY-SAN FERNANDO
7	CORNICO	MARY JOY	LOBERIANO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
8	COROCOTO	BING YONG		UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
9	CORONADO	RHEALYN	CONSEBIDO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
10	CORONEJO	JOHN ROCKY	TACORDA	COLEGIO DE SAN JUAN DE LETRAN-INTRAMUROS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST MAURS BLDG Floor : Room/Grp No. : 41F

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CORONEL	RANZ	LACSON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	CORPUZ	RAY LEONARD	HERNANDEZ	PAMANTASAN NG LUNGSOD NG VALENZUELA
3	CORREA	ARVIN FRANZ	SAN PEDRO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	CORREA	JEREMIAH ZETH	LACISTE	UNIVERSITY OF SANTO TOMAS
5	CORTEZ	JAMES GABRIEL	ABITRIA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	CORVERA	LENNARD	RESTUA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	COSEPE	JEFFREY SAM	LOSABIO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-LOPEZ
8	COSTALES	RENZ IAN	VIVAS	UNIVERSITY OF PERPETUAL HELP RIZAL-CALAMBA CAMPUS
9	COSTALES	SHAIRA MAE	BUNAO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
10	CRISTOBAL	BERNARD	MANABAT	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST MAURS BLDG Floor : Room/Grp No. : 41G

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CRISTOBAL	FAITH IRIS	VILLANUEVA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	CRUZ	ADRIAN ROY	ALAGO	NEW ERA UNIVERSITY
3	CRUZ	CARYL	DOCOG	UNIVERSITY OF SANTO TOMAS
4	CRUZ	CHRISSA	ARPON	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
5	CRUZ	DAN PATRICK	PILLERVA	LYCEUM OF THE PHILIPPINES - CAVITE
6	CRUZ	ELVIRA	BUENAFLORE	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA
7	CRUZ	GENER KARLO	DEBIL	DE LA SALLE UNIVERSITY-DASMARIÑAS
8	CRUZ	JOEL	CHUA	CENTRAL COLLEGES OF THE PHILIPPINES
9	CRUZ	JOHN REGGIE	MESINA	ADAMSON UNIVERSITY
10	CRUZ	JOSEPH BENEDICT	SALVACION	UNIVERSITY OF THE PHILIPPINES-DILIMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST MAURS BLDG **Floor :** **Room/Grp No. :** 41H

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CRUZ	KATHRINA YVONNE	CAYABYAB	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	CRUZ	KENNETH	LUMANDAS	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
3	CRUZ	MARI AIMEE	ROSILLO	PAMANTASAN NG LUNGSOD NG VALENZUELA
4	CRUZ	NATHANIEL	PASCUAL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	CRUZ	RONALDO	DIAZ	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	CRUZ	RYAN JADE	LAVIDES	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
7	CRUZ	SHALYNA KRISHNA	AQUINO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	CRUZ	ZELIENA DOMINIQUE	JOSON	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
9	CUARESMA	REJOHN DALE	VILLARIN	MISAMIS UNIVERSITY-OZAMIS CITY
10	CUBILO	BIEN MIGUEL	CAUQUIRAN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST MAURS BLDG Floor : Room/Grp No. : 411

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CUEBILLAS	ARVIN JONAS	CARLET	DIVINE WORD COLLEGE OF LEGAZPI
2	CUENTO	IAN CLARK	BEDUA	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
3	CUETO	GREDRIAN	DE VILLA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	CUEVAS	REYNALDO IV	TRAJANO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	CUEVAS	VEA DENISSE	LITAN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
6	CULALIC	JONAHMYR	GONZALES	DE LA SALLE UNIVERSITY-DASMARIÑAS
7	CULILAP	MARYLINA ANGELOU	CORPIN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	CUNANAN	BENJAMIN JR	ASICO	NATIONAL UNIVERSITY-MANILA
9	CUNANAN	POULINE	PANGANIBAN	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
10	CUNANAN	RICO	GARCIA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA
Building : ST MAURS BLDG

Floor : **Room/Grp No. : 41J**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CUNANAN	ROY	BABILONIA	PAMANTASAN NG LUNGSOD NG VALENZUELA
2	CUNTAPAY	JIM LAURENCE	HEREDERO	PALAWAN STATE UNIVERSITY-P. PRINCESA
3	CUSTODIO	LESTER KENETH	ALONSO	NEW ERA UNIVERSITY
4	CUSTODIO	MEYBELL	YUN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	DABU	JHON RICHARD	PEROL	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	DAEZ	MARK RYAN	MICO	ADAMSON UNIVERSITY
7	DAGLI	BRANDO VAN WRENI	BASIT	UNIVERSITY OF BATANGAS
8	DAGOHOY	JERICO	DELA CRUZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	DAIROCAS	ALVIN ALEXANDER	VILLANUEVA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
10	DALAWANGBAYAN	DARREN	SUAREZ	WESTMEAD INTERNATIONAL SCHOOL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 12B

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DALDE	SLYNTH IVAN	DAO-ANG	ILOILO SCIENCE & TECHNOLOGY UNIVERSITY(FOR W.V.C.S.T.-MAIN CAMPUS)
2	DALIDA	BRYAN	FALLURIN	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
3	DALISAY	DERICK JOHN	MANALO	BATANGAS STATE UNIVERSITY - ALANGILAN
4	DALISAY	REGINE	BALATCOPO	BATANGAS STATE UNIVERSITY - ALANGILAN
5	DANAN	ALLEN JOHN	CARANTO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
6	DANGANAN	ADIEL JR	ATE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	DANGO	JUNGIE CRIS	VISCAYNO	UNIVERSITY OF THE EAST-CALOOCAN
8	DANTES	JHONAS	DE LEON	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 12C

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DARILAG	RITCHELLE	SUYU	FLORENCIO L. VARGAS COLLEGE-TUGUEGARAO
2	DARPING	HAMZA	SULEIK	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	DATUL	VINCE NEIL	ESPEJO	NEW ERA UNIVERSITY
4	DAVEY	CROMWELL PATRICK	BELEN	DE LA SALLE UNIVERSITY-DASMARIÑAS
5	DAVID	JOHN LOUIE	MENDOZA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	DAVID	LAURENCE BENEDICT	GUTIERREZ	HOLY ANGEL UNIVERSITY
7	DAVID	LUKE DAREN	CRUZ	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	DAVID	RALD	YAP	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 12D

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DAVID	RONWELL	CACNIO	DE LA SALLE UNIVERSITY-DASMARIÑAS
2	DAYA	AMIEL	LEAL	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
3	DAYAWON	NERIZA	EVANGELISTA	UNIVERSITY OF SANTO TOMAS
4	DAYEGO	ALBERT ANGELO	GAHITO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
5	DAYRIT	KEISHA MARIE		BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	DE ANDRES	MARK WIL	GABUCAY	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	DE BELEN	LAURENCE JOHN	SALAZAR	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	DE BORJA	CLARK DOMENIC	MANGAO	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 12E

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DE CASTRO	DARYL JOHN	RAMORES	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	DE CASTRO	JAYRELL	JOAQUICO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	DE CASTRO	JOHN KENNY NAP	LAZARO	RIZAL TECHNOLOGICAL UNIVERSITY
4	DE CASTRO	PAUL ALDWIN	ROMAN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-LOPEZ
5	DE CHAVEZ	JONMARK	MARANAN	GOLDEN GATE COLLEGES
6	DE ERIT	MICHAEL	YCO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	DE GUZMAN	ARNULFO JR	SARMIENTO	UNIVERSITY OF LUZON (LUZON COLL.)
8	DE GUZMAN	CHRISTIAN JEROME	PANGILINAN	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 12F

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DE GUZMAN	EMERSON	BUENSALIDA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	DE GUZMAN	RAE BENZON	DIMALIBOT	UNIVERSITY OF BATANGAS
3	DE GUZMAN	SHEM ESRI	DE JESUS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
4	DE JESUS	ANGELITO	SORISO	RIZAL TECHNOLOGICAL UNIVERSITY
5	DE JESUS	CARL JUSTIN	LOMBOY	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	DE JESUS	JOHN JOSHUA	TEMPRA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	DE JESUS	MARK ANGELO	OJEDA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	DE LA CRUZ	ERIC	ASIATICO	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 12J

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DE LA PEÑA	CHRISTIAN EMMANUELLE	AMARO	LYCEUM OF THE PHILIPPINES - CAVITE
2	DE LA VEGA	KARL RYANN	BELLEZA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	DE LARA	FERNANDO	OLIVER	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	DE LEON	AEMIELYN	FABRO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	DE LEON	FRANCIS JERUEL	LIBRAMONTE	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	DE LEON	JOAQUIN JOSEPH	CARPENA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	DE LEON	JOERGE BRYAN	CORDERO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	DE LEON	JORDAN	DIMAYUGA	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 12K

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DE LEON	JOSEPH ROWELL	HERNANDEZ	UNIVERSITY OF SANTO TOMAS
2	DE LEON	WENDELL	NAUNGAYAN	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
3	DE SILVA	AISHA	LEGASPI	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	DE TORRES	JOSH JERIK	BATILO	DE LA SALLE UNIVERSITY-LIPA
5	DECANO	KEITH GENESIS	REQUINALA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	DECENA	DEAN MARK	GALZOTE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	DECENA	DOMINIC	MORALES	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	DEGRACIA	JOSHUA	JAYONA	DE LA SALLE UNIVERSITY-DASMARIÑAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 12L

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DEL MUNDO	AILEEN MARIE	ONRUBIA	BICOL UNIVERSITY-LEGAZPI
2	DEL MUNDO	MARELLA FAYE	LIM	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
3	DEL MUNDO	PAOLO DOMINICO	GALERA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	DEL MUNDO	POCHOLO DAVID	GALERA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	DEL POSO	DAVID	AGUA	UNIVERSITY OF THE EAST-MANILA
6	DEL RIO	JOHN PATRICK	ACEBEDO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	DEL ROSARIO	JEAN ANN	MOSLARES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	DEL ROSARIO	JONAS ANDRIAN	CALMA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 12M

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DEL ROSARIO	NOEL	SANCHEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	DEL ROSARIO	RANAN THOMAS	CORNEJO	COLEGIO DE SAN JUAN DE LETRAN-INTRAMUROS
3	DEL VALLE	ERWIN	LIT	LYCEUM OF THE PHILIPPINES-LAGUNA (for.LYCEUM INST.OF TECH)
4	DELA CRUZ	ALEXZANDRE MARK	SANTOS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	DELA CRUZ	ARMAN PAUL	MENDEZ	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
6	DELA CRUZ	ERNESTO JR	PERJES	SAINT FRANCIS OF ASSISI COLLEGE
7	DELA CRUZ	JIM DARREN	GUANZON	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	DELA CRUZ	JINKY	DE GUIA	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 12Q

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DELA CRUZ	JOSE CARLO	VALENCIA	BATANGAS STATE UNIVERSITY - ALANGILAN
2	DELA CRUZ	JOSEPH ANDREW	DIZON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	DELA CRUZ	KEVIN	ORTEGA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	DELA CRUZ	MAEVEL LENCIE	LAGAMIA	NATIONAL UNIVERSITY-MANILA
5	DELA CRUZ	MARK LESTHER	LUTAO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	DELA CRUZ	PAUL NICHOLSON	GABITO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
7	DELA CRUZ	PRENZEL	SANCHEZ	LYCEUM OF THE PHILIPPINES-LAGUNA (for.LYCEUM INST.OF TECH)
8	DELA CRUZ	ROY ADRIAN	ALARILLA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 12R

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DELA PEÑA	PAOLO	BAUTISTA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
2	DELA RAMA	FRANCES HAIDEE	GARCIA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
3	DELA ROSA	DANREB	LIBRES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	DELA VEGA	GABRIEL ANGELO	MEDINA	FAR EASTERN UNIVERSITY-MANILA
5	DELA	RYAN KEVIN	LIBUNAO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	DELFIN	KENO CHARLES	MACAPAGAL	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	DELGADO	JAYCEL	PLAMIO	PAMANTASAN NG LUNGSOD NG VALENZUELA
8	DELGADO	JEFREY	VILLAHERMOSA	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 13B

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DELGADO	NIÑA JEANE	MACALALAD	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
2	DELIM	RANIE	BANTILO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
3	DELOS REYES	KRISTOPHER	CASTILLO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
4	DELOS SANTOS	CHARLES JOHN	BITOON	WESTERN PHILIPPINES UNIV.(for.PALAWAN N.A.C)-ABORLAN
5	DELOS SANTOS	EMIL GABRIEL	LLOBRERA	AURORA STATE COLLEGE OF TECHNOLOGY
6	DELOS SANTOS	JO SOFIA	ESGUERRA	PAMANTASAN NG LUNGSOD NG MAYNILA
7	DELOVINO	EDMUND	GILE	RIZAL TECHNOLOGICAL UNIVERSITY
8	DEMATE	RONALD	ABERTE	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13C

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DEMDAM	ROMMEL	FELONIA	RIZAL TECHNOLOGICAL UNIVERSITY
2	DEMETILLO	ALEXIS NICOLE	B	UNIVERSITY OF THE EAST-CALOOCAN
3	DEMIAR	DOMINIC	RESURRECCION	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	DEQUITO	IAN FRITZ	TRIAS	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
5	DESPABILADERAS	JERICO DAVID	VIRAY	UNIVERSITY OF SANTO TOMAS
6	DESPE	RENTZ CHRISTIAN	PALADA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
7	DESPI	JOHN CARL	GUZMAN	COLEGIO DE SAN GABRIEL ARCANGEL
8	DETABLAN	ANNA MARIELLA	LOZADA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 13D

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DEVANADERA	JESSA	YBAÑEZ	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
2	DIATA	ARIEL	INDONILLA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	DIAZ	BEATRIZ JHUNIE	PERALTA	ADAMSON UNIVERSITY
4	DICHOS	RANGEL	REYES	UNIVERSITY OF THE EAST-CALOOCAN
5	DIEZ	TEDD JEFFERSON	ASUNCION	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	DIGA	MARCELINO JR	MARZAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	DIGA	RONEL	RAPADA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
8	DIGNOS	JERALD	VERSALES	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13E

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DILIG	LOUIS BENEDICT	PATIÑO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	DIMAANO	JOHN PAULO	ARCILLAS	DE LA SALLE UNIVERSITY-LIPA
3	DIMACALI	MARC HAWKINS	SANTOS	SAINT LOUIS UNIVERSITY
4	DIMAILIG	RICHNELL	DE CASTRO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
5	DIMALANTA	IAN PHILIP	BACERO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	DIMALANTA	RYAN DANE	BAUTISTA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	DIMAYUGA	HEDRIX	SADILI	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	DIMAYUGA	JOBET	DE VILLA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13F

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DIÑO	KENNETH RUSSELLE	SISON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	DIOAYAN	JAMES LEVI	LAIS	LAGUNA STATE POLYTECHNIC UNIVERSITY - SAN PABLO (LSPC)former (SPCSAT)
3	DIOKNO	MIKAEL GERARD	OBA	UNIVERSITY OF SANTO TOMAS
4	DIOLAZO	NIKKA	VENZON	UNIVERSITY OF LUZON (LUZON COLL.)
5	DIOLOLA	ISAAC JR	CAPITO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
6	DIONISIO	BRIXTER	BOCO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	DIZON	BRIAN RUSSEL	SANCHEZ	UNIVERSITY OF SANTO TOMAS
8	DIZON	CHRISTIAN JOBE	ARCEO	UNIVERSITY OF THE PHILIPPINES-DILIMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13G

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DIZON	KIER	REYES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	DIZON	SERRY AEVEN MHAR	SUBA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
3	DOCTOR	KIRK EMELIO V	TACORDA	MANUEL L. QUEZON UNIVERSITY
4	DOGUILES	JOSIAH EVAN	CABALLERO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	DOLOR	JOHN HUMPHREY RONN	DIVINA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	DOLORES	MARC RAFAELMER	IBARRA	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
7	DOMINGO	CHRISTIAN JOHN	PIAGOLA	RIZAL TECHNOLOGICAL UNIVERSITY
8	DOMINGO	DAN MARVIN	BAUTISTA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13H

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DOMINGO	JENKYNS	YAPE	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
2	DOMINGO	JOHN MARVIN	DELA MATA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
3	DOMINGO	KHENNARD	CORPUZ	NORTHWESTERN UNIVERSITY
4	DOMINGO	MARY BLANCHE	BERDON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	DOMINGUEZ	AVAN CHRISTIAN	PARALLAG	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	DOMONDON	ALLAN	LALU	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	DONCERAS	ROEL	UDTUHAN	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES
8	DORADO	ANDRE CHRISTOPHER	CERVANTES	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 131

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DOROIN	DAG JUSTIN	UY	MALAYAN COLLEGES LAGUNA
2	DREZ	PATRICK LOUIE	ANCA	LYCEUM OF THE PHILIPPINES - CAVITE
3	DUAZO	RANDY	ELDO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
4	DUBLIN	JAPHET	VARGAS	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
5	DUEÑAS	HONEY LYN	CRUZ	NEW ERA UNIVERSITY
6	DUEÑAS	JOHANAN	GARCIA	HOLY ANGEL UNIVERSITY
7	DUEÑAS	OLIVER	VIRAY	HOLY ANGEL UNIVERSITY
8	DUERME	VINCE ERICK	SARCIA	CENTRAL COLLEGES OF THE PHILIPPINES

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 13J

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DULANA	LEENARD	FUENTES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	DUMA-O	ADRIAN PAUL	CLARAVALL	UNIVERSITY OF SANTO TOMAS
3	DUMANCAS	DOMINIC	PARAISO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	DUMAYAG	GENARO JR	SALAC	NEW ERA UNIVERSITY
5	DUMLAO	KENNITH	EGANA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	DUMO	TOMMY		PRESIDENT RAMON MAGSAYSAY STATE UNIVERSITY-(FOR RMTU)-IBA
7	DUYAO	RAVEN JILL	YUMUL	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	EBARDO	DEXPER KING	AUSTRIA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13K

Seat No.	Last Name	First Name	Middle Name	School Attended
1	EBRADA	SHARELE	DIVINA	ADAMSON UNIVERSITY
2	ECLARINAL	AARON JOSHUA	FABELLARE	UNIVERSITY OF THE EAST-MANILA
3	ECLEO	JOSSEL	ELBO	PRESIDENT RAMON MAGSAYSAY STATE UNIVERSITY-(FOR RMTU)-IBA
4	EGARGUE	JEROME CHRISTIAN	CARANDANG	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	EJUSA	ERIC	MILLET	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	ELEAZAR	PETER ARVIN	BALAJADIA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
7	ELISEO	JUNELL DAVE	TOLINERO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	EMBANG	ESMAEL	MANGUDA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13L

Seat No.	Last Name	First Name	Middle Name	School Attended
1	EMBILE	RODGER	REBUSTILLO	FEATI UNIVERSITY
2	ENAD	DANILO	LADONGA	SAINT PETER'S COLLEGE-ILIGAN CITY
3	ENCARNADO	RALPH EMERSON	SANTOS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	ENDAYA	EMERSON	FLORES	COLEGIO DE SAN GABRIEL ARCANGEL
5	ENDAYA	FRANCIS ALBERT	JAPSON	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	ENDOZO	ROBIN LLOYD	DE VILLA	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
7	ENGAY	JOSHUA	LABRAGUE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	ENRIQUEZ	MA. THERESA	CAÑET	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE

Floor :

Room/Grp No. : 13M

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ERANDIO	GRACELLE	MENDOZA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	EREÑO	RODEL	SINGSON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	ERIVE	MARGO ISAY	RASALAN	ADAMSON UNIVERSITY
4	ESCAMILLA	MARK	DOLIM	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	ESCAÑO	ROBERT FRANCIS	CERVANTES	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	ESCOBAL	BERNARD JOHN	DIAZ	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	ESCOBILLA	VIC JANDELLE	ABAJA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	ESCUREL	CHOCO	CAGUETE	UNIVERSAL COLLEGES OF PARAÑAQUE

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13S

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ESGUERRA	DION MARC	DE JESUS	CENTRAL COLLEGES OF THE PHILIPPINES
2	ESGUERRA	PAOLO	COLMENAR	DE LA SALLE UNIVERSITY-DASMARIÑAS
3	ESMAS	EIRISH CHRYSTELLE	PANOPIO	BATANGAS STATE UNIVERSITY - ALANGILAN
4	ESPAÑO	DANILO JR	BACANI	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
5	ESPARTINEZ	IAN	INDICO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	ESPINA	SHIELA MAE	SAN JOSE	CAMARINES NORTE STATE COLLEGE-DAET
7	ESPINILI	KENNETH MATTHEW	OBANIANA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	ESPINOLA	ANGELITO	PEREZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE **Floor :** **Room/Grp No. :** 13T

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ESPINOSA	DANIELLA MARIE	VENTEROSO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	ESPINOSA	EDWARD JHAN	PENUELA	RIZAL TECHNOLOGICAL UNIVERSITY
3	ESPINOSA	JOSHUA	FARUM	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
4	ESPINOZA	JEFFENDI JOHN	BAGIS	PHILIPPINE COLLEGE OF SCIENCE & TECHNOLOGY-CALASIAO
5	ESPIRITU	EDWARD JOSEPH	DELA CRUZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	ESPIRITU	LOVELY JOY	LANDICHO	GOLDEN GATE COLLEGES
7	ESPIRITU	MC-RJ	POLICARPIO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
8	ESQUEJO	ANGELA	GUARDIAN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13W

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ESQUIVEL	DON DAVE	POLINTAN	HOLY ANGEL UNIVERSITY
2	ESTACION	OHMNEE CEZ	TUMULAC	LYCEUM OF THE PHILIPPINES - CAVITE
3	ESTANILLA	KIM	MANAHAN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
4	ESTANISLAO	MARK ANTHONY	CORTEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	ESTARIS	BRYAN	BAUTISTA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	ESTEBAN	IAN MARDIE	SALAZAR	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	ESTELLA	ANGELA	LOZADA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	ESTENZO	JAYPE	LUBGUBAN	JOSE RIZAL MEMORIAL STATE UNIVERSITY-DAPITAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13X

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ESTRADA	ARJAY	NALASA	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES
2	ESTRELLA	MATTHEW	ARCIBAL	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	ESTRELLA	PAULA	GUBALANE	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	ESTRELLADO	ANGELITA	DUCHA	SORSOGON STATE COLLEGE-SORSOGON
5	EVANGELISTA	KEVIN	MAGBUHOS	GOLDEN GATE COLLEGES
6	EXALTACION	SHERNAN	SABADO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	FABRIGARAS	HERMINIO JR	NIEVES	NATIONAL UNIVERSITY-MANILA
8	FABRO	RUBEN	CARSOLA	DON MARIANO MARCOS MEMORIAL STATE UNIVERSITY-SAN FERNANDO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : SAN BEDA UNIVERSITY

Address : 638 MENDIOLA ST., SAN MIGUEL, MANILA

Building : ST BEDE Floor : Room/Grp No. : 13Y

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FABUNAN	LOIS CLARK	MANALO	RIZAL TECHNOLOGICAL UNIVERSITY
2	FAJARDO	JEROME JONATHAN	ALBERTO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	FAJARDO	JUAN MIGUEL	MEDINA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	FAJARDO	MARK JAYSON	DE ROXAS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
5	FALOGME	JURE DIVINO	AMAR	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	FALSIA	CHRISTIAN	FRUELDA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
7	FAMINI	JUDITH	FORTU	RIZAL TECHNOLOGICAL UNIVERSITY
8	FAMINIANO	ARKIM	RAMOS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE

Floor : **Room/Grp No. : A165**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FAMORCAN	LEOVIE NILE	FALLARCUNA	BATANGAS STATE UNIVERSITY - ALANGILAN
2	FAMPULME	CHRISTINE ANGELIC	FAJILAN	BATANGAS STATE UNIVERSITY - ALANGILAN
3	FEJER	RONA MAE	VILLANUEVA	UNIVERSITY OF BATANGAS
4	FELIA	ORLAN	FAJANILAN	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
5	FELICIANO	JOHN FREDERICK	ARCEGA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	FELISAN	REY JHON JORDAN	ACUÑA	BOHOL ISLAND STATE UNIVERSITY (FOR.CVSCAFT)-TAGBILARAN
7	FENOL	DANIEL	ELISAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	FEOLOG	JUANITO JR	ROMERO	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE

Floor : **Room/Grp No. : A166**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FERCIA	AMIEL JOHN	ABRENICA	UNIVERSITY OF SANTO TOMAS
2	FERMA	ROWEL	DIESTA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	FERNANDEZ	MA. DEL MAR	APA	CAVITE STATE UNIVERSITY (CAVITE C.A.T)- ROSARIO
4	FERNANDEZ	SAMUEL JR	EQUIZABAL	NEW ERA UNIVERSITY
5	FERNANDO	KARL ANGELO	DE GUZMAN	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
6	FERNANDO	NATHANIEL AARON	BARON	UNIVERSITY OF THE EAST-MANILA
7	FERNANDO	RAM	FRANCISCO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	FERRER	FILLMORE	ROSALDO	MALAYAN COLLEGES LAGUNA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE

Floor : **Room/Grp No. : A168**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FERRER	RENZO	DALIDA	NEW ERA UNIVERSITY
2	FERROLINO	ERROL BRYANNE	ALAYON	UNIVERSITY OF SANTO TOMAS
3	FERRY	KHRISTOPHER RAY	NEUDA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	FETALCO	LAURENCE OLIVIER	LARIZA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
5	FETALVER	NESTRO JR	PERDONIA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
6	FEUDO	JESTONI	FESTIN	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
7	FIEDACAN	GENERIETTA CAMILLE	FAMARIN	UNIVERSITY OF BATANGAS
8	FIEL	CARLA MARIA	PINTUCAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
9	FIEL	JOHN CARL	CALFOFORO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
10	FINES	BRYAN LAWRENCE	NAORBE	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 2ND Room/Grp No. : A261

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FINEZ	RONALD	DE CASTRO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	FINO	JEREMIAH	DELOS REYES	PAMANTASAN NG LUNGSOD NG VALENZUELA
3	FLORENDO	MIGUEL ANTONIO	ALMENARIO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	FLORES	ALIZA	VELARDE	NATIONAL UNIVERSITY-MANILA
5	FLORES	GLYDEL JOY	INTAC	WESTMEAD INTERNATIONAL SCHOOL
6	FLORES	JOSELITO JR	AQUINO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
7	FLORES	REGINA JOYCE	GARCIA	UNIVERSITY OF SANTO TOMAS
8	FLORES	VIROL	VILLANUEVA	FAR EASTERN UNIVERSITY-MANILA
9	FLORITA	HARRIS	OVIVIR	UNIVERSITY OF ANTIQUE-SIBALOM
10	FORASTERO	NICOLETTE		POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
11	FORNEA	REX	BALLENAS	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
12	FORTES	JHERSON	ROMANO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 2ND Room/Grp No. : A262

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FORTIN	LEONIL	VALDEZ	PRESIDENT RAMON MAGSAYSAY STATE UNIVERSITY-(FOR RMTU)-IBA
2	FORTU	DIONY JR	HIPSANE	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
3	FORTU	JHON VINCENT	GOMEZ	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
4	FRANCIA	RALPH RODNEY	AVENIDO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
5	FRANCIA	TERENCE	GUARTE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	FRANCISCO	HARRY CHEN	CABELIC	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
7	FRANCISCO	JAY AR	NIEVES	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MARAGONDON
8	FRANCISCO	JERIEL	PALACIO	UNIVERSITY OF SANTO TOMAS
9	FRANCISCO	JUMARK ROY	DARO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
10	FRANCISCO	MARK LORENZ	FERRIOL	UNIVERSITY OF THE EAST-CALOOCAN
11	FRANCISCO	NIEL DANHIL	DE LEON	UNIVERSITY OF PERPETUAL HELP SYSTEM DALTA-MOLINO CAMPUS
12	FRANE	MICHAEL JOSHUA	DELOS SANTOS	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 2ND Room/Grp No. : A263

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FRESNILLO	REX DAVE	PIMENTEL	OCCIDENTAL MINDORO STATE COLLEGE
2	FRONDA	BRIX	GAMMAD	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	FUENTES	ARVEE MAR	ROXAS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
4	FUENTES	JAIME JR	EVANGELISTA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	FUENTES	JOHN PAUL	PILLE	UNIVERSITY OF PERPETUAL HELP SYSTEM DALTA-MOLINO CAMPUS
6	FULGENCIO	KARLO GABRIEL	CRUZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	FULGENCIO	RICKY	AGUSTIN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	GABALDON	KRISTIAN	APID	ILOILO SCIENCE & TECHNOLOGY UNIVERSITY(FOR W.V.C.S.T.-MAIN CAMPUS)
9	GABOC	DARLENE JOY	GAN	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
10	GABRIEL	CHRISTIAN	NICOLAS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
11	GABUNA	MARC KHRYSLER		COLEGIO DE SAN JUAN DE LETRAN-INTRAMUROS
12	GADAZA	JEFFREY	JUDILLA	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 2ND Room/Grp No. : A264

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GADDI	JAMES MARL	MANANSALA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	GADON	MONREY PAUL	VILLAREAL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	GAGUI	JOHN MICKEL	AZADA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	GALAN	IAN DEXTER	DELOS REYES	BATANGAS STATE UNIVERSITY - ALANGILAN
5	GALANG	ALVIN	CAMPO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	GALANG	ARIEL LOIS	CASTRO	HOLY ANGEL UNIVERSITY
7	GALANG	DEAN CLARO	SARMIENTO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
8	GALANG-RAMOS	LOUISE FAYE	MANGILA	UNIVERSITY OF THE PHILIPPINES-DILIMAN
9	GALICIA	JAY MARK	PEROS	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
10	GALLANO	JOSHUA COLIN	DE CASTRO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
11	GALLANO	LECKY ROYEN	JARAMILLA	UNIVERSITY OF THE EAST-MANILA
12	GALLOS	EDRICK	MAUHAY	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 2ND Room/Grp No. : A267

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GALOPE	JOHN KEVIN	SANTILLA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	GAMROT	JANVIER	PIZARRO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	GANNOD	RONIE	BERGONIO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	GANZON	YMER JOSHUA	AMON	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	GARALDE	BEATRICE NOELLE	MAYOR	UNIVERSITY OF SANTO TOMAS
6	GARAY	GODOFREDO JR	PASTOR	UNIVERSITY OF THE EAST-CALOOCAN
7	GARCES	CRISTINA		RIZAL TECHNOLOGICAL UNIVERSITY
8	GARCIA	AARON VINCENT	REYES	ADAMSON UNIVERSITY
9	GARCIA	CARLO	MANGUNAY	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
10	GARCIA	DAN DREXTER	ZABALA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
11	GARCIA	DANIVIC	FABREGAS	ADAMSON UNIVERSITY
12	GARCIA	EDMUND	BICCAY	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A361

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GARCIA	GEMUEL MARC	COLLANTES	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	GARCIA	JERICO	LOJO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	GARCIA	JOHN CHRISTIAN	RAMIREZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	GARCIA	JOHN ERUEL	PASIA	NEW ERA UNIVERSITY
5	GARCIA	JOHN PAUL	DASSUN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	GARCIA	JUNE	DELA PEÑA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	GARCIA	LEO ANGELO	JOVELLANOS	UNIVERSITY OF THE EAST-MANILA
8	GARCIA	MARC CHRISTIAN	VALIENTE	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	GARCIA	MARRY RUTH	PUNZALAN	BATANGAS STATE UNIVERSITY - ALANGILAN
10	GARCIA	ROSHANE	CALILONG	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A362

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GARCIA	TEDDY JR	GUTIERREZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	GARCIA	VAL	BIZARRA	NEW ERA UNIVERSITY
3	GARDOCE	JIM PATRIOT	DOMINGO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
4	GARGAR	GENESSA	TOQUE	DE LA SALLE UNIVERSITY-DASMARIÑAS
5	GARRIDO	AUBREY	ZAFE	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	GASCON	RYMBERG NEIL	ELECHOSA	LYCEUM NORTHWESTERN UNIVERSITY-DAGUPAN CITY
7	GASPE	CHRISTIAN	GURAY	UNIVERSITY OF THE EAST-MANILA
8	GATDULA	KIM ANDREI	VELASCO	PAMANTASAN NG LUNGSOD NG MAYNILA
9	GAYO	LEONARDO	VILLANUEVA	UNIVERSITY OF LUZON (LUZON COLL.)
10	GAYOSO	STEVEN PAUL	CUEVAS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A363

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GECOSO	JOMARI	ELBAMBO	LYCEUM OF THE PHILIPPINES - CAVITE
2	GEMINO	JOZUA ANTHONY	JUNSAY	UNIVERSITY OF SANTO TOMAS
3	GEMPIS	HARLSDEN JOSEPH	CLAVIO	UNIVERSITY OF THE EAST-MANILA
4	GENERALAO	DELFIN	CATAMBACAN	MANUEL S. ENVERGA UNIV. FOUNDATION- LUCENA CITY
5	GENOVIA	JAMES RAY	ANAUQUE	PRESIDENT RAMON MAGSAYSAY STATE UNIVERSITY-(FOR RMTU)-IBA
6	GENTELIZO	JOYCE	ABAPO	BULACAN STATE UNIVERSITY (for.BCAT)- MALOLOS
7	GIANAN	NOEL JR	MOLINA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	GILBUENA	DAVE	POSTRERO	UNIVERSITY OF PERPETUAL HELP SYSTEM DALTA-MOLINO CAMPUS
9	GILO	EARL STEPHEN	GIRAO	WESTERN INSTITUTE OF TECHNOLOGY
10	GINES	RYAN JAY	JAVIER	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A364

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GLARCE	JOHN RALPH	DAMASINO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	GO	ALDRIC LEANDER	CORTES	UNIVERSITY OF THE PHILIPPINES-DILIMAN
3	GOMEZ	JOANNE JOYCE	PANSOY	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	GOMEZ	LEXUS	DIMALANTA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
5	GOMEZ	RICHMOND CHARLES	ERMOSO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	GONGON	BERNARDINO	MENDOZA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
7	GONIO	JUAN PAULO	PADRE	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
8	GONZAGA	GERWIN CHRISTIAN	RIVERA	DE LA SALLE UNIVERSITY-DASMARIÑAS
9	GONZAGA	KIM CHRISTIAN	COLLADA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
10	GONZALES	CYRUS	OLAVIDES	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A365

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GONZALES	DARLENE	ARGENTE	BATANGAS STATE UNIVERSITY - ALANGILAN
2	GONZALES	DARWIN	LICUP	RIZAL TECHNOLOGICAL UNIVERSITY
3	GONZALES	EUNICE	ESTRELLA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	GONZALES	JASON	OYZON	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	GONZALES	JAY-R	FORCADAS	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
6	GONZALES	JUSTINE	NODA	UNIVERSITY OF THE EAST-MANILA
7	GONZALES	KIMBERLY	GALANG	UNIVERSITY OF THE EAST-CALOOCAN
8	GONZALES	LEAN GERALD	BULURAN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
9	GONZALES	NIEL	AMIDAO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A366

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GONZALES	RONNEL IVAN	GATDULA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	GONZALES	ROSEMARIE	ORIA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
3	GONZALES	TRISTAN LOUIS	PARAS	HOLY ANGEL UNIVERSITY
4	GOPELA	HENDRIK VAN ARNO	CONDENO	DE LA SALLE UNIVERSITY-DASMARIÑAS
5	GOPEZ	RON DANIEL	GONZALES	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	GOTICO	MAYNALD	SANQUI	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	GRAFANE	DEUS LEAN	BANDA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
8	GREGORIO	AHRVIN	MARIANO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	GREGORIO	JOSEPH	ADRIANO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A367

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GREGORIO	RANIER	LOZANO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	GUANLAO	JOHN CARL	BALUYUT	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	GUBALLO	MANUEL II	LAZARRA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
4	GUDIAGA	DINA	REBANGCOS	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
5	GUEVARRA	PETERJOHN	ISIP	ADAMSON UNIVERSITY
6	GUICO	CHRIS PAUL	GUICO	BATANGAS STATE UNIVERSITY - ALANGILAN
7	GUILALAS	MARK CONRAD	ZAMORA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	GUILLERMO	MICHAEL JOHN	TATUNAY	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
9	GUINOBAN	MARVIN	VISCO	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST AUGUSTINE Floor : 3RD Room/Grp No. : A368

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GUINTO	VEEJAY	CASTRO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
2	GUIQUING	BRANDON JAY	REA	RIZAL TECHNOLOGICAL UNIVERSITY
3	GULLES	ALJUN	ALAYON	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
4	GUMAPAC	BENEDICT CHRISTIAN	BACSAL	BATANGAS STATE UNIVERSITY - ALANGILAN
5	GUMTANG	HOMER	BRAVO	MARIANO MARCOS STATE UNIVERSITY-BATAC
6	GUTIERREZ	ANVIL JESU	GARCIA	UNIVERSITY OF SANTO TOMAS
7	GUTIERREZ	KATHLEEN	YANSON	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	HABIBUDDIN	MELODEE	CABUHAYAN	LYCEUM OF THE PHILIPPINES UNIVERSITY-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : Room/Grp No. : M241

Seat No.	Last Name	First Name	Middle Name	School Attended
1	HABOC	ALFRED	MANALILI	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	HADLOCON	RAMON CARLOS	SARMIENTO	ADAMSON UNIVERSITY
3	HAGUISAN	JAYSON	PONCE DE LEON	WESTERN INSTITUTE OF TECHNOLOGY
4	HAUTEA	JOSE MARI	DE LEON	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
5	HAZ	NOEL CHRISTIAN	ANGELES	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	HEBRON	DANNIEL JOSEPH	CATONG	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	HERIA	COLLEEN	SAMSON	UNIVERSITY OF SANTO TOMAS
8	HERMEDILLA	CHARMAINE	ESPINO	UNIVERSITY OF RIZAL SYSTEM-MORONG

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : Room/Grp No. : M242

Seat No.	Last Name	First Name	Middle Name	School Attended
1	HERMOSO	REAN TROY	VILLANUEVA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	HERNANDEZ	ARWIN	AGULO	BATANGAS STATE UNIVERSITY - ALANGILAN
3	HERNANDEZ	JASMIN	FAUSTINO	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
4	HERNANDEZ	JULES DARREN	PEÑA	BATANGAS STATE UNIVERSITY - ALANGILAN
5	HERRERA	GILBERT I	ACIO	PAMANTASAN NG LUNGSOD NG MAYNILA
6	HINACAY	DENISE JOY	TADO	UNIVERSITY OF SOUTHEASTERN PHILIPPINES-DAVAO CITY
7	HIPOLITO	MARIELLE	ALMERINO	COLUMBAN COLLEGE-OLONGAPO CITY
8	HIWATIG	AERON	LLANES	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : **Room/Grp No. : M243**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	HOMBRIA	AARON NORBERTO	ATREGENIO	MANUEL L. QUEZON UNIVERSITY
2	HONRADE	IAN GLENN	GUMPAY	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
3	ICAONAPO	JOHN ALLEN	ESCALERA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
4	ICARANOM	AUDIE	DE VERA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
5	ICAWALO	JAMES	FAMADICO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	IGNACIO	BREN CARLO	DELA CRUZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	IGNACIO	DAÑIELLE	DELA CRUZ	HOLY ANGEL UNIVERSITY
8	IGNACIO	JIM FELIX	SUSI	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : Room/Grp No. : M245

Seat No.	Last Name	First Name	Middle Name	School Attended
1	IGNACIO	JOHN CARLO	BULOS	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	ILAGAN	FROILAN	CALONZO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	ILAGAN	PETER JOSHUA	GRANTOZA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	ILAO	ALWIN JEFF	REVILLA	UNIVERSITY OF BATANGAS
5	IMPABIDO	ALVIN JAY	GROSPE	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	INAMARGA	RAVEN	PINDOT	UNIVERSITY OF THE EAST-CALOOCAN
7	INOVERO	DONALYN	VALERA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	INOVERO	RALF CHRISTIAN	BAGTAS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : **Room/Grp No. :** M246

Seat No.	Last Name	First Name	Middle Name	School Attended
1	INTACTO	JOSHUA EDWARD	JOYAG	UNIVERSITY OF BATANGAS
2	INTREPIDO	REMZ MARRON	GARAMAY	COLUMBAN COLLEGE-OLONGAPO CITY
3	IPURONG	RALPH RYAN	INIWAN	UNIVERSITY OF THE PHILIPPINES-DILIMAN
4	ISAAC	JOM ROJO	PURPORA	UNIVERSITY OF NORTHEASTERN PHILIPPINES
5	ISIP	JP	SY	UNIVERSITY OF THE EAST-CALOOCAN
6	ISLA	JOHN CHRISTOPHER	DEATO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	ISUG	REY MARTIN	DESEAR	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	ITLIONG	MARK GIL	ESTIBAL	UNIVERSITY OF LUZON (LUZON COLL.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : Room/Grp No. : M341

Seat No.	Last Name	First Name	Middle Name	School Attended
1	IYOG	DANILO	BALO	UNIVERSITY OF BOHOL
2	JACINTO	JIM CHRISTIAN	MABAZZA	UNIVERSITY OF RIZAL SYSTEM-MORONG
3	JADORMEO	Niño AERON	CANJA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
4	JAEN	WINDALE MARK	ATUD	RIZAL TECHNOLOGICAL UNIVERSITY
5	JAGUS	JIFFCLOYD	MAHILUM	WESTERN PHILIPPINES UNIV.(for.PALAWAN N.A.C)-ABORLAN
6	JAMINDANG	MARC DANIEL	OFALLA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	JANAIRÓ	LEONIDAS JR	NORELLA	MANUEL L. QUEZON UNIVERSITY
8	JAVIER	JERICO ANDREW	CRUZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : **Room/Grp No. :** M342

Seat No.	Last Name	First Name	Middle Name	School Attended
1	JAVIER	JUNLORD	DOCTOLERO	CAGAYAN STATE UNIVERSITY-TUGUEGARAO
2	JAVIER	KIER RHOBIE	CLERIGO	BATANGAS STATE UNIVERSITY - ALANGILAN
3	JIMENEZ	ALVIN	MEDINA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	JIZMUNDO	REBEKKA JOYCE	EGUIA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	JOSEF	WRENIEL	ESTRELLA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	JOSON	BRANDON	MENDOZA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	JOSON	JAYSON DAVID	BULOS	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	JOSON	JEREMIAH	OGAO	MALAYAN COLLEGES LAGUNA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA Floor : Room/Grp No. : M343

Seat No.	Last Name	First Name	Middle Name	School Attended
1	JOVELLANOS	JOSE ANTHONY	DE MESA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	JOVERO	CHRISTIAN BRYLE	EMPEÑO	RIZAL TECHNOLOGICAL UNIVERSITY
3	JUAN	HARVEY IAN	GATAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	JUAN	PHILLIP	DADIZ	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	JUANILLO	PATRICK	SERVANO	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA
6	JUEGOS	JEX YSRAEL	ALQUINO	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
7	JUNIO	LOUBERT SHAME	PANTIG	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
8	JUSI	MARENELLA	GARCIA	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : Room/Grp No. : M345

Seat No.	Last Name	First Name	Middle Name	School Attended
1	KHO	LENARD EVAN	PADILLA	UNIVERSITY OF SANTO TOMAS
2	LABONG	RUTCHIE	LLANO	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
3	LABOSTA	ALEJANDRO JR	SANCHEZ	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
4	LABRIGAS	JOVAN PATRICK	LUNAR	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
5	LACDAO	LANCE MICHAEL	SOTTO	UNIVERSITY OF RIZAL SYSTEM-MORONG
6	LACNO	GERARDO	BALGOS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	LACRETE	JUSTINE	GOCILA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	LACSAMANA	MARCO	AGDA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : **Room/Grp No. : M346**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LADERAS	CHRISTIAN EXODUS	VILLAFLO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
2	LADESM	RHENMARK	BASTO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
3	LADIAO	JONATHAN	VIÑAS	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
4	LADIET	JOSE EDWIN JR	REGALADO	COLEGIO DE LA PURISIMA CONCEPCION
5	LADRILLONO	LEVIN LLOYD	LAGDAAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	LAGADAN	ERVIN	MATA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	LAGGUI	ROBIN	COLLADO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
8	LAGNASON	JULIOS	BUTAMPO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
9	LAGUERTA	JOHN RAYMOND	HIPOLITO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : ST MONICA

Floor : **Room/Grp No. : M347**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LAGUITAN	GERALD	TEPACE	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
2	LALAMUNAN	ARIES	ROSITA	DE LA SALLE UNIVERSITY-LIPA
3	LAMON	JAY	RAGMAT	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
4	LAMSEN	ROMELA	RELLAMAS	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
5	LANDICHO	CHRISTIAN JOSEPH	DELA ROSA	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	LANDICHO	HARVY JAMES	BUSLON	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	LANDICHO	HESUSA ANDREA	PADUA	WESTMEAD INTERNATIONAL SCHOOL
8	LANDICHO	JEFFREY	MEDINA	BATANGAS STATE UNIVERSITY - ALANGILAN
9	LANDICHO	JUSTIN BERNARD	ANG	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE Floor : Room/Grp No. : S231

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LANGUIDO	JOSHUA	DUBA	NATIONAL UNIVERSITY-MANILA
2	LANUZO	DALE PATRICK	TOLENTINO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
3	LANZON	JAINAH MIAGRACE GODANNE HOPE	DALISAY	BATANGAS STATE UNIVERSITY - ALANGILAN
4	LAO	KARL VINCENT	DIAZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES- MAIN-STA. MESA
5	LAOLAO	RUDY	CALLORA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES- MAIN-STA. MESA
6	LAPID	MARIELLE	SARMIENTO	UNIVERSITY OF SANTO TOMAS
7	LAPINIG	JOHN GABRIEL	MACADANGDANG	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	LAPUZ	EDRIAN	ARANZANSO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES- MAIN-STA. MESA
9	LARANANG	RAFFY	GUERRA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
10	LAROSA	MA ALMEDA	PARAISO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
11	LARUA	DANIEL	LEAÑO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
12	LASAC	KATHLEEN ROSE	CABAL	UNIVERSITY OF THE EAST-CALOOCAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE **Floor :** **Room/Grp No. :** S232

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LAT	CARLO	CAÑETE	BATANGAS STATE UNIVERSITY - ALANGILAN
2	LATADE	CHRISTINE JOY	DE CASTRO	BATANGAS STATE UNIVERSITY - ALANGILAN
3	LATIMBAN	SUNSHINE	SALIENTE	BATANGAS STATE UNIVERSITY - ALANGILAN
4	LAUDATO	LANCE ALBERT	VILLATUYA	MALAYAN COLLEGES LAGUNA
5	LAUGUICO	PRINCESS BELGIEM	REQUINA	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA
6	LAUNIO	ANGELENE ROCEL	BACAYLAN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
7	LAUREN	JANSEN	REONTARE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-CAVITE
8	LAYLAY	AL MAJEKK	MANALOTO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
9	LAYLO	GERRY JR	GALBAN	WESTMEAD INTERNATIONAL SCHOOL
10	LAYLO	MARK ANGELO	MERCADO	UNIVERSITY OF THE PHILIPPINES-DILIMAN
11	LAZARO	JOHN CYRUS	GARRO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
12	LAZARO	LANCE LORENZO	LACDAO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE

Floor : **Room/Grp No. : S331**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LAZO	DARREN	RIVERA	DE LA SALLE UNIVERSITY-DASMARIÑAS
2	LAZO	NIKKA MAE	CELADIÑA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
3	LEBOSADA	RAVTOR	ATENCIO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	LEGACION	JAY MARK	LUMANAO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)- ROSARIO
5	LEGACION	JOHN MICHAEL	LUMANAO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)- ROSARIO
6	LEGALO	ALEXA JANE	BASILAN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
7	LEONARDO	JASON	SOLIS	NATIONAL UNIVERSITY-MANILA
8	LEONARDO	VINCE BJORN	GONZAGA	NEW ERA UNIVERSITY
9	LEONEN	ERICA	ORTEGA	BULACAN STATE UNIVERSITY (for.BCAT)- MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE

Floor : **Room/Grp No. : S332**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LIBANG	JONATHAN	SISTADO	BATANGAS STATE UNIVERSITY - ALANGILAN
2	LILLES	JARELL	TUTANA	WESTERN PHILIPPINES UNIV.(for.PALAWAN N.A.C)-ABORLAN
3	LIM	ALEC YANDREX	BARRERA	UNIVERSITY OF THE EAST-CALOOCAN
4	LIM	JASON ARVIN	VALDERRAMA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	LIM	RUTH-LYDIA	YAO	ADAMSON UNIVERSITY
6	LIM	WILLIAM	SALVAJAN	BATANGAS STATE UNIVERSITY - ALANGILAN
7	LINGAL	MARIUS JOHN	ALAMBRA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	LINGBAWAN	SHEEVA FRITZ	BUCOK	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
9	LINGO	JOHN LAURENCE	DE LUNA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)

Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA

Building : GREGOR MENDEL SCIENCE Floor : Room/Grp No. : S333

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LIRA	JOHN PATRICK	DE GUZMAN	WESTMEAD INTERNATIONAL SCHOOL
2	LITONG	ALJON	ALBONG	CAMARINES NORTE STATE COLLEGE-DAET
3	LIWANAG	JOSSELLE	CARPIO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	LIZARDO	MARK JOSEPH	PEREZ	PAMANTASAN NG LUNGSOD NG MAYNILA
5	LLANERA	MARK ROBERT	SEMANES	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	LLENAREZ	BILLYRAY	MIGUEL	BATAAN HEROES MEMORIAL COLLEGE
7	LLORENTE	JOHN PAUL	SAMSON	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	LOBUSTA	JEFFREY	ALFONSO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	LOGDAT	LISETTE	FUELLAS	COLEGIO DE SAN GABRIEL ARCANGEL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE

Floor : Room/Grp No. : S334

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LOMOGBAD	JACINT JADE	ENTAC	JOSE RIZAL MEMORIAL STATE UNIVERSITY-DAPITAN
2	LONGNO	NEIL	MICALLER	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	LONTOK	DAN MICHAEL	ABUSMAS	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	LONTOK	VOI KENNETH	LONTOK	BATANGAS STATE UNIVERSITY - ALANGILAN
5	LOPE	RANDY	PEÑERO	MANUEL L. QUEZON UNIVERSITY
6	LOPEZ	JHOLO	CARILLO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	LOPEZ	KAISER IDANNES	CENTENO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	LOPEZ	WENCY	FELICIANO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	LORESCO	LESTER	HILOMEN	UNIVERSITY OF PANGASINAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE

Floor : Room/Grp No. : S431

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LORIA	KIM CHRISTIAN	DELA CRUZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	LOS BAÑES	JHON CHRISTOPER	CHAVEZ	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
3	LOSITO	FRANK ANDREW	MATA	RIZAL TECHNOLOGICAL UNIVERSITY
4	LUBANG	AMEER CARLO	GNULO	UNIVERSITY OF THE PHILIPPINES-DILIMAN
5	LUBARVIO	DANILO JR	SUMODIO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
6	LUBAT	RICARDO	POBAR	HOLY ANGEL UNIVERSITY
7	LUBIS	LAURENCE JOY	HERNANDEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
8	LUEGA	CHARMAINE	EUSEBIO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
9	LUISTRO	EMELYN ANN	BICO	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE

Floor : **Room/Grp No. : S432**

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LULU	JOANA MARIE	SACYABEN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	LUMABAN	RICARDO	CUMIGAD	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	LUNAR	JONATHAN	AGUILA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	LURCHA	CHRISTIAN	MUÑOZ	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
5	LUSTADO	CHESTER	NIPA	BICOL UNIVERSITY-LEGAZPI
6	LUZON	CIANTAL	VILLALUZ	NEW ERA UNIVERSITY
7	MAAGHOP	GERALD	VALLECILLO	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
8	MAALIHAN	KARLA CLARISSE	BILALE	BATANGAS STATE UNIVERSITY - ALANGILAN
9	MAAÑO	JAKESON ANTHONY	FISICO	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE Floor : Room/Grp No. : S433

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MABUTING	MICHAEL	BUELLA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-LOPEZ
2	MABUTOL	CELESTE	GUEVARRA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	MACABINQUIL	JIO	GAPATE	COLEGIO DE SAN GABRIEL ARCANGEL
4	MACABUAG	CHRISTIAN ROY	TONGUIA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	MACADAEG	EDDRIX JAKE	RAQUEDAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	MACALIA	BIEN ANGELLO	OJANO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
7	MACALINAO	ALYSSA	LOPEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
8	MACALINDONG	LEIZEL	MACALALAD	BATANGAS STATE UNIVERSITY - ALANGILAN
9	MACAPAGAL	PAUL ANGELO	TAMBA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : GREGOR MENDEL SCIENCE **Floor :** **Room/Grp No. :** S434

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MACARAEG	JOSEPH	ALVAREZ	UNIVERSITY OF THE EAST-MANILA
2	MACARAIG	LEONARDO JR	DAVID	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
3	MACASIEB	ALDRINJOHN	HOSTRIA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	MACATANGAY	TEODORE	PAJANUSTAN	BATANGAS STATE UNIVERSITY - ALANGILAN
5	MACHATE	ARVIN	JASPER	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	MACHON	MICHEL	ROLLON	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
7	MADERA	MARK	MACULA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
8	MADIGAL	JOEL	SUNGA	NORTHWESTERN UNIVERSITY
9	MADLANGBAYAN	WINOA	AGUSTIN	BATANGAS STATE UNIVERSITY - ALANGILAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE GS BLDG) Floor : 2ND Room/Grp No. : 211

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MADRID	KINGSLY	GABIOSA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	MADULA	MARK ANDREW	MENORCA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
3	MAGADIA	JHAY BELLE	PASIA	UNIVERSITY OF BATANGAS
4	MAGALLON	PAULO AUGUSTUS	BAUTISTA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
5	MAGAMPON	CHRIS LEUVEN	PUMUPULA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
6	MAGANA	HARVI JAY	TABOY	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	MAGANA	THAYJA RAE	OPIANA	MALAYAN COLLEGES LAGUNA
8	MAGAT	OLEEN FRANZ	COSTUNA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE GS BLDG) **Floor :** 2ND **Room/Grp No. :** 212

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MAGBANUA	IAN CHRISTOPHER	REYES	UNIVERSITY OF THE PHILIPPINES-DILIMAN
2	MAGBOO	CRISTINE JOY	GUNDAY	UNIVERSITY OF BATANGAS
3	MAGBUHAT	MARK CHRISTIAN	CUENCA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	MAGCAMIT	JODANH RAY	ABAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STO. TOMAS
5	MAGISTRADO	ALVIN	CAS	CAMARINES SUR POLYTECHNIC COLLEGE-NABUA
6	MAGLAQUI	JAMAICA ARA	JUNASA	DE LA SALLE UNIVERSITY-DASMARIÑAS
7	MAGLIPAS	BENJAMIN JR	ACOT	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES
8	MAGLIPON	LOUISE CHARELLE		ADAMSON UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE GS BLDG) **Floor :** 2ND **Room/Grp No. :** 213

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MAGSUMBOL	CHRISTOPHER	LLANTINO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
2	MAGTIBAY	SHADD ROBIN	ESPIRITU SANTO	UNIVERSITY OF RIZAL SYSTEM-MORONG
3	MAGUNDAYAO	GIAN REINER	DERPO	BATANGAS STATE UNIVERSITY - ALANGILAN
4	MALAGOTNOT	JERIL	LUHA	MARINDUQUE STATE COLLEGE-BOAC
5	MALAIBA	Niño ANTONIO	TUMAMBING	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	MALAY	JOSH BERNARD	MONTOJO	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
7	MALDECIR	CHRISTINE	QUILO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
8	MALDIA	KHIM CLOUD	COLIS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE FACULTY AREA) Floor : 2ND Room/Grp No. : 214

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MALDONADO	CRISTY ANN	SAGUINSIN	UNIVERSITY OF BATANGAS
2	MALICSE	JAYSON	TACARDON	NATIONAL UNIVERSITY-MANILA
3	MALIG	CYRIL JASPER	ARREOLA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
4	MALIGALIG	DAVE LEMUEL	CAPISTRANO	UNIVERSITY OF BATANGAS
5	MALIHAN	ERNIE	APOLINARIO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	MALIKSI	MARK NIKKO	MEJELA	DE LA SALLE UNIVERSITY-LIPA
7	MALING	JHON JOSEPH	FLORES	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	MALLARE	RENZO RAY	BUAN	HOLY ANGEL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE FACULTY AREA) **Floor :** 2ND **Room/Grp No. :** 215

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MALLARI	MARK KLAUS	REYES	HOLY ANGEL UNIVERSITY
2	MALTEZO	RONVIL JOHN	FORONDA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	MALTO	JENER	BARCELLANO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
4	MALVAS	VINCENT JAY		MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	MAMAUAG	IGNACIO JR	PAGULAYAN	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
6	MAMAUAG	PAUL	PAGULAYAN	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
7	MAMINTA	JEMMUEL	GARCIA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	MANAHAN	EMMANUEL JERVEE	FIGUEROA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE REGISTRAR'S OFFICE) **Floor :** 2ND **Room/Grp No. :** 218

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MANAIG	KATRINA	MALAPITAN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STO. TOMAS
2	MANALANSAN	EURO JEROME	SANTOS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	MANALO	BRYAN	CRUZ	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
4	MANALO	MARK PAOLO	MACUHA	BATANGAS STATE UNIVERSITY - ALANGILAN
5	MANALO	MIKE COLLIN	LIGUTAN	UNIVERSITY OF THE EAST-MANILA
6	MANALO	PAULO JEAN	MALLARI	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	MANALO	PETER PAULO	ROMIAS	GOLDEN GATE COLLEGES
8	MANALO	ZHALYN ANNE	PALAGANAS	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE REGISTRAR'S OFFICE) **Floor :** 2ND **Room/Grp No. :** 219

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MANANGHAYA	JEROME	DE GUZMAN	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
2	MANAO	JOHN VINCENT	SALVADOR	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
3	MANDANAS	JOHN RENNIER	MARASIGAN	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA
4	MANDANI	JOHN LLOYD	TAYAG	HOLY ANGEL UNIVERSITY
5	MANDAPAT	DAN NOEL	DE VERA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	MANGA	RODERICK	AROL	PALAWAN STATE UNIVERSITY-P. PRINCESA
7	MANGALIMAN	DONNE	ALMANZA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
8	MANGAZAR	MARK GERALD	ESQUIVEL	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE RM 214) Floor : 3RD Room/Grp No. : 306

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MANGILA	PRINCESS DOLLEE	BALMELERO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	MANGULABNAN	MARLENE		UNIVERSITY OF THE EAST-CALOOCAN
3	MANIACUP	RALPH ERICK	SACLAG	LYCEUM OF THE PHILIPPINES - CAVITE
4	MAÑIBO	HERMIE	ILAGAN	WESTMEAD INTERNATIONAL SCHOOL
5	MANIGBAS	MAEVE	ZAMORA	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	MANILAY	DON ROYETTE	MALOLES	BATANGAS STATE UNIVERSITY - ALANGILAN
7	MANINGAT	JOHN RONNIE	SEVILLEN	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
8	MANIO	LEE ANDREY	CAPULONG	HOLY ANGEL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE RM 214) **Floor :** 3RD **Room/Grp No. :** 306

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MANIO	WENNDELL	FAJARDO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	MANLA	VAN IAN JOSEPH	CAINGAT	HOLY ANGEL UNIVERSITY
3	MANLULU	JERICO	MENDOZA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
4	MANRIQUE	JHOMARI	MARCELO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
5	MANTILLA	AYAN	BELOCURA	COTABATO CITY STATE POLYTECHNIC COLLEGE
6	MANTUANO	CATHERINE	MATANGUIHAN	BATANGAS STATE UNIVERSITY - ALANGILAN
7	MANTUANO	JERRICK	LOPEZ	UNIVERSITY OF THE PHILIPPINES-DILIMAN
8	MANUEL	ALDOUS ELI	MOLINA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE HS LIBRARY) Floor : 2ND Room/Grp No. : 206

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MANUEL	ELIZANDER JAY	ANGUSTIA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
2	MANUEL	VINCE JOVIN	DELA ROSA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	MANZANAS	ABE ABRAHAM	LEQUIN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	MANZANO	REXEQUIEL JESSE	PAREJA	UNIVERSITY OF SANTO TOMAS
5	MANZON	MARY JANE	DELA CRUZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	MAPALO	MARIO JR	PABONITA	UNIVERSITY OF SOUTHEASTERN PHILIPPINES-DAVAO CITY
7	MAPOTE	VERONICA	APOLONIO	UNIVERSITY OF PERPETUAL HELP RIZAL-CALAMBA CAMPUS
8	MAQUILAN	REXTER	CONGSON	UNIVERSITY OF THE VISAYAS-CEBU CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE HS LIBRARY) Floor : 2ND Room/Grp No. : 207

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MARABARBAS	JAN MICHAEL	CRUZ	HOLY ANGEL UNIVERSITY
2	MARALIT	DIETHER	DELAS ALAS	BATANGAS STATE UNIVERSITY - ALANGILAN
3	MARAMBA	NIGIL DAVID	DIPUTADO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	MARANAN	REUBEN IJON	DALANGIN	BATANGAS STATE UNIVERSITY - ALANGILAN
5	MARANTAL	ARIEL	BAGASAN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	MARASIGAN	CHARLIE	EDUARDO	BATANGAS STATE UNIVERSITY - ALANGILAN
7	MARASIGAN	MARY KATRINA	RUPIDO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
8	MARBIT	ROXANIE	QUINTANA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MARAGONDON

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE HS LIBRARY) Floor : 2ND Room/Grp No. : 208

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MARCELINO	CHYRHYL JANE	CUSTODIO	ADAMSON UNIVERSITY
2	MARCELINO	KIMBERLY	GANNABAN	BATANGAS STATE UNIVERSITY - ALANGILAN
3	MARCELLANA	SHERWIN JAMES	SIMARA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	MARCELO	JEVSON CHRISTIAN	LUNGDAY	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	MARCELO	JOLINA	JAVIER	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	MARGALLO	ARCEO RAM	GUEVARRA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
7	MARIANO	ALEXANDER	HERNANDEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	MARIANO	ALLEIN	MARIANO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE PRESIDENT'S OFFICE) Floor : 2ND Room/Grp No. : 220

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MARIANO	JAMES RUSSEL	CAAMPUED	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	MARIANO	JOSHUA ROSS	BILBAO	BALIUAG UNIVERSITY (BALIUAG COLLEGES)
3	MARQUESES	KIRBY	MACEDA	NATIONAL UNIVERSITY-MANILA
4	MARQUETA	MARQ JAINARD	ACIERTO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	MARQUEZ	ARIEL	OBRA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	MARQUEZ	MARLON		UNIVERSITY OF THE EAST-MANILA
7	MARQUINEZ	REINER CHRISTIAN	CASANOVA	DE LA SALLE UNIVERSITY-LIPA
8	MARTIN	FRANCIS JINKY	GARDUNO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE PRESIDENT'S OFFICE) **Floor :** 2ND **Room/Grp No. :** 221

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MARTINEZ	RITZ	BAGTAS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	MARTINEZ	RUCEL ANNE	CABAGUING	UNIVERSITY OF SANTO TOMAS
3	MARZ	GABRIEL JACOB	BANAL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	MARZAN	MICHAEL	MIANA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	MARZO	ANGELA MAURICE	SANTILLAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	MASONGSONG	JAYSON	REY	BATANGAS STATE UNIVERSITY - ALANGILAN
7	MATANGUIHAN	RICO	ANORICO	DE LA SALLE UNIVERSITY-LIPA
8	MATEO	ANGELOU	NUESTRO	COLEGIO DE SAN JUAN DE LETRAN-ABUCAY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE PRESIDENT'S OFFICE) Floor : 2ND Room/Grp No. : 222

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MATEO	EARLDRIC JOSHUA	DELA CRUZ	UNIVERSITY OF THE EAST-CALOOCAN
2	MATIC	JOSE WILLIANDRO REY	BEDAÑO	UNIVERSITY OF SANTO TOMAS
3	MATRIMONIO	JOHN	DELA CRUZ	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	MAURICIO	MARY GRACE	CENETA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	MAYNIGO	HAGGAI	CEREZO	UNIVERSITY OF THE EAST-CALOOCAN
6	MAYOR	SHARENE JOY	MENORCA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
7	MEDIAVILLO	RONNIE JR	ALMONTE	BICOL UNIVERSITY-LEGAZPI
8	MEDINA	ALJOHN PAUL	LAIÑO	DE LA SALLE UNIVERSITY-LIPA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE GUIDANCE) **Floor :** 3RD **Room/Grp No. :** 302

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MEDINA	JOHN MARK	UMALI	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
2	MEDRANO	MARK KENNETH	VILLAS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
3	MELICIO	BERNANDINO III	LANTICAN	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
4	MENDEZ	GUILLIAN MYRA	ANDRADA	UNIVERSITY OF SANTO TOMAS
5	MENDEZ	KURT PATRICK	SUNICO	ADAMSON UNIVERSITY
6	MENDIOLA	DELFIN JR	MATEO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	MENDOZA	ALFRED	MENDOZA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
8	MENDOZA	ARIEL	LALUNA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : LA CONSOLACION COLLEGE (MANILA)
Address : 8 MENDIOLA ST., SAN MIGUEL. MANILA
Building : MO THERESA ANDRADA DE JESUS (ABOVE GUIDANCE) Floor : 3RD Room/Grp No. : 303

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MENDOZA	AZARUS JOHN	NAGUIT	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	MENDOZA	JOHN MEGS	CUADRANTE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	MENDOZA	JOSHUA SIDNEY	PANGILINAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	MENDOZA	MARJORIE	PASAMONTE	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	MENDOZA	MARK NEIL	SIBAL	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
6	MENDOZA	MATT JASON	SANTOS	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	MENDOZA	PETER JOHN	MANAGO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	MENESES	HONORIO JR	BASA	FAR EASTERN UNIVERSITY-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR **Floor :** 3RD **Room/Grp No. :** 308

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MENGUITO	MA PRECIOUS JOYCE	ASUNCION	NATIONAL UNIVERSITY-MANILA
2	MEOT	BRYAN	ACAMPADO	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
3	MERCA	FELIMON JR	CALENDRO	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
4	MERENCILLO	JHONEL	MINGUILLAN	MARINDUQUE STATE COLLEGE-BOAC
5	MERIDA	ERVIN JOEL	LAHAYLAHAY	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	MERNILO	MATHEW	TRAIN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
7	MERQUITA	SHERWIN VINCENT	SERAFICO	UNIVERSITY OF THE EAST-MANILA
8	MIJARES	JHONNY	ANDRES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	MINA	ALDWIN JOSEPH	CACAO	DE LA SALLE UNIVERSITY-LIPA
10	MINGMING	JAKE ANTHONY	PALATTAO	UNIVERSITY OF THE EAST-MANILA
11	MINTALAR	ROJASONS	CARO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
12	MIRANDA	CARLON ALDREN	CRUZ	UNIVERSITY OF THE EAST-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR **Floor :** 3RD **Room/Grp No. :** 309

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MIRANDA	JUANITO JR	DUEÑAS	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
2	MIRANDILLA	PAUL ANTHONY	ONDES	MALAYAN COLLEGES LAGUNA
3	MIRAS	KING CHARLES	OPEÑANO	NEW ERA UNIVERSITY
4	MOJICA	JOSE NORMAN II	ALCANTARA	LYCEUM OF THE PHILIPPINES - CAVITE
5	MOJICA	ROCKY ALLEN	ESTILLERO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	MOLANO	LEONARD KING	MEREDOR	UNIVERSITY OF LUZON (LUZON COLL.)
7	MOLO	KAIROS	GALANG	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	MONDEZ	MAURICE YVAN	HIMOC	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA
9	MONSALVE	MARY JOY	GARCIA	UNIVERSITY OF THE PHILIPPINES- OPEN UNIVERSITY
10	MONTANO	HANNA JOY	FLORES	RIZAL TECHNOLOGICAL UNIVERSITY
11	MONTEFRIO	VIRGMAR	SABA	MANUEL S. ENVERGA UNIV. FOUNDATION- LUCENA CITY
12	MONTEMAYOR	GEORDHAN	DUCUT	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR **Floor :** 3RD **Room/Grp No. :** 310

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MONTEMAYOR	NATHANIEL	RASPADO	SAINT LOUIS UNIVERSITY
2	MONTEREY	JAME LLOYD	MACAPIA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	MONTEROSO	JOHN PAUL	GALANGUE	RIZAL TECHNOLOGICAL UNIVERSITY
4	MONTOYA	MIGUEL LORENZO	RODRIGUEZ	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	MONTOYA	MONTECHRISTOPHER JEREMMIAH	GALIT	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
6	MORADA	JAN KARLO	ISAAC	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	MORALES	ENRIQUE	BERNAL	RIZAL TECHNOLOGICAL UNIVERSITY
8	MORANO	PIERRE ANGELO	RAMOS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	MORANTE	JOHN PAUL	MEÑEZ	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
10	MORATA	MAIKO	GOJAR	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
11	MORENO	CRISNELL	SHAPIT	UNIVERSITY OF THE EAST-MANILA
12	MORENO	LAURENCE	CIPRIANO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR Floor : 3RD Room/Grp No. : 312

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MORENTE	JAYSON	VASQUEZ	UNIVERSITY OF THE EAST-CALOOCAN
2	MORES	MARY ROSE	BASTILLADOR	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
3	MORFE	AARON	QUIBAL	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
4	MORILLA	JONAS	BONGCAC	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
5	MORILLO	NARCISO JR	CASPILLO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
6	MORITO	GERARD	LUCABA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	MORTERA	DEVIN JHON	DE VERA	UNIVERSITY OF THE EAST-MANILA
8	MOSENABRE	GENMARK	CABANGON	SAINT FRANCIS OF ASSISI COLLEGE
9	MOTAS	PRINCE JADRIX	ALVAREZ	LYCEUM OF THE PHILIPPINES-LAGUNA (for.LYCEUM INST.OF TECH)
10	MUCTAR	KHALID	UPAO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
11	MUGOT	JAN ALFRED	EBON	BATAAN HEROES MEMORIAL COLLEGE
12	MULETA	JERICO	RUBEN	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR Floor : 3RD Room/Grp No. : 313

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MUNGCAL	LOURENZ	BALBONA	LYCEUM OF THE PHILIPPINES - CAVITE
2	MUÑOZ	MAR ANTHONY	OLIVINO	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
3	MUNSAYAC	RODELIO	POLON	FAR EASTERN UNIVERSITY-MANILA
4	MURILLO	ARLYN GAEL	MABUTAS	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
5	MURILLO	JOSEPH RON	BERNALDEZ	RIZAL TECHNOLOGICAL UNIVERSITY
6	NABLEA	JV DIANNE	AMAR	DE LA SALLE UNIVERSITY-LIPA
7	NACU	JOHN KENEDY	REYES	NATIONAL UNIVERSITY-MANILA
8	NAGA	JONNEL	LOJO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
9	NAGUIT	JAKE JOSEPH	DIMARUCUT	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
10	NALAYOG	NEIL EUGENE	MIRANDA	UNIVERSITY OF SANTO TOMAS
11	NALUPA	RAVEN PAUL	LEJANO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
12	NALUS	MARK ERVIN	CARMELO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR **Floor :** 3RD **Room/Grp No. :** 318

Seat No.	Last Name	First Name	Middle Name	School Attended
1	NARCISO	DAVID	CALIP	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	NARIDA	JOHN MICHAEL	TESORO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
3	NARISMA	ALRINE GRACE	MERCADO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	NATALIO	JELVY KIM	VERANO	LYCEUM OF THE PHILIPPINES UNIVERSITY-MANILA
5	NATALIO	JOVY JR	VERANO	LYCEUM OF THE PHILIPPINES UNIVERSITY-MANILA
6	NATIVIDAD	ANNE	ABAYA	OCCIDENTAL MINDORO STATE COLLEGE
7	NATIVIDAD	VINCENT PAULO	GALARA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	NAVAL	NIKKI OLIVER	BAYOT	RIZAL TECHNOLOGICAL UNIVERSITY
9	NAVALES	JONATHAN	REMOLAR	CAMARINES SUR POLYTECHNIC COLLEGE-NABUA
10	NAVALTA	HERBERT	NANALIS	LA PATRIA COLLEGE INC.(FOR PATRIA SABLE CORPUS COLLEGE INC.)
11	NAVARRO	RAMNER	DE TORRES	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
12	NAVARRO	RAVEN	POLO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR Floor : 3RD Room/Grp No. : 319

Seat No.	Last Name	First Name	Middle Name	School Attended
1	NEGADO	JEFFER JUN	NOSCAL	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	NEPOMUCENO	CERIX EDRIEL	MATUTINA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
3	NERI	NEIL FRANCIS	PANGAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	NESPEROS	FREDDIE	DAYAP	SAINT JOSEPH INSTITUTE OF TECHNOLOGY
5	NGASEO	CHRISITAN NOEL	SANCHEZ	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	NIBUNGCO	ALBERT	LOBITAÑA	ADAMSON UNIVERSITY
7	NICDAO	JASON JR	IGNACIO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	NICOLAS	DUSTIN	ROMERO	PAMANTASAN NG LUNGSOD NG VALENZUELA
9	NICOLAS	JUDY-ANN	GALCON	PAMANTASAN NG LUNGSOD NG VALENZUELA
10	NICOLAS	MARY GRACE	SOSA	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
11	NIDOY	JOSELITO	MAYO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
12	NIEVES	MARC ELDREEN	PURIHIN	LYCEUM OF THE PHILIPPINES - CAVITE

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : PR **Floor :** 3RD **Room/Grp No. :** 320

Seat No.	Last Name	First Name	Middle Name	School Attended
1	NILO	DAN ABEL	LABORCE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	NOBLEZA	ETHEL FAYE	NATAD	DE LA SALLE UNIVERSITY-DASMARIÑAS
3	NOCOMORA	JONELLE	OLAYRES	RIZAL TECHNOLOGICAL UNIVERSITY
4	NOJALDA	JOHN ERIC	GERAO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	NORBE	DAN MARK	TU-AYON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	NOVAL	KNUPSEN	MASA	UNIVERSITY OF THE EAST-MANILA
7	NUEDA	KATHRYN ALLEY	ATIENZA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	NUNAG	JOHN ALFRED JR	PINEDA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
9	NUÑEZ	ADRIAN	EBERO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
10	NUÑEZ	KIM RAINE	AQUINO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
11	NUQUE	ALFREDO	PINEDA	HOLY ANGEL UNIVERSITY
12	OBCEMEA	PAULA MARIE	BARBERO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 3RD Room/Grp No. : 311

Seat No.	Last Name	First Name	Middle Name	School Attended
1	OBEL	RHEALYN	SUAZO	BATANGAS STATE UNIVERSITY - ALANGILAN
2	OBIANO	JED FERUARD	MOLINA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
3	OCAMPO	ADRIEL	PUNZALAN	HOLY ANGEL UNIVERSITY
4	OCAMPO	ERNESTO JR	FLORES	MANUEL S. ENVERGA UNIV. FOUNDATION-CANDELARIA
5	OCAMPO	JHEI MICKO	ATIENZA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STO. TOMAS
6	OCAMPO	JOHN HENRY	ANICIETE	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	OCAMPO	MICHAEL JONH	GALURA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
8	OCAMPO	TRISTAN	MARIANO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
9	Ocaya	ANGELOU	DAYAG	RIZAL TECHNOLOGICAL UNIVERSITY
10	OCFEMIA	LUIS EDGARDO	QUIROZ	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
11	OCOL	JERSON	EFERICTO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
12	OCOMEN	JEFFERSON	SAMONTE	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 3RD **Room/Grp No. :** 313

Seat No.	Last Name	First Name	Middle Name	School Attended
1	OJO	ARVIN	LUMBOY	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	OLALIA	RELLY	BALUCA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
3	OLEGA	EDUARDO	DESEMBRANA	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
4	OLIN	CHRISTIAN AMETH	LORESTO	DE LA SALLE UNIVERSITY-DASMARIÑAS
5	OLIVINO	JOEL	DUMALAGAN	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
6	OLIVA	MARK DAVID	DEVERATURDA	DE LA SALLE UNIVERSITY-DASMARIÑAS
7	OLIVA	RUDY JR	GUTIERREZ	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	OLIVAR	LEE ROBERT	LLONA	UNIVERSITY OF THE EAST-MANILA
9	OLIVEROS	ANNE CATHERINE	GANORIA	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
10	OLLORGA	MARIA FATIMA	TEVES	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
11	OMAGA	NIXON	BITONG	BATAAN HEROES MEMORIAL COLLEGE
12	ONCITA	LOUIESITO	ODCHIGUE	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 3RD Room/Grp No. : 314

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ONTE	ALYSSA	GERVACIO	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
2	OPLAS	JONATHAN	LLAGUNO	UNIVERSITY OF PERPETUAL HELP SYSTEM DALTA-MOLINO CAMPUS
3	ORALLO	TJ BOY	REVAMONTAN	UNIVERSITY OF THE EAST-MANILA
4	ORCINO	EDGAR ALLAN	RATON	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	ORDINARIO	BENITO JR	DE MESA	UNIVERSITY OF PERPETUAL HELP SYSTEM DALTA-LAS PINAS
6	ORELLANO	DYMPHNA MAE	FALSARIO	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
7	ORENCIA	JULIUS BALDWIN	BARROGA	MALAYAN COLLEGES LAGUNA
8	ORENSE	DANICA LOU	MARQUEZ	UNIVERSITY OF BATANGAS
9	ORIAS	DOMINIQUE	BANAAG	VIRGEN MILAGROSA UNIVERSITY FOUNDATION
10	ORIO	PRENCE TEVIN ALVI JESSIE	VILLADOLID	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
11	ORTILLA	ZENEN	AUSTRIA	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
12	OSHIMA	JUN	SANTOS	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 3RD Room/Grp No. : 315

Seat No.	Last Name	First Name	Middle Name	School Attended
1	OSOY	MARIFE	BOLIVAR	UNIVERSITY OF NUEVA CACERES
2	OVERIO	JAMES	MALERIADO	ILOILO SCIENCE & TECHNOLOGY UNIVERSITY(FOR W.V.C.S.T.-MAIN CAMPUS)
3	OYARDO	LAURENZ JUNELLE	MURILLO	PAMANTASAN NG LUNGSOD NG VALENZUELA
4	PAANO	JOSHUA	BALINGBING	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	PABILICO	FRANCISCO II	LUMANOG	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	PABLICO	CHRISTIAN	JUNIO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
7	PABLO	EDMAR	C	ADAMSON UNIVERSITY
8	PABLO	JERAHMEEL	SANGALANG	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
9	PABLO	RICO	BICOL	LYCEUM OF THE PHILIPPINES - CAVITE
10	PACAIGUE	FREDERICK	ABESAMIS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
11	PACER	JANVEE JOSEF LIM	FORNOLES	CAMARINES SUR POLYTECHNIC COLLEGE-NABUA
12	PACUMIO	NOWELL	STO DOMINGO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS
Address : 52 AURORA BLVD., QUEZON CITY
Building : HR Floor : 3RD Room/Grp No. : 316

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PADASAS	JUSTINE BIEN	OLORES	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	PADUA	LALAIN JOY	GODINEZ	DE LA SALLE UNIVERSITY-LIPA
3	PAGCALIWAGAN	EMMAN CHRISTIAN	MENDOZA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	PAGCU	RICHARD	LOPEZ	HOLY ANGEL UNIVERSITY
5	PAGO	FRANCIS LEONARD	PINTO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	PAJANUSTAN	JOHN MAR	TOLOP	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	PALALIMPA	KEVIN JOHN	HUPANDA	WESTERN INSTITUTE OF TECHNOLOGY
8	PALANCA	SANDRA	ORILLANES	NEW ERA UNIVERSITY
9	PALERMO	JOHN MARK	ABRANCILLO	HOLY ANGEL UNIVERSITY
10	PALILEO	JOHN BRYAN	CRISTOBAL	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
11	PALMES	EMMANUEL	BUENDIA	BATANGAS STATE UNIVERSITY - ALANGILAN
12	PALOGAN	MA. FERLEAN	SORIANO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 3RD Room/Grp No. : 317

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PALORMA	ROLAND MARLOWE	MAQUILING	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	PAMILARA	DENNIS JOSEPH	LAVILLA	BATANGAS STATE UNIVERSITY - ALANGILAN
3	PAMINTUAN	KENNETH	BULAON	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
4	PANEL	JAN JOSHUA	MANZANO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	PANES	GERARD KENN VOLTTAIRE	S.	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	PANESA	ROMAR	GONZALVO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	PANGAN	ERICA ANN	QUIZON	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
8	PANGANIBAN	ALISA JOY	RAMIREZ	UNIVERSITY OF BATANGAS
9	PANGANIBAN	JAMES	ABARRA	NEW ERA UNIVERSITY
10	PANGATUNGAN	RAVEN	CONDRILLON	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
11	PANGILINAN	JOHN JATNIEL	HUIT	COLEGIO DE SAN JUAN DE LETRAN-INTRAMUROS
12	PANLILIO	ELIJAH JAMES	SEROY	DE LA SALLE UNIVERSITY-DASMARIÑAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 3RD Room/Grp No. : 318

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PANOY	RONNIE JR	BATILO	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
2	PANTALEON	KENNETH ROGER	PANALIGAN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
3	PAPA	JEROME ABRAHAM	CABAÑAS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
4	PARANAS	ALEXANDRIA	DE GUZMAN	UNIVERSITY OF THE PHILIPPINES-DILIMAN
5	PARAS	CAMILLE LOUISE	ABAYA	UNIVERSITY OF SANTO TOMAS
6	PARAYNO	HAROLD	MENCIAS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
7	PARICA	DENNIS	FERIOL	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
8	PARUNGAO	OLIVER	MIGUEL	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	PARUNGAO	PAULO ANGELO	FURTOS	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
10	PARUNGAO	RENTZ PAOLO	SAN PEDRO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
11	PASAY	PATRICK JIGSTHER	TERONES	NEW ERA UNIVERSITY
12	PASCUA	KLENT BRYLLE	CABRERA	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 3RD **Room/Grp No. :** 319

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PASCUA	MARK EMMANUEL	RENDON	EMILIO AGUINALDO COLLEGE-DASMARIÑAS
2	PASCUA	ROMEL	DAIRO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	PASCUAL	EARL GERARD	GOMEZ	HOLY ANGEL UNIVERSITY
4	PASCUAL	EDMON	TOBIAS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	PASCUAL	JONATHAN	GONZALES	UNIVERSITY OF THE EAST-CALOOCAN
6	PASCUAL	MARK JILMER	REYES	UNIVERSITY OF THE EAST-MANILA
7	PASCUAL	MARK RAINIER	CASTILLO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	PASIONA	RENSIE	COPADA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	PASQUIN	JOAN MAE	ODO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
10	PASTOR	RAYMOND	MOJE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
11	PASTRANA	CHRISTOPHER	YULO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
12	PASTRANA	JAKE	DE GUZMAN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 3RD Room/Grp No. : 321

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PATIÑO	DEXTER JOHN	BODINO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	PATOC	SHERINA LYRA	JOCSON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	PATULOT	MARK LIMUEL	RAMIREZ	BATANGAS STATE UNIVERSITY - ALANGILAN
4	PELADAS	CLARISSA	DE JESUS	UNIVERSITY OF THE EAST-CALOOCAN
5	PELGONE	ARJAY	CEBALLOS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	PEÑA	AARON JAMES	REMOLACIO	NATIONAL UNIVERSITY-MANILA
7	PEÑAFLO	ERISON	RAGSAG	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
8	PEÑAFLO	MARK JOVEN	PERIO	DE LA SALLE UNIVERSITY-DASMARIÑAS
9	PEÑALOSA	RICARDO	TOLENTINO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
10	PENDILLA	WINDEL	MONDA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
11	PENTICOSTES	JOJO	BEJARIN	UNIVERSITY OF CEBU
12	PERALTA	POPE JOHN	LEOPE	BATAAN HEROES MEMORIAL COLLEGE

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 3RD **Room/Grp No. :** 323

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PERANDO	JOHN VENN	MANTALA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
2	PERDEZ	HADRIAN	BALAYO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
3	PEREGRINO	LEMUEL	NERY	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	PEREYRA	KEVIN	ROBLES	RIZAL TECHNOLOGICAL UNIVERSITY
5	PEREZ	IVY	DIMALIBOT	BATANGAS STATE UNIVERSITY - ALANGILAN
6	PEREZ	MIKE ERWIN	REYES	HOLY ANGEL UNIVERSITY
7	PEREZ	RUTH ARA	BONA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	PERFECTO	CARLO VICENTE	DAGOHOY	NEW ERA UNIVERSITY
9	PERLAS	JOHN PHILIP	MOSQUERA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
10	PERNIA	ARIEL II	CAGANDA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
11	PERSEVERANCIA	JAO	ANTONIO	UNIVERSITY OF SANTO TOMAS
12	PETALVO	ERMON JOSEPH	TOLIBAS	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 4TH **Room/Grp No. :** 419

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PILI	ROI VINCE	MANICAT	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	PIMENTEL	RAYMOND	JOSE	PHILIPPINE COLLEGE OF SCIENCE & TECHNOLOGY-CALASIAO
3	PINEDA	JANINE	AMAR	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	PINEDA	JEFFREY	RABINA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
5	PINEDA	VINCE JOSEPH	BAUTISTA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	PLACIENTE	PAULENE	GUILLERMO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	PLAZA	ERAS VINCENT	SALIG	DE LA SALLE UNIVERSITY-DASMARIÑAS
8	POMAR	ERIC	PAMADA	NATIONAL UNIVERSITY-MANILA
9	PONCE	CARL LOUISE	SALVADOR	HOLY ANGEL UNIVERSITY
10	PONTILLA	JOHN HEDRICK	MAGANA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
11	PORQUILLANO	PRINCE LYCARS	BAGUIS	RIZAL TECHNOLOGICAL UNIVERSITY
12	PORTES	JOHN CARLO	DELA SOLEDAD	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 4TH **Room/Grp No. :** 421

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PORTUGALIZA	GERICO	ESPONGA	ADAMSON UNIVERSITY
2	POTANE	JULIE ANN	MONFERO	LAGUNA STATE POLYTECHNIC UNIVERSITY-STAT. CRUZ (LSPC) former (LCAT)
3	PRADO	BONIFACIO	CASIDSID	GARCIA COLLEGE OF TECHNOLOGY
4	PRADO	JOHN JAYRILL	CARINO	PANPACIFIC UNIVERSITY INC.(FOR.PANPACIFIC UNIVERSITY NORTH PHILIPPINES
5	PRADO	JOSHUA	VIDAL	ADAMSON UNIVERSITY
6	PRADO	MARK LESTER	FLORES	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
7	PRESENTACION	RENTZ MAR	REYES	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	PRIMERO	CRISEL	LACBAYAN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
9	PRIMERO	PRNZ SMAELL	BADA	DE LA SALLE UNIVERSITY-DASMARIÑAS
10	PRUDENTE	REYNERIO JR	MAKABENTA	LYCEUM OF THE PHILIPPINES - CAVITE
11	PULLON	MARLOW	LINGATONG	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
12	PUNO	REMCY GERRY	DAVID	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 4TH Room/Grp No. : 422

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PUNZAL	RONIELLE JACOB	DELA FUENTE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	PURTON	JOHNRELL	SUERTE	ANDRES BONIFACIO COLLEGE
3	QUIAMBAO	CYRIL KENT ARTHUR	URIARTE	DE LA SALLE UNIVERSITY-DASMARIÑAS
4	QUIDDAM	KRISTINE	MONILLA	PRESIDENT RAMON MAGSAYSAY STATE UNIVERSITY-(FOR RMTU)-IBA
5	QUIJANO	MARK JOSHUA	CARDINAL	DE LA SALLE UNIVERSITY-DASMARIÑAS
6	QUILANTANG	JOEY	ANONUEVO	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
7	QUILAO	RACHEL	PAMPLONA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	QUILBIO	GIAN	NICOLAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	QUILONA	ROLANDO JR	DISCAYA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
10	QUIMSON	ADRIAN TROY	PASCUAL	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
11	QUIRONA	JOHN LORENZ	FERNANDEZ	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
12	QUISAYANG	IVETTE ARIANNE	PAMINTUAN	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 4TH Room/Grp No. : 423

Seat No.	Last Name	First Name	Middle Name	School Attended
1	QUIZON	CHRISTIAN JOEBERT	ESPEJO	BATANGAS STATE UNIVERSITY - ALANGILAN
2	RABINO	ARCHIE	TAN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
3	RABINO	BRUCE JERARD	SAJOL	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
4	RAGANIT	ADRIAN	VITALES	NEW ERA UNIVERSITY
5	RAGUIN	JELSIE RICO	BADILLA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MARAGONDON
6	RAMAYAN	MELVIN LEE	AMIGO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	RAMIREZ	JOHN DALE	ALBUENA	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
8	RAMIRO	MA. RENEE	REYES	PAMANTASAN NG LUNGSOD NG VALENZUELA
9	RAMONES	KEENE LARSEN	CUNTAPAY	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
10	RAMOS	AMADEUS GABRIEL	SALINAS	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
11	RAMOS	ANGELIKA	CABUAY	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
12	RAMOS	ANTHOLYN	CRISTE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 4TH **Room/Grp No. :** 424

Seat No.	Last Name	First Name	Middle Name	School Attended
1	RAMOS	ARNEL JR	LINGBAWAN	ABRA STATE INST. OF SCIENCE & TECH.(ABRA IST)-BANGUED
2	RAMOS	DAN EDISON	DE LEON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	RAMOS	DIANNE MARIE	CONTRERAS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	RAMOS	DING JOSEPH	VILLENA	DE LA SALLE UNIVERSITY-LIPA
5	RAMOS	JACY CHERYL	MENDOZA	UNIVERSITY OF THE PHILIPPINES-DILIMAN
6	RAMOS	JED	LUNETA	WEST NEGROS COLLEGE
7	RAMOS	JOE MARIE	DE VERA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	RAMOS	JOHN LESTER	ANTONINO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	RAMOS	JUSTINE JOSHUA	PONIENTE	UNIVERSITY OF THE PHILIPPINES-DILIMAN
10	RAMOS	REYDEL JAY	ANCHETA	MARIANO MARCOS STATE UNIVERSITY-BATAC
11	RAMOS	RONALD JOSHUA	FLORECE	UNIVERSITY OF THE EAST-CALOOCAN
12	RANADA	CHRISTIAN	LUCIO	UNIVERSITY OF SANTO TOMAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS
Address : 52 AURORA BLVD., QUEZON CITY
Building : HR Floor : 4TH Room/Grp No. : 425

Seat No.	Last Name	First Name	Middle Name	School Attended
1	RANAY	MOISES	CAPIZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
2	RANCHEZ	LORENZ JASPER	ELECCION	UNIVERSITY OF SANTO TOMAS
3	RARUGAL	EDRIAN	RACRAQUIN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
4	RASAY	IVAN JOY	OBILAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	RATIO	MARK JOSEPH	ISIP	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
6	RAZON	JONATHAN	MOPAN	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
7	RECALDE	JOSE	SALVATOS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
8	RECAÑA	RACHEL	FRANCISCO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
9	RECATO	CHRISTOPHER SEAN	NUNEZ	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
10	RECELLA	ALAN JASON	CASTOR	ADAMSON UNIVERSITY
11	RECIO	MART FRANCIS	HERNANDEZ	BATANGAS STATE UNIVERSITY - ALANGILAN
12	RECOY	JOMELL	DELMONTE	EASTERN SAMAR STATE UNIVERSITY-BORONGAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 4TH **Room/Grp No. :** 426

Seat No.	Last Name	First Name	Middle Name	School Attended
1	REGIO	GUILMAR JOHN	PUERTOLLANO	MARINDUQUE STATE COLLEGE-BOAC
2	RELAMPAGOS	BRIAN LOUIE	ENOC	RIZAL TECHNOLOGICAL UNIVERSITY
3	RELLORA	JOHN OLIVER	GASPAR	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	RELLORES	LEANDER	REBUSQUILLO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	REÑIDO	KIM JEREMIAH	FIDELINO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	RESELVA	DARYLL	PARAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	RESELVA	EDMHEL JON	LOPEZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	RESIDUO	EDISON	PASOS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
9	RESURRECCION	JOHN PAOLO	SALINAS	DE LA SALLE UNIVERSITY-DASMARIÑAS
10	REY	CARL LESTER	GARCIA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
11	REY	JOHN DENVER	VICENTE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
12	REYBUENAN	JHUNE CHRISTOPHER	SARMINETO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 4TH Room/Grp No. : 427

Seat No.	Last Name	First Name	Middle Name	School Attended
1	REYES	ANGELICA	AVENDAÑO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	REYES	ARTMANREY	LEGASPI	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	REYES	DIDS GELWYN	TOME	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	REYES	JAKE	CASTILLO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	REYES	JEDIDIA MAE	GUEVARRA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	REYES	JEMIMA ANGELI	FERRER	UNIVERSITY OF THE EAST-CALOOCAN
7	REYES	JUAN CARLO	CORTEZ	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA
8	REYES	JUSTIN DOMINIQUE	PARULAN	UNIVERSITY OF THE PHILIPPINES-DILIMAN
9	REYES	KARL KENNETH	SISANTE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
10	REYES	MELCHOR JR	CABRERA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
11	REYES	MICHAEL ANGELO	GARCIA	EMILIO AGUINALDO COLLEGE-DASMARIÑAS
12	REYES	PATRICK	ANGELES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR Floor : 4TH Room/Grp No. : 428

Seat No.	Last Name	First Name	Middle Name	School Attended
1	REYES	PRINCESS CAMILLE	MARZAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	REYES	RAY VINCENT	VELASCO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	REYES	RICK DANIEL	CULALA	MALAYAN COLLEGES LAGUNA
4	RICO	CARL LESTER	DEL BARRIO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	RICOHERMOSO	RENZ JHAYFFER	PADILLA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
6	RIVERA	CARLA JANE	REY	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	RIVERA	DON HARVIE	PASCUAL	F. L. VARGAS COLLEGE-ABULUG
8	RIVERA	DOWIE	MANALOTO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
9	RIVERA	ISAIAHJER CHRISTOPHER	RAFER	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
10	RIVERA	JELYNE ELYSHA	JUAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
11	RIVERA	JOHN HANE	SAN JUAN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
12	RIVERA	MARK STEVEN	TORRES	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 4TH **Room/Grp No. :** 429

Seat No.	Last Name	First Name	Middle Name	School Attended
1	RIVERA	MARTY	CHING	UNIVERSITY OF THE PHILIPPINES-DILIMAN
2	RIVERA	RAYMARK	JIMENEZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	RIVEZA	RICKY	TALAIN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
4	ROASA	BRIAN	PORTO	UNIVERSITY OF RIZAL SYSTEM-MORONG
5	ROBLES	RUDY	MAJADAS	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
6	ROBLES	RUSSEL	DUMAGUING	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	ROCACORBA	ROCEL JOSEPH	VARRON	CEBU TECHNOLOGICAL UNIVERSITY-MAIN (for.CSCST)
8	ROCAMORA	HAROLD	REYES	CENTRAL COLLEGES OF THE PHILIPPINES
9	RODRIGUEZ	GILBERT	REYES	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
10	RODRIGUEZ	MARK JOHN	GUBI	LYCEUM OF THE PHILIPPINES - CAVITE
11	ROFILES	MARXELLINE	ROXAS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-LOPEZ
12	ROJAS	ANGELIKA	SEBASTIAN	ADAMSON UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : CENTRAL COLLEGES OF THE PHILS

Address : 52 AURORA BLVD., QUEZON CITY

Building : HR **Floor :** 4TH **Room/Grp No. :** 430

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ROMAN	GLENN	BONIFACIO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
2	ROMARAOG	AMAURY	AGRA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	ROMASANTA	JOHN NEIL	FLORES	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	ROMERO	PHILIPE	BARIO	NAVAL STATE UNIVERSITY (for.NAVAL INST)-NAVAL
5	ROMEROSA	DARYL VINCE	DEL ROSARIO	LYCEUM OF THE PHILIPPINES - CAVITE
6	RONDINA	JENIFER	PEÑAFLO	PAMANTASAN NG LUNGSOD NG VALENZUELA
7	RONQUILLO	REMIEL JAMES	CRUZ	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
8	ROQUE	JOSE LEONARDO	BAUTO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	ROSALDO	SEAN LEXITH	GACUSAN	DE LA SALLE UNIVERSITY-DASMARIÑAS
10	ROSARIO	IAN CHRISTOPHER	CARAIG	ADAMSON UNIVERSITY
11	ROSARIO	MONISSA KRYSTL	GUMIRAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
12	ROSARIO	RAFAEL	BONBON	WESTERN PHILIPPINES UNIV.(for.PALAWAN N.A.C)-ABORLAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : W. ABEN Floor : 1ST Room/Grp No. : 103

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ROSETE	FRANCO	ROSTRATA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	ROXAS	EUGINE KIER	MAGPANTAY	BATANGAS STATE UNIVERSITY - ALANGILAN
3	RUBIANO	Niño JAN MICHAEL	CANARE	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
4	RUEL	VINCENT MOSSES	OSMAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	RUIZ	JOEL	GUZMAN	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	RULLODA	ERICKA VABES	DELOS REYES	BATANGAS STATE UNIVERSITY - ALANGILAN
7	RUPIDO	EMANUEL	MENDOZA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	RUTAGINES	PRUDENCIO	MORAL	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
9	SABAL	JUNVIE	MENDOZA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
10	SABICO	JHUSTINE	SOLAYAO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : W. ABEN Floor : 1ST Room/Grp No. : 104

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SABORDO	JEAN	CAPULONG	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	SACDALAN	IVAN JEMAR	CANTOS	DE LA SALLE UNIVERSITY-DASMARIÑAS
3	SADIWA	JOJO	CONSTANTINO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
4	SAGENES	IVY NICOLE	REGIS	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
5	SAGUAN	KIM	JAVIER	UNIVERSITY OF PERPETUAL HELP RIZAL-CALAMBA CAMPUS
6	SAJISE	SHARMAINE	MANALO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
7	SALAGUBANG	MARK ROMER	REGEN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	SALAPANTAN	JOCELYN	VALERIANO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	SALAZAR	LOUIE	BERNABE	NEW ERA UNIVERSITY
10	SALAZAR	MARC LOUIE	VERGARA	COLEGIO DE SAN JUAN DE LETRAN-CALAMBA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : W. ABEN **Floor :** 1ST **Room/Grp No. :** 105

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SALCEDO	JHOMAR	SEMBRANO	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
2	SALE	CARL KENNETH	JUMAWAN	BATANGAS STATE UNIVERSITY - ALANGILAN
3	SALES	RAYMOND	ROMBAOA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	SALES	VANESSA	BERAÑA	BATANGAS STATE UNIVERSITY - ALANGILAN
5	SALINDO	RESHTY LORD	MALLANNAO	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
6	SALLE	EDWIN	OPRIL	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
7	SALMORIN	RAYMOND	ARIOLA	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES
8	SALVADOR	JOMAR	GREGORIO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	SALVADOR	LANCE BRYAN	DE CLARO	MALAYAN COLLEGES LAGUNA
10	SALVO	JAMIL	SALAS	BALIUAG UNIVERSITY (BALIUAG COLLEGES)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : W. ABEN Floor : 1ST Room/Grp No. : 106

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SAM	CHRISTOPER JHON	VISCARA	ADAMSON UNIVERSITY
2	SAMACO	DONNIS	MARCIANO	MARINDUQUE STATE COLLEGE-BOAC
3	SAMAR	JOSHUA	ARCEO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	SAMIA	ALLAN JR	SUNGA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
5	SAMIANO	ANNE MARIEL	SALAZAR	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA
6	SAMPANG	TIMOTHY	MONTEMAYOR	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	SAMSON	CARL CHRISTIAN	ESTANISLAO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
8	SAN ANTONIO	ANGEL JR	LAVAPIE	BICOL UNIVERSITY-LEGAZPI
9	SAN ANTONIO	ARLENE	MALVAR	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
10	SAN JOSE	LORELEI	PABUSTAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : W. ABEN

Floor : 2ND

Room/Grp No. : 202

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SAN JOSE	RAFAELA YVONNE	ZAFRA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	SAN PABLO	JAN MICHAEL	CIPRIANO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	SANCHEZ	JERIC	REYES	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
4	SANDAGON	JUSTINE	DAGUS	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STO. TOMAS
5	SANDOLAN	JONALYN	LURA	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
6	SANDOVAL	JOHN KENNETH	ABUSTAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	SANGINES	EPHRAEM JR	ESCALONA	WESTERN INSTITUTE OF TECHNOLOGY
8	SANGRIA	JOEY MARK	JORDA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
9	SANGUIR	RAE MATTHEW	PULLIDO	FEATI UNIVERSITY
10	SANOY	STEPHEN IAN	ARNAIZ	UNIVERSITY OF ANTIQUE-SIBALOM

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : W. ABEN Floor : 2ND Room/Grp No. : 203

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SANSOLEZ	ED JEFFERSON	NUÑEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
2	SANTANDER	RALPH DENVER	AUSTRIA	LYCEUM OF THE PHILIPPINES - CAVITE
3	SANTIAGO	DIANA MARIE	ABON	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	SANTIAGO	JUSTIN BRYAN	PINEDA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	SANTIAGO	RAMON	BULOS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	SANTIAGO	RENEN	DE GUZMAN	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
7	SANTIAGO	SOPHIA ANGELU	PINPIN	UNIVERSITY OF THE EAST-CALOOCAN
8	SANTOS	ADRIANNE CEDRICK	MIFA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	SANTOS	ALLEN JOHN	MALLARI	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
10	SANTOS	ALVIN	PINEDA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : W. ABEN Floor : 2ND Room/Grp No. : 204

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SANTOS	DAN EDWARD	GARCIA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	SANTOS	HANNAH GAYLE	BUAN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
3	SANTOS	JAMES PAUL	BORJA	DIVINE WORD COLLEGE OF LAOAG
4	SANTOS	JERWIN	MUSA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	SANTOS	JESTLER	DELA CRUZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
6	SANTOS	JOHN ROMARICO	SANTIAGO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
7	SANTOS	JOSHUA PHILLIP	MANDAPAT	NEW ERA UNIVERSITY
8	SANTOS	JUBELLE VIC	TOLENTINO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
9	SANTOS	JULIE ANNE	PAGTALUNAN	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
10	SANTOS	LEONHYL	LLANITA	PAMANTASAN NG LUNGSOD NG VALENZUELA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : W. ABEN

Floor : 2ND

Room/Grp No. : 205

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SAPUCO	RALPH ALLEN	RABANO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
2	SAQUILABON	SHANIA LAYNE	MEDRANO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	SARABIA	SHAIRA MICAH		MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
4	SARMIENTO	AARON	MAGPANTAY	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	SARMIENTO	EUFRAIHM	ISON	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	SARMIENTO	JUSTINE ALDWIN	RODRIGUEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	SARMIENTO	NEIL EDWARD	RAZALAN	ADAMSON UNIVERSITY
8	SARMIENTO	NIÑO	PELAYO	PAMANTASAN NG LUNGSOD NG VALENZUELA
9	SARMIENTO	RENZ DAVE	ELLA	NATIONAL UNIVERSITY-MANILA
10	SATO	MARK CHRISTIAN		POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : W. ABEN Floor : 2ND Room/Grp No. : 206

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SAUR	CHRISTINE JET	NAVALTA	ADAMSON UNIVERSITY
2	SEE	SHERWIN CARL	SIA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	SELDA	PRINCESS DIANE	ZOLETA	EMILIO AGUINALDO COLLEGE-DASMARIÑAS
4	SELOMEN	EARL	OCAMPO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
5	SEMBRANO	BEARWIN JAY	ICBAN	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
6	SEPAGAN	JOE RIZ	VALDEZ	COLEGIO DE SAN JUAN DE LETRAN-INTRAMUROS
7	SERAFINES	DEXTER	ABELLA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	SERDEÑA	JARON	BAUTISTA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
9	SERDUAR	FRANZ ELI	MAPALAD	UNIVERSITY OF SANTO TOMAS
10	SERRANO	DON FERNAND	ARQUIZA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 1ST Room/Grp No. : 108

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SESCAR	JASPER NICOLE	PAJA	EMILIO AGUINALDO COLLEGE-DASMARIÑAS
2	SESE	ROY LORENZ	ABALOS	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
3	SEVERINO	JOMARI	DIVINA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	SEVILLA	MICHAEL ANGELO	PAPELLERAS	MALAYAN COLLEGES LAGUNA
5	SEVILLEN	JURNNY AARON	PANTE	RIZAL TECHNOLOGICAL UNIVERSITY
6	SIBAYAN	RUBEN JR	LOVENDINO	DE LA SALLE UNIVERSITY-DASMARIÑAS
7	SIERRA	CHRISTOPHER	CALMA	MARIANO MARCOS STATE UNIVERSITY-BATAC
8	SILAO	JOHN FLORENTINE	SALAZAR	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
9	SILVA	NEIL KEVIN	TINDUGAN	BATANGAS STATE UNIVERSITY - ALANGILAN
10	SILVA	SUNSHINE JOY	LORO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 1ST Room/Grp No. : 109

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SINSIN	DEAN PATRICK	CASTRO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	SINTONES	JOHN KIM	MEDRANO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	SIO	MIKEE	TO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
4	SIONGCO	NEIL	LUMBERIO	HOLY ANGEL UNIVERSITY
5	SIONO	KHAL-EL FRANCIS	HERNANDEZ	FEATI UNIVERSITY
6	SISON	JERALD	MESA	NEW ERA UNIVERSITY
7	SISON	PATRICIA MONICA	ELIGIO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
8	SOCHAYSENG	BROGEL MARLENE	ALMODOVAR	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	SOCORRO	EDISON	GARAY	PAMANTASAN NG LUNGSOD NG VALENZUELA
10	SOL	KIMMUEL	ESTRADA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 1ST Room/Grp No. : 110

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SOLA	KRYSTEL ANNE	MAGNAYE	BATANGAS STATE UNIVERSITY - ALANGILAN
2	SOLARIO	CLAUDE GRAY	NAANEP	NEW ERA UNIVERSITY
3	SOLEYBAR	JOHN ALFRED	NADULPIT	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
4	SOLIMAN	MICHAEL	MALLARI	UNIVERSITY OF THE EAST-CALOOCAN
5	SOLIS	CARLO	BEREBER	UNIVERSITY OF THE EAST-CALOOCAN
6	SOLIS	GABRIEL	PANCHA	RIZAL TECHNOLOGICAL UNIVERSITY
7	SOLIVEN	CHRISTIAN	DE LEON	NATIONAL UNIVERSITY-MANILA
8	SOLOMON	MARK JHUN	TAMPICO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
9	SONCUYA	RYAN	ATUN	MANUEL S. ENVERGA UNIV. FOUNDATION-LUCENA CITY
10	SONON	EDRIAN JOLAS	CUADRANTE	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : T. VAN MEIRT

Floor : 1ST

Room/Grp No. : 111

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SORIAGA	RALPH ADRIAN	BENITEZ	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
2	SORIANO	ROI SANCHO	DAGUI	DE LA SALLE UNIVERSITY-DASMARIÑAS
3	SOTERIO	RUFFA MAE	MANLAPIG	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	STA. MARIA	MARC CLARENCE	SANTOS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	STA. ROMANA	CATHERINE ROSE	PUNZALAN	UNIVERSITY OF SANTO TOMAS
6	STA. ROSA	BRYAN KRISTOPER	CARLOS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
7	SUA	ALLAN PAUL	GUTIERREZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
8	SUAREZ	JEO	QUIAPOS	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
9	SUBA-AN	CLIFFORD KEN	BATHAN	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
10	SUMALABE	LOUIE JAY	OFTANA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT **Floor :** 1ST **Room/Grp No. :** 113

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SUMALINOG	JOHN PAUL	RILLERA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
2	SUPSUP	JAN JOSEPH	BESUNIA	RIZAL TECHNOLOGICAL UNIVERSITY
3	SUSI	SETH RENZ	SANQUI	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
4	TABANAO	AUSTIEN SCOTT	LAMEDA	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA
5	TABOR	DENZEL JOSHUA	NANO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	TACUYO	JOHN MARCK ANTHONY	MORILLO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
7	TAGABAN	HAROLD	TAGUBA	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
8	TAGBAC	JOSHUA	PAJARON	SAINT JOHN TECHNOLOGICAL COLLEGE OF THE PHILIPPINES
9	TAGLE	ALEXIS JONAH	FESARIT	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
10	TAGLE	KHRISTIAN KYLE	MABIOG	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 2ND Room/Grp No. : 208

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TAGLE	PRINCESS CLAIRE	SANTILLAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	TAGUBA	JUN JUN	GAMBOL	ADAMSON UNIVERSITY
3	TAJAN	JONIM RICHARD	RUIZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STO. TOMAS
4	TALABIS	JAN BREDYL	EVORA	BATANGAS STATE UNIVERSITY - ALANGILAN
5	TALAN	RYAN JOSEPH	MANGA	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
6	TALATALA	JAKE LEANDER	HERNANDEZ	DE LA SALLE UNIVERSITY-LIPA
7	TAMOMOC	RODMAN	VALOIS	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
8	TAMONAN	JHONELLE	GALIAS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	TAMPON	JODEZON	OLANDAG	ANDRES BONIFACIO COLLEGE
10	TAN	JERICO AMIEL	ALFONZO	HOLY ANGEL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT **Floor :** 2ND **Room/Grp No. :** 209

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TAN	OSCAR ALFONSO	PIZARRO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	TANAEL	SYD	CAPALAD	HOLY ANGEL UNIVERSITY
3	TANHUECO	LEMUEL	JIMENEZ	HOLY ANGEL UNIVERSITY
4	TAPIA	JOYCE ANNE	RIMPILLO	NATIONAL UNIVERSITY-MANILA
5	TARNATE	KENT CHARLES	SORIANO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	TAYAG	ADRIAN VINCENT	TORRES	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	TAYAG	ARNEL	BALUYUT	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
8	TAYAG	JANELLE	MORALES	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
9	TAYAO	FRANCHESKA	TIONGSON	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
10	TAYLE	RODEL	TIONGSON	LYCEUM OF THE PHILIPPINES UNIVERSITY-MANILA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 2ND Room/Grp No. : 210

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TAYSON	SALVADOR REI BERNARDO	BAQUIRAN	ADAMSON UNIVERSITY
2	TEJADA	JENIL IBN HUSSEIN	MARTINEZ	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	TEMPLONUEVO	JAYVIE GABRIEL	ANDRADE	UNIVERSITY OF SANTO TOMAS
4	TENDIDO	ACER	FRANCISCO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
5	TEÑIDO	MICHAEL	GARCIA	UNIVERSITY OF PERPETUAL HELP SYSTEM-LAGUNA
6	TENORIO	FRANZ JOSEPH	ENDAYA	BATANGAS STATE UNIVERSITY - ALANGILAN
7	TENORIO	JOSE EMMANUEL	BANSALE	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
8	TEÑOSO	MARC THYRONE	KELBIO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
9	TEODORO	SAMUEL	ALFONSO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
10	TEOPE	KENNETH	FABROS	RIZAL TECHNOLOGICAL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 2ND Room/Grp No. : 211

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TERRADO	LYNUEL MAE	RATIO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	TERRONES	ELEAZAR	TIBAY	LA CONSOLACION COLLEGE-TANAUAN
3	TIMBANG	ERIC JOHN	LACSON	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	TIONGSON	ROLAND II	BADILLO	DE LA SALLE UNIVERSITY-LIPA
5	TIQUIZ	PAUL SHAQ ANNE	MANGUIAT	DE LA SALLE UNIVERSITY-LIPA
6	TIRAYTAY	CALVIN	BEMIL	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	TITO	LORRAINE	ALMARIA	CAVITE STATE UNIVERSITY (CAVITE C.A.T)-ROSARIO
8	TOBIAS	HENRY JR	DIZON	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
9	TOBIAS	PAUL SAIMOND	PERJES	UNIVERSITY OF BATANGAS
10	TOBIAS	ROEGINE	VICTORIA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT Floor : 2ND Room/Grp No. : 212

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TOLCIDAS	CHRISTIAN	LEYSIS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
2	TOLENTINO	ERWIN	DANTES	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
3	TOLENTINO	KIM JASPER	ROMASANTA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	TOLENTINO	MATT JAYPRIL	MAGSINO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	TOLENTINO	MIKKO	BUGAY	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	TOLORES	VON RYAN	FAMISAN	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
7	TOMBOC	VIRGILIO	AQUINO	MANUEL L. QUEZON UNIVERSITY
8	TOMINES	GODWIN	MONTEMAYOR	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
9	TONO	GIAN JICO	CHU	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
10	TORDERA	JOHN CARLO	DE GUZMAN	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : T. VAN MEIRT **Floor :** 2ND **Room/Grp No. :** 213

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TORERRO	LOUIS JONATHAN	LAWAGON	PAMANTASAN NG LUNGSOD NG VALENZUELA
2	TORIBIO	MART ADRIAN	SUMAGA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
3	TORRES	ERUEL JOHN	DOMINGO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	TORRES	JOHN MAYNARD	LAO	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)
5	TORRES	KEN CHRISTIAN	ESPINOSA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	TORRES	LADYLEE TRISHA	SILVA	BATANGAS STATE UNIVERSITY - ALANGILAN
7	TORRES	NEIL ADRIAN	CARPIO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
8	TORRES	PATRICK KENT	RIVERA	COLUMBAN COLLEGE-OLONGAPO CITY
9	TOYHACAO	REDEN	SOLEDAD	LYCEUM OF THE PHILIPPINES - CAVITE
10	TRAJANO	RIZ	MANGULABNAN	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : TUMMERS **Floor :** 1ST **Room/Grp No. :** 101

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TRAVERS	FRANCIS DAVID	SALABAO	COLEGIO DE SAN GABRIEL ARCANGEL
2	TRIA	JAMES IAN	PODADERA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
3	TRINIDAD	GERALD	SANTOS	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
4	TRINIDAD	JOHN REY	CASTRO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
5	TUALLA	WILLIAM IVAN	BONIFACIO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	TUBELLEZA	RU		UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
7	TUBIGAN	JEFFREY	ALBOS	ADAMSON UNIVERSITY
8	TUMALIUAN	JEROME	PABLO	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
9	TUMAMAO	JOSE JR	UBINA	UNIVERSITY OF THE EAST-CALOOCAN
10	TUNGUL	ALEXIS	ASIGNADO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : TUMMERS **Floor :** 1ST **Room/Grp No. :** 102

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TUPPIL	MARIANO JR	MAMAUAG	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
2	TUQUERO	CHRISTIAN YMMANUEL	ESPIRITU	HOLY ANGEL UNIVERSITY
3	TY	JEFF THOMAS	DIAZ	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
4	UDAUNDO	LEXTER MARTIN	SOSA	MARIANO MARCOS STATE UNIVERSITY-BATAC
5	ULANG	MARIELLE	CEQUEÑA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	ULIBAS	CLIFFORD	OANDASAN	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
7	ULTRA	CHRISTIAN JAY	ABAYON	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
8	UNIRA	ALFRED	OLIVAREZ	MALAYAN COLLEGES LAGUNA
9	URBANO	MARK JULES	DELA CRUZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
10	URCIA	RAY CHRISTIAN	ENRIQUEZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : TUMMERS Floor : 1ST Room/Grp No. : 103

Seat No.	Last Name	First Name	Middle Name	School Attended
1	UY	JESSA MARIE	TUMACDER	BATANGAS STATE UNIVERSITY - ALANGILAN
2	UY	MARK JOSEPH	VILLAGANES	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	UY	NEIL JONATHAN	ESPIRITU	BATANGAS STATE UNIVERSITY - ALANGILAN
4	VALDECANTOS	BERNADETTE	VARILLA	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
5	VALDERAMA	ANNE SHAIRAH	JUAREZ	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
6	VALDEZ	ASHLEIN		EMILIO AGUINALDO COLLEGE-DASMARIÑAS
7	VALDEZ	CRISMAR	CABALLERO	UNIVERSITY OF PANGASINAN
8	VALDEZ	RYAN	MONTEALEGRE	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY
9	VALENCIA	JANNEA	TABI	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
10	VALENCIA	MARIA NIÑA	PAYAWAN	UNIVERSITY OF BATANGAS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : TUMMERS **Floor :** 1ST **Room/Grp No. :** 104

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VALENCIA	RONNIE RON	CAPARAS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	VALLE	JOHN MARK	GUAB	NATIONAL UNIVERSITY-MANILA
3	VARGAS	NICK JOSEPH	ELISEO	UNIVERSITY OF THE EAST-MANILA
4	VELARDE	EUVOERT	CABALLAS	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
5	VELASCO	ENRIQUE	MICUA	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
6	VELASCO	MICHAEL JAKE	FUGABAN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
7	VELASCO	OYO MICO	CUNANAN	HOLY ANGEL UNIVERSITY
8	VELATCHA	REYNALDO JR	SANTIAGO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	VELILLA	RON MICHAEL	GALUTIRA	NATIONAL UNIVERSITY-MANILA
10	VELUZ	EVSON JOHN	ABERIN	FEU INSTITUTE OF TECHNOLOGY (for FEU-E.A.C.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : TUMMERS Floor : 2ND Room/Grp No. : 201

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VENTURA	JUSTINE ERICK	CENTENO	UNIVERSITY OF LUZON (LUZON COLL.)
2	VENUYA	MARIA IRENE	VILLANUEVA	UNIVERSITY OF THE EAST-CALOOCAN
3	VENZON	ABEGAIL	ESLETA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	VERDADERO	VINCENT	DOBLA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	VERUTIAO	VYNCE PATRICK	PANTIA	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
6	VICENTE	JESSPER	MAON	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	VIGIL	RYAN CHRISTIAN	GUALVEZ	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	VIGO	LEANDER	DAGUMAN	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
9	VILLA	JONAS	LUNA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
10	VILLABER	ALLAN	FAMA	COLEGIO DE LA PURISIMA CONCEPCION

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : TUMMERS Floor : 2ND Room/Grp No. : 202

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VILLAFUERTE	PATRICK JAE	VIRTUCIO	BATANGAS STATE UNIVERSITY - ALANGILAN
2	VILLAFUERTE	RENN JAE	SINSIN	CAVITE STATE UNIVERSITY (CAVITE C.A.T)- ROSARIO
3	VILLALUNA	TRISHA MAE	ACERA	PAMANTASAN NG LUNGSOD NG MAYNILA
4	VILLALUZ	ALYSSA MAE	GARCIA	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
5	VILLAMER	RICHARD	LIPAO	BICOL STATE COLLEGE OF APPLIED SCIENCES & TECHNOLOGY(FOR. CSPC - NAGA)
6	VILLAMORA	EDERLIE	PREPOSE	AURORA STATE COLLEGE OF TECHNOLOGY
7	VILLANUEVA	ALBERTO	FLORENCIO	FEATI UNIVERSITY
8	VILLANUEVA	ARNEDO II	ROLA	MAPUA UNIVERSITY (FOR M.I.T.) - MANILA
9	VILLANUEVA	IBRAHIM ROY	PABICO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
10	VILLANUEVA	JEANETH	TABASA	BATAAN HEROES MEMORIAL COLLEGE

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE

Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY

Building : TUMMERS **Floor :** 2ND **Room/Grp No. :** 203

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VILLANUEVA	LAMBERTO JR	BULANHAGUI	UNIVERSITY OF BATANGAS
2	VILLANUEVA	MARISOL	TOBIAS	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
3	VILLANUEVA	RENZ	ENDAYA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	VILLANUEVA	ROCHELLE ANN	PADUADA	SOUTHERN LUZON STATE UNIVERSITY-LUCBAN (SLPC)
5	VILLANUEVA	SEAN TRAVIS	DIMAANO	DE LA SALLE UNIVERSITY-LIPA
6	VILLANUEVA	VINCE JULLIAN	GAVIÑO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
7	VILLAPANDO	KRAVEN	LANZADERAS	NATIONAL UNIVERSITY-MANILA
8	VILLARAN	FERDINAND	GOLLA	CENTRAL COLLEGES OF THE PHILIPPINES
9	VILLARAZA	ELDRIN FLOYD	TUMAQUE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
10	VILLARINO	BLAS EMMANUEL	TAPAO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : TUMMERS Floor : 2ND Room/Grp No. : 204

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VILLARIZA	DENZYL GLYN	BACALSO	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	VILLASANTA	WILFRED	TABALE	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
3	VILLEGAS	LIZZ JEREN	NEPOMUCENO	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	VILLEJO	BRIGIDO	GINDOY	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
5	VILLENA	CLARENE MICA	MORENO	BATANGAS STATE UNIVERSITY - ALANGILAN
6	VILLORENTE	MARVIN	YALONG	COLEGIO DE SAN GABRIEL ARCANGEL
7	VILORIA	MARIO ANGELO	TADEO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
8	VIRTUCIO	GEO MAVERICK	CORIAS	RIZAL TECHNOLOGICAL UNIVERSITY
9	VISPERAS	BRYAN EARL	PAGUNTALAN	MALAYAN COLLEGES LAGUNA
10	VITAL	JEYAH MANUEL	IGNACIO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : TUMMERS Floor : 2ND Room/Grp No. : 205

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VITALEZ	JOSE JR	RIVERA	ADAMSON UNIVERSITY
2	VITO	JOMARI	OLEO	BULACAN STATE UNIVERSITY (for.BCAT)-MALOLOS
3	VIVAR	JOHN MERVIN	CADAYONA	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-MAIN-STA. MESA
4	WONG	AUSTINE RICO	DELA CRUZ	UNIVERSITY OF SANTO TOMAS
5	YABILLO	ALLAN BON ROBERT	NAVARRO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-MANILA
6	YABUT	MARK ANGELO	BONIFACIO	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG
7	YAMBAO	ALLYSA NOREEN	LAGULA	ADAMSON UNIVERSITY
8	YANOLA	JERALD	DANTE	PAMANTASAN NG LUNGSOD NG VALENZUELA
9	YAP	CEDIE	LUCERO	UNIVERSITY OF SAINT LA SALLE
10	YAPAN	ALEJO JR	QUINTELA	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
MANILA
REGISTERED ELECTRICAL ENGINEER
SEPT. 05 - 06, 2021

School : ST JOSEPH'S COLLEGE
Address : 295 E. RODRIGUEZ SR., BLVD., QUEZON CITY
Building : TUMMERS Floor : 2ND Room/Grp No. : 206

Seat No.	Last Name	First Name	Middle Name	School Attended
1	YASIS	ANGELON	ALAON	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
2	YEPES	GLENN	ESPERA	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY
3	YUZON	MAE-ANN HAZEL	DE VILLA	BATANGAS STATE UNIVERSITY - ALANGILAN
4	ZABALA	JANCINTH	FERNANDEZ	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
5	ZABALA	KIM	CALIMLIM	UNIVERSITY OF LUZON (LUZON COLL.)
6	ZALUN	JAYSEL JANE	AGUSTIN	UNIVERSITY OF CAGAYAN VALLEY (for. CAGAYAN COLL OF TUG.)
7	ZANTUA	JUSTINE CARL	LOPEZ	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
8	ZULUETA	MAY FLOR	JALDO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.