



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABAD	URBANO JR	ANIMO	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
2	ABAYAN	GERALD	PAGLIAWAN	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
3	ABE	MC CHRISTIAN ALLAN	NIM	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
4	ABIVA	JOHN JOHN	EVITE	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	ABUYOG	RHEA JEAN	ESPAÑO	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
6	ACEBRON	RUBY ANN	GALERO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
7	ACEBUCHE	ANDREW	CABRERA	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ADESAS	LEONCIO	CABANGUNAY	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
2	AGUILAR	RAFFY	AMOS	SECONDARY SCHOOL
3	AGULLO	ARIADNE JOY	BICO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	ALBANO	RIZEL	MENSORADO	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
5	ALDAYA	JESSIE	QUINTANA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
6	ALENTEJO	DARWIN	ARIAS	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	AMORO	ALEJANDRO	CUEVAS	STI COLLEGE - BACOLOD CITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ANCERO	REYNEL	ABARAO	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
2	ANSALE	CLETO	TEVES	SOUTHERN LEYTE STATE UNIVERSITY (SLSCST)- SOGOD
3	ARAZA	NEIL TIRSO	PALOMA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
4	ARELLANO	ZOSIMO JR	BULLO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)- ORMOC CAMPUS
5	ARIG	FRANCIS	DESTRIZA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
6	ARPON	GERONIMO JR	MARTINEZ	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
7	ASEO	ERNESTO JR	OCMER	SECONDARY SCHOOL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ASIDERA	ALLAN PAUL	ROBIN	SECONDARY SCHOOL
2	ASOMBRADO	JUDE KENNETH	IGNACIO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
3	ASTILLERO	GODFREY	RAFAELA	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
4	AYA-AY	JOHN PATRICK	ORONOS	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	BAJEN	CYREL	DELOVERJES	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
6	BALANE	JORGE	VILLAREZ	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)- ORMOC CAMPUS
7	BALAYE	PHILIP LOUIE	ESPLAGO	EASTERN SAMAR STATE UNIVERSITY-BORONGAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BALBARONA	JONARD JAY	COSEP	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
2	BALDOSTAMO	JOEY	LLUZ	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
3	BALLENO	REYNALDO	BROÑOLA	MARCELINO R. VELOSO NATIONAL POLYTECHNIC COLLEGE
4	BALUYA	ALVIN	GULTIAN	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
5	BARBOSA	REYMART	CASTILLANO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-TANAUAN CAMPUS
6	BARCENAS	LEMUEL	ARANZADO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	BARILLO	ERIC	PANAL	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BATULA	FREDDIE	GEROMALA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
2	BAUTISTA	AERON	GIRAY	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
3	BERNARDO	HAZEL	GINGA	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
4	BORLING	AMADO IAN	BERNAL	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	BORLING	CESAR IVAN	BERNAL	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
6	BRAGA	DIOSDADO JR	NAVALES	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
7	BRAVO	BUTZ	EMAAS	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CABALLA	CARLO	LAODENIO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
2	CABANADO	NOEL	NGOHO	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
3	CABAOBAS	PURISIMO	MACALINGA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	CABOS	JASPER	ABLETES	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	CAÑAMAQUE	JUN-JUN	PELIPEL	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
6	CAÑEDA	EDUARDO JR	LERIO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-TANAUAN CAMPUS
7	CAPATE	KEMWEL	FLORES	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 8

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CAPILI	CAROL	BASINANG	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
2	CARMONA	LAI MANASSEH	RAZ	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
3	CATALOGO	JEFREY	GAMALO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	COLASITO	ALVIN	EVA	SECONDARY SCHOOL
5	COÑEJOS	DENNIS	BALLEJOS	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
6	CORMANES	DEJIE	LUNARIO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	CUMPA	JASON REY	QUEBEC	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 9

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CURIANO	DAVID	CRUZ	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
2	DACARA	RODRIGO	SEVERINO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)- TANAUAN CAMPUS
3	DACLAG	MARIEL	CALSES	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
4	DADIOS	AMELITO JR	SINGSON	WESTERN LEYTE COLLEGE-ORMOC
5	DAYANDAYAN	JAMES RAY	DIPUTADO	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
6	DE GUZMAN	IAN	VOCES	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	DEL PILAR	ANASTACIO	GERVOSO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 10

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DELMONTE	RODNEY	ALIMAN	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
2	DEPAZ	MARISOL	PEÑARANDA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
3	DIAGRO	MANUELITO	FERNANDEZ	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	DIOLOLA	JESUS LORDAN	AMBAL	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
5	DOCIL	JUN ARVIN	ACEBUCHE	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
6	DOMAEL	PRINCESS JEAN	NOVELA	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
7	DOMASIG	RONALD	PELO	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 11

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DUENOG	JOHN CARLO	DOSMANOS	VOCATIONAL SCHOOL
2	DULA	DARWIN	ADORA	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
3	DULAY	DARWIN	DULA	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
4	ECOMO	RUEL	ORTONIO	SECONDARY SCHOOL
5	ENORASA	KHEIN	SANICO	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
6	ESPERANZA	CHRISTOPHER	ALQUINO	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
7	ESPERAS	JOHNDEE	BUENA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 12

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ESPINA	JOSEPH	MALINAO	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
2	FABILLAR	FELIPE	GONZAGA	EASTERN SAMAR STATE UNIVERSITY-GUIUAN CAMPUS
3	FERNANDEZ	JETHRO CESAR	PACAYRA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
4	FLORALDE	SUSAN	GALAROZA	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
5	GABON	ALEX	CABANGANAN	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
6	GALDONES	JAYSON	ACIBAR	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
7	GALIT	MAY-ANN	TURBANADA	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 13

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GAQUIT	ALEXANDER	CASIMERO	VOCATIONAL SCHOOL
2	GEMENTIZA	JASPER	BIBOSO	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
3	GEREZ	JOAN	LAGO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	GERONA	JULIUS	GARE	SOUTHERN LEYTE STATE UNIVERSITY (SLSCST)-SOGOD
5	GERUNDIO	ARGIE	IHADA	VOCATIONAL SCHOOL
6	GETIGAN	ROJIE	PONGOL	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
7	GODIO	GILLIAH	TIMAN	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 14

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GULAS	RUBEN	MORENO	SECONDARY SCHOOL
2	GULLEM	JHON VINCENT	SANATE	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
3	GUMATAY	ELADIO JR	LIPATA	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
4	HERNANDEZ	KENNETH JOHN	TEOCO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	HILUM	ROMEO JR	ADESAS	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
6	HORCA	RAQUEL	CABINTOY	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
7	INOPIQUEZ	JUNIERMIE	PAGDATO	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 15

Seat No.	Last Name	First Name	Middle Name	School Attended
1	IRINCO	MHEL JUNE	IRINCO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
2	JANOYAN	ROSARIO	PABAYO	AMA COMPUTER COLLEGE - PARAÑAQUE
3	JOPIO	CHARLES	DIAZ	SECONDARY SCHOOL
4	JUNTILLA	MHARK BRAIAN	NEBRIA	COLLEGE OF TECHNOLOGICAL SCIENCES-CEBU
5	LACAMBRA	NENITO JR	LUZARITA	VOCATIONAL SCHOOL
6	LAGRAMADA	JOHN MARK	ALBAO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	LAMBAN	GIL JR	ACLADO	SECONDARY SCHOOL
8	LAODENIO	ANGEL ROSE	PICARDAL	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 16

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LAUSE	IAN KENT JOSEPH		EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
2	LAZARTE	JAMES CARLO	LAURENTE	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
3	LEQUIN	YULYSIS	SOLIVA	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
4	LIBANAN	JULIUS	GALIAS	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
5	LINGAN	TEJAY	LAMOSTE	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
6	LIROM	JEFF ANTHONY	MACARIOLA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	LOSAYNON	FELMER	DEMETERIO	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
8	LUCELO	JOHN LIPTON	AROMIN	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 17

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LUMIARES	ROBERTO	CASTAÑAS	SECONDARY SCHOOL
2	LUTO	JOSHUA	RONQUILLO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
3	MACHATE	SAMMY	COLICO	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
4	MAGBANUA	RENANTE	BACSAL	CAGAYAN DE ORO COLLEGE
5	MAGDARAOG	NELA MAE	BERGORO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
6	MAGLIMAS	JELBERT MARK	VILLANUEVA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
7	MAGPILI	JUANITO JR	MACAPANAS	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-TANAUAN CAMPUS
8	MAHINAY	JONAS	LABIAN	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 18

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MANONGSONG	LLOYD	SOLTEO	NORTHERN LEYTE COLLEGE
2	MARILLA	MANOLITO	BALAES	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
3	MARTINEZ	REDFORD	ABOY	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
4	MASUBAY	JEROME	ABADA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	MAURE	DEXTER	LUMACAD	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-TANAUAN CAMPUS
6	MAZO	NILA	TANEO	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
7	MEJOS	JEREMY	CANTONG	SECONDARY SCHOOL
8	MESIAS	MARLO	DIOSA	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 19

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MODRIGO	JODEL	INFANTE	SECONDARY SCHOOL
2	MONARES JR	SERAFIN	SALDAÑA	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
3	MONTERDE	KEVEN	DELA CERNA	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
4	MOQUIA	ARTURO	ABEJAR	SECONDARY SCHOOL
5	MORALES	DEXTER	LARRIDO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
6	MORALES	ROI RIO	TIU	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	MORENO	JEIA	BARAOBADA	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
8	MORILLO	JOHN PAUL	ORTIZ	SECONDARY SCHOOL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 20

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MOSQUITE	MARTENITO JR	MATUGUINA	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
2	NARCA	MA LORENA	RACUYAL	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
3	NATIONAL	DENNIS	MAANAD	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	NIALDA	DOMINGO	OLAN	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
5	NODALO	LYNDON	TOMABON	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
6	NOROÑA	IAN	CATUNGA	SECONDARY SCHOOL
7	NUÑEZ	ARGEL	CATALOGO	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
8	OLBERON	EDMARK	MONTERAS	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 21

Seat No.	Last Name	First Name	Middle Name	School Attended
1	OMEGA	DEOMEDES II	SENILLO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
2	ORTIZ	PIO III	DOCENA	EASTERN SAMAR STATE UNIVERSITY-BORONGAN
3	PACIENCIA	LEONARDO JR	ENGUITO	SOUTHERN LEYTE STATE UNIVERSITY - SAN JUAN CAMPUS
4	PANIM	DARWIN	SECORATA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	PARANE	JOHN RAY	BADA	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
6	PASTOR	JOSEPH BRENT		PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
7	PATALINGHUG	FRANCEZ FHEL	BARILLO	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
8	PESTAÑO	RUBEN	TROGON	SECONDARY SCHOOL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 22

Seat No.	Last Name	First Name	Middle Name	School Attended
1	POE	MOISES LAURENCE III	GABEST	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
2	POMARCA	CHRIS JUN	ORTILLADA	SECONDARY SCHOOL
3	PORIA	MANUEL	DIANO	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON
4	PORTES	ROSEMARIE	VALENTEROS	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
5	PUASO	RENATHAN	LAGRIMAS	UNIVERSITY OF EASTERN PHILIPPINES- CATARMAN
6	QUIZOL	LOUIS CYPRESS	VILLAROSA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	RABACIO	DIOSCORO MIKE	SABULAO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
8	REGALA	ARNEL	ANDALES	PALOMPON INSTITUTE OF TECHNOLOGY- PALOMPON

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 23

Seat No.	Last Name	First Name	Middle Name	School Attended
1	REGIR	BONIFACIO	LUMAPAK	MARCELINO R. VELOSO NATIONAL POLYTECHNIC COLLEGE
2	REYES	ELMO	TONOG	ASIA COLLEGE OF ADVANCE STUDIES IN ARTS, SCIENCES & TECH.
3	RIAS	SAIRA JANE	VERIN	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	ROCHA	ANFERNNY	PAGADORA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	ROSELLO	RYAN	EMAN	SOUTHERN LEYTE STATE UNIVERSITY (SLSCST)-SOGOD
6	ROYON	ARNIE	ABANDO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	SALOR	JAMES	ALBINO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
8	SECO	PACIFICO JAMES	SANTARITA	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 24

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SEMBRERO	JERIC	CAONES	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
2	SETENTA	OMAR	BERNAL	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
3	SEVILLA	MARSUILLE	MARQUEZ	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
4	SIERVO	CHRISTIAN	MERCA	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
5	SOLEDAD	LOTGARDO	GADDI	SECONDARY SCHOOL
6	SOLIS	RONNIE	TABULAO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
7	SUMALINOG	KENNETH ARVIN	ALITO	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
8	TADUYO	ACE GRINGO	DEALAGDON	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 25

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TAFALLA	SHEM RONALD	COLAPO	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA
2	TALACAY	LEONARDO JR	SIDRO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
3	TAMAYO	RIYHAD	FERIL	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
4	TANPIENGCO	ERWIN	GAVIOLA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	TAPANG	FRANKLIN	BACUD	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
6	TARINGTING	FARBECIO JR	GOMBA	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
7	TARRAYO	JEROME	HUBAYAN	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
8	TARRAYO	REYMAR	HUBAYAN	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 26

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TOMADA	HARRE	YCOY	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
2	TORREFRANCA	ROBERTO JR	MALINGIN	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
3	TORRES	ROBERT	TEONISTO	SECONDARY SCHOOL
4	TRONGCOSO	EDUARDO	EVASCO	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
5	TUGAHAN	ALVIN	GARCIANO	EASTERN VISAYAS STATE UNIV. (FOR. L.I.T.)-ORMOC CAMPUS
6	TURLA	REGIE	POSO	UNIVERSITY OF EASTERN PHILIPPINES-LAOANG CAMPUS
7	UYCOQUE	STEPHEN REY	SORIA	SAMAR STATE UNIVERSITY (SAMAR S.P.C.)
8	VARGAS	JERRY	ROSCO	SECONDARY SCHOOL

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



**PROFESSIONAL REGULATION COMMISSION
TACLOBAN
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 07, 2021**

School : LEYTE NATIONAL HIGH SCHOOL

Address : LINO GONZAGA AVE., DOWNTOWN, TACLOBAN CITY

Building :

Floor :

Room/Grp No. : 27

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VERSO	MARVEN	NUENA	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
2	VIACRUCIS	CELSO JR	MOLDEZ	PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON
3	VIBAL	FRANCISCO	DOMIQUEL	UNIVERSITY OF EASTERN PHILIPPINES-CATARMAN
4	VILLAMOR	MARK JAY	VILLALINO	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
5	VILLAPAÑA	JONATHAN	PALAÑA	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
6	YAKIT	JERICHO	REBUCAS	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)
7	YANGZON	REY AUGUSTINE	BANE	EASTERN VISAYAS STATE UNIVERSITY (for.LIT)TACLOBAN
8	YBAÑEZ	JAKE	BALLEJOS	NORTHWEST SAMAR STATE UNIVERSITY (FOR.TIBURCIO TANCINCO)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.