



PROFESSIONAL REGULATION COMMISSION

ORIENTAL MINDORO
REGISTERED MASTER ELECTRICIAN
SEPTEMBER 4, 2023

School : MINDORO STATE COLLEGE

Address : CALAPAN CITY, ORIENTAL MINDORO

Building : BSED BUILDING

Floor : 1ST

Room/Grp No. : 1

| Seat No. | Last Name | First Name | Middle Name | School Attended |
|----------|-----------|--------------|-------------|--|
| 1 | AGILLON | CYRUS CRISER | PANOPIO | MINDORO STATE UNIVERSITY-CALAPAN(FOR MINDORO S.C. OF AGRI. & TECH.-CALAPAN) |
| 2 | CALIVO | KENN | ROSARIO | OCCIDENTAL MINDORO STATE COLLEGE-SAN JOSE CAMPUS(FOR OCC. MINDORO STATE COLL.) |
| 3 | FAJILAN | ROLANDO | FRANCISCO | MINDORO STATE UNIVERSITY-CALAPAN(FOR MINDORO S.C. OF AGRI. & TECH.-CALAPAN) |
| 4 | GALIGA | DAN MAR | CAUNCA | ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE) |
| 5 | NOBLE | JAN JHEVIC | PASIGA | BATANGAS STATE UNIVERSITY - ALANGILAN |
| 6 | PAGILAGAN | RODOLFO JR | TRAJICO | MINDORO STATE UNIVERSITY-CALAPAN(FOR MINDORO S.C. OF AGRI. & TECH.-CALAPAN) |
| 7 | VERDERA | REYNOLD | MANGGAT | OCCIDENTAL MINDORO STATE COLLEGE-MAMBURAO CAMPUS(FOR OCC. MIND. COMM. COLL.) |

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to the PRC-DOH-PNP Administrative Order No. 01 dated July 28, 2021, examinees for the licensure examinations are required to submit either (1) a negative RTPCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any government or private physician or barangay officer attesting that the examinee had undergone 14-day quarantine prior to the examination, or (3) copy of the Complete Vaccination Card.

Failure to present either of the three health safety documentary requirements, shall prohibit the examinee to enter the examination premises and to take the licensure examinations.