Republic of the Philippines
Professional Regulation Commission
Regional Office IV-A (CALABARZON)
2/F Lucena Grand Central Terminal, Inc., Brgy. Ilayang Dupay, Lucena City

BAGONG PILIPINAS

EXAMINATION ADVISORY

AGRICULTURAL AND BIOSYSTEMS ENGINEERS LICENSURE EXAMINATION

DECEMBER 4 & 5, 2025

Examinees shall report to the examination venue at 5:30am.

All examinees at PRC Regional Office IV-A Testing Center are required to bring the following:

a. Notice of Admission

b. Two (2) or more pencils (No. 2)

c. Ballpens with **BLACK INK ONLY**

d. One (1) piece long brown envelope

e. One (1) piece long transparent/plastic envelope (for keeping your valuables and other allowed items)

f. NON-PROGRAMMABLE CALCULATORS (Please refer to Commission Resolution No. 1809-2024 or the "Updated List of Non-Programmable Calculators Allowed to be used in the Licensure Examinations.")

g. Packed snacks, meals, and necessary medications, including hygiene and sanitary kits, in TRANSPARENT/CLEAR containers/cellophanes, with sufficient drinking water supply for the day. The proctors/room watchers shall not allow any person, including food delivery service, to give or distribute food to any examinees while the examination is in progress.

NOTE: ONLY ONE (1) CALCULATOR SHALL BE ALLOWED INSIDE THE EXAMINATION ROOM. CALCULATORS SHALL BE INSPECTED AND HAVE TO BE RESET BEFORE THE STATRT OF THE EXAMINATION.

Republic of the Philippines
Professional Regulation Commission
Regional Office IV-A (CALABARZON)
2/F Lucena Grand Central Terminal, Inc., Brgy. Ilayang Dupay, Lucena City

BAGONG PILIPINAS

Location:

PRC REGIONAL OFFICE IV-A TESTING CENTER

2nd Floor, Lucena Grand Central Terminal, Inc., Brgy. Ilayang Dupay, Lucena City



PROFESSIONAL REGULATORY BOARD OF AGRICULTURAL AND BIOSYSTEMS ENGINEERING

PROGRAM OF THE AGRICULTURAL AND BIOSYSTEMS ENGINEERS LICENSURE EXAMINATION ON DECEMBER 4 AND 5, 2025

DATE AND TIME	SUBJECTS	WEIGHT
THURSDAY, DECEMBER 4, 2025		
7:00 A.M. – 7:45 A.M.	General Instruction and filling out of forms	
8:00 A.M. – 2:00 P.M.	**AGRICULTURAL AND BIOYSTEMS STRUCTURES, ENVIRONMENT ENGINEERING, BIOPROCESS ENGINEERING AND ALLIED SUBJECTS**	**36%**
FRIDAY, DECEMBER 5, 2025		
8:00 A.M. – 1:00 P.M.	**LAND AND WATER RESOURCES ENGINEERING AND ALLIED SUBJECTS**	**32%**
2:00 P.M. – 6:00 P.M.	**AGRICULTURAL AND BIOSYSTEMS POWER, ENERGY AND MACHINERY ENGINEERING AND ALLIED SUBJECTS**	**32%**
	TOTAL.....	**100%**

GENERAL INSTRUCTIONS:

1. Check or verify your school/building assignments at the PRC official website (www.prc.gov.ph) or through the Notices/Announcements to be posted at the PRC premises two (2) to three (3) working days before the examination. Bring your **NOTICE OF ADMISSION** when you verify your school/building assignment. Visit your school/building assignment prior to the day of the examination.

2. Report to the school/building assignment before 5:30 a.m. on the first day of examination to verify your room and seat number. Be punctual. Late examinees will not be admitted.

3. Examinees are required to wear the following attire every examination day:

   Male Examinees - White polo shirt or shirts with collar, tucked-in (without any seal, logo or mark)
   Decent pants or slacks

   Female Examinees - White blouse or shirts with collar (without any seal, logo or mark)
   Decent pants, slacks or skirts

4. Bring the following on examination day:
   a. Notice of Admission
   b. Official Receipt

c. One (1) piece metered-stamped window mailing envelope
d. Two (2) or more pencils (No. 2)
e. Ball pens with **BLACK ink only**
f. One (1) piece long brown envelope
g. One (1) piece long transparent/plastic envelope (for keeping your valuables and other allowed items)
h. **NON-PROGRAMMABLE CALCULATORS (Please refer to Commission Resolution No. 1809-2024 or the "Updated List of Non-Programmable Calculators Allowed to be used in the Licensure Examinations")**
i. Packed snacks, meals, and necessary medications, including hygiene and sanitary kits, in TRANSPARENT/CLEAR containers/cellophanes, with sufficient drinking water supply for the day. The proctors/room watchers shall not allow any person, including food delivery service, to give or distribute food to any examines while the examination is in progress. Except for restroom necessities, no examinee shall be allowed to leave the examination room during the conduct of the examination

NOTE: ONLY ONE (1) CALCULATOR SHALL BE ALLOWED INSIDE THE EXAMINATION ROOM. CALCULATORS SHALL BE INSPECTED AND SHALL BE RESET BEFORE THE START OF THE EXAMINATION.

5. The following are **PROHIBITED** inside the examination premises/rooms and will be confiscated:
   a. Books, notes, review materials, and other printed materials containing coded data/information/formula.
   b. **Calculators which are programmable or with embedded functions especially CASIO FX991ES and CASIO FX-991ES plus**
   c. **APPLE, SAMSUNG AND OTHER SMART WATCHES, CELLULAR PHONES, EAR PLUGS, TRANSMITTERS, PORTABLE COMPUTERS, BLUETOOTH AND OTHER ELECTRONIC GADGETS/DEVICES WHICH MAY BE USED TO RETRIEVE DATA/INFORMATION AND/OR TO COMMUNICATE FOR WHATEVER PURPOSE**.
   d. Bags of any kind (place your documents inside the transparent/plastic envelope)
   e. Other examination aides not stated on this program.

   The rules on the conduct of bodily search, inspection of personal belongings of the examinees, and the seizure/confiscation of prohibited items during the licensure exam (Annex A of PRC Memorandum Order No. 57 (s. 2020) shall be strictly observed.

6. Examinees and examination personnel are encouraged to observe the minimum health standards per DOH Circular No. 0324 (s. 2023)[1] throughout the conduct of the examination.

7. Read carefully and follow the instructions on your **NOTICE OF ADMISSION**.

NOTE: PERSONAL BELONGINGS BROUGHT BY AN EXAMINEE SHALL BE FOR HIS/HER OWN ACCOUNT. THE PRC WILL NOT BE ANSWERABLE FOR ANY SUCH ITEM OR PERSONAL BELONGING THAT MIGHT BE LOST DURING THE EXAM WITHOUT FAULT OR NEGLIGENCE ON ITS PART

Manila, Philippines
August 7, 2025

APPROVED:

ARIODEAR C. RICO
Chairman

CERTIFIED CORRECT:

Atty. Lovelika T. Bautista
Chief, PRB Secretariat Division

PRB-AGE/D-SPRB
ACR/LTB/MADC/adc
MADC

[1] Updated Health Protocols Following the Lifting of the COVID-19 Public Health Emergency

CERTIFICATION INTERNATIONAL ISO 9001:2015
PAB Accredited QMS Certification Body Accreditation No: MSA-001

Resolution No. 1809
Series of 2024

UPDATED LIST OF NON-PROGRAMMABLE CALCULATORS ALLOWED TO BE USED IN THE LICENSURE EXAMINATIONS

WHEREAS, Republic Act (R.A.) No. 8981, or the "PRC Modernization Act of 2000", empowers the Professional Regulation Commission (Commission) to administer, implement and enforce the regulatory policies of the national government with respect to the regulation and licensing of the professions under its jurisdiction; administer and conduct the licensure examinations of the various regulatory Boards in accordance with the rules and regulations promulgated; and adopt measures to preserve the integrity and inviolability of the licensure examinations, among others;

WHEREAS, the Commission, pursuant to its powers under the same Act, issued Memorandum Circular (MC) No. 21 (s. 2009), prescribing the list of non-programmable calculators to be used by the examinees in all licensure examinations;

WHEREAS, some of the models in the list of allowed non-programmable calculators under MC No. 21 (s. 2009) are found to be outdated since most of them are phased-out and are commercially unavailable;

WHEREAS, the Commission recognizes the importance of ensuring that the list of non-programmable calculators allowed in the licensure examinations are up-to-date and easily accessible;

WHEREAS, it is also important to have an updated list of allowed non-programmable calculators for the guidance of the Commission Regional Offices, the examinees, and other stakeholders;

NOW THEREFORE, the Commission **RESOLVES**, as it is hereby **RESOLVED**, to recommend the **Updated List of Non-Programmable Calculators Allowed to be Used in Licensure Examinations** as shown in "Annex A".

RESOLVED FURTHER, that the following additional guidelines be properly followed:

a. Only one (1) non-programmable calculator per examinee shall be allowed inside the examination room. All calculators shall be thoroughly inspected by the examination personnel every examination day.
b. Borrowing, lending and substitution/replacement of calculators while the examination is in progress shall not be allowed.

RESOLVED FINALLY, that:

a. Professional Regulatory Boards (PRBs) that have their own list of allowable calculators may continue to use their existing *Resolution*, which shall be clearly stated in their licensure examination program;
b. PRBs that prefer to have their own list of allowable calculators may issue their own *Resolution*;
c. PRBs may completely disallow calculators in their licensure examinations which shall be clearly stated in their licensure examination program; and

d. Calculators listed in MC No. 21 (s. 2009) that are still available in the market may be used in licensure examinations, with the exception of that mentioned in MC No. 01 (s. 2018) on "*Disallowing the Use of Casio Calculator FX-991ES and FX 991ES Plus in the Licensure Examinations, and other Special Rules on the Use of Calculators during the Licensure Examinations*" and Casio Calculator FX-570ES Plus which has been repeatedly discovered to have been used for cheating by, but not limited to, being modified to transmit and receive data.

This Resolution shall take effect immediately following its publication in the Official Gazette or a newspaper of general circulation and the submission of a copy thereof to the Office of the National Administrative Register of the University of the Philippines.

Done in the City of Manila, this 26th day of April 2024.

CHARITO A. ZAMORA
Chairperson

JOSE Y. CUETO, JR.
Commissioner

ERWIN M. ENAD
Commissioner

DATE OF PUBLICATION IN THE
BUSINESS MIRROR APR 2 9 2024
EFFECTIVE DATE: IMMEDIATELY

ANNEX "A"

I. CASIO SCIENTIFIC CALCULATORS

Fx-95MS	Fx-122S	Fx-350HA	Fx-82ES PLUS
Fx-100D	Fx-220	Fx-350MS	Fx-85MS
Fx-100MS	Fx-250HC	Fx-350TL	Fx-85W
Fx-100S	Fx-260	Fx-570AD	Fx-901
Fx-100W	Fx-300W	Fx-570MS	Fx-911W
Fx-115MS	Fx-350D	Fx-570S	Fx-991S
Fx-115S	Fx-350ES PLUS	Fx-570W	Fx-991W
Fx-115WA	Fx-350EX	Fx-82EX	

II. CANON SCIENTIFIC CALCULATORS

F-502	F-710	F-718SG	F-720i
F-502G	F-718S	F-718SGA	F-760S
F-604	F-718SA	F-720	F-789SGA (with transparent casing)

III. SHARP SCIENTIFIC CALCULATORS

EL-500W	EL-506W	EL-510R	EL-531XH
EL-501V	EL-509D	EL-520G	EL-531W
EL-501W	EL-509R	EL-520VA	EL-546L
EL-501X	EL-509V	EL-520W	EL-546VA
EL-506P	EL-509W	EL-520X	EL-556G
EL-506V	EL-509X	EL-531VH	EL-W531TH-WH (with transparent casing)

IV. HEWLETT-PACKARD SCIENTIFIC CALCULATORS

HP 9S	HP 10S	HP 30S	HP Smartcalc 300S

V. CITIZEN SCIENTIFIC CALCULATORS

SR-135N	SR-260N	SR-270N	SR-270X	SR-281N

VI. AURORA SCIENTIFIC CALCULATORS

AX-501	AX-528BL	AX-595TV	AX-597W	AX-600S

VII. OLYMPIA SCIENTIFIC CALCULATORS

LCD 8110	LCD 9210	ES-570MS	ES-570ES PLUS (with transparent casing)

VIII. TEXAS INSTRUMENTS SCIENTIFIC CALCULATORS

TI-30XA	TI-30XIIS	TI-30XS	TI-34	TI-36X PRO

IX. OTHER BRANDS

KARCE KC-S991	KARCE KC-S3500
PORPO YH-105	PORPO YH-106
TAKSUN TS-98MS	TAKSUN TS-2000

Republic of the Philippines
Professional Regulation Commission
Manila

MEMORANDUM CIRCULAR No. 2009- 21
October 28 , 2009

TO: All Chairpersons and Members of the Professional Regulatory Boards
All PRC Officials and Employees in the Central Office and Regional Offices

SUBJECT: UPDATED LIST OF NON-PROGRAMMABLE CALCULATORS ALLOWED TO BE USED IN LICENSURE EXAMINATIONS

The Commission issued Memorandum Circular No. 2004-06 dated March 4, 2004 listing the brands and models of non-programmable calculators that are allowed to be used in licensure examinations.

It has been observed during the conduct of examinations that there are still other brands and models that are non-programmable that are not included in the list of those allowed to be used.

In order to properly guide the examinees and examination personnel, the following is the Updated List of Non-Programmable Calculators that shall be allowed to be used in the examinations after verifications with the distributors and identification of knowledgeable persons.

Accordingly, the examinees shall be allowed to bring in and use ONLY any of the following calculators that were identified as non-programmable:

I. CASIO STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

530	DS-208H	*fx*-500A	*fx*-82SX	J-120TE	MS-10TV	NS-10T
20V	DS-20TV	*fx*-500ES	*fx*-82TL	JF-120TV	MS-10V	NS-20T
470LA	DS-2TV	*fx*-506G	*fx*-85B	JF-200TV	MS-10VC	NS-310TM
D-100V	DS-3V	*fx*-506M	*fx*-85ES	JS-10LA	MS-115	O-40M
D-120TE	DS-881	*fx*-509D	*fx*-85ES PLUS	JS-10TV	MS-120TE	SL-100L
D-120TV	DW120TV	*fx*-509G	*fx*-85MS	JS-110TV	MS-120TV	SL-100VC
D-208H	*fx*-95ES PLUS	*fx*-520G	*fx*-85S	JS-120TV	MS-170LA	SL-1000TV
D-20L	*fx*-100D	*fx*-531GH	*fx*-85SA	JS-140V	MS-170T	SL-1100
D-20M	*fx*-100MS	*fx*-546D	*fx*-901	JS-20LA	MS-20TV	SL-200TE
D-40L	*fx*-100S	*fx*-570AD	*fx*-911W	JS-20TV	MS-20V	SL-210TE
D-60L	*fx*-100W		*fx*-95	JS-40LA	MS-240T	SL-220TE
D-60M	*fx*-115D		*fx*-95MS	JS-40V	MS-270LA	SL-300LV
DF100	*fx*-115MS	*fx*-570MS		JS-SC	MS-270T	SL-300TV
DF120TM	*fx*-115S	*fx*-570S		JW120TV	MS-310TM	SL-305TE
DF120TV	*fx*-122S	*fx*-570W	*fx*-991H	JW200	MS-350	SL-315TV
DF-240LB	*fx*-220	*fx*-580	*fx*-991MS	LC-1000T	MS-373	SL-320TV
DF-320TM	*fx*-250HC	*fx*-580D	*fx*-991N	LC-1000T/TV	MS-470	SL-320V
DJ-120T	*fx*-260	*fx*-65	*fx*-991S	LC-160LV	MS-470LA	SL-340VA
DJ-220	*fx*-300SA	*fx*-75	*fx*-991W	LC-401B	MS-470LB	SL-760LB
DJ-240	*fx*-300W	*fx*-82	*fx*-992S	LC-401L/LV	MS-5VC	SL-787LT
DM-1200T	*fx*-350D	*fx*-820MS	*fx*-992VB	LC-403LD	MS-7T	SL-797LT
DM-1200TEV	*fx*-350ES	*fx*-824	HC100	LC-403LD/TV	MS-808V	SL-910TM
DM-1400TV	*fx*-350ES PLUS	*fx*-825X	HL-100LB	M-7LB	MS-80TE	SX-100
DM-1600	*fx*-350HA	*fx*-82C	HL-122I	MJ-100	MS-80TV	SX-220
DM-1600TV	*fx*-350MS	*fx*-82ES	HL-4	MJ-100T	MS-812V	SX-300
DN-858A	*fx*-350TL	*fx*-82ES PLUS	HL-815L	MJ-120T	MS-8T	SX-300P
DS-10TV	*fx*-350TLG	*fx*-82LB	HL-820LV	MS-1002	MS-8TV	SX-320P
DS-120TV	*fx*-350W	*fx*-82LP	HL-820V	MS-100TE	MW-5V	WD-220T
DS-1800S	*fx*-401	*fx*-82MS	HL-821	MS-100TV	MW-8V	WM-200T
DS-1TV	*fx*-451M	*fx*-82Super	HS-8LE	MS-10TE	MX8V	WM-220T

II. CANON STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

AD-11	HS-1200 TV	LC-500H B	LS-1200T	LS-12TC	LS-88Hi	TS-120 TL
BS-1200TS	HS-1200RS	LC-500H G	LS-120H	LS-12TU	LS-88Hi II	TS-1200TG
CC-55	HS-1200TS	LS-10 DT	LS-120Hi	LS-153TS	LS-88HV B	TS-120TL
F-502	HS-1200TSV	LS-100 TSV	LS-120Hi II	LS-154H	LS-88HV G	TS-120TS
F-502G	HS-1210TC	LS-100DT	LS-120L	LS-154TG	LS-88HV Y	TS-121TC
F-604	HS-20 TG	LS-100TC	LS-120RS	LS-22TC	LS-88V	TX-1210 E
F-710	KC-20	LS-100TS	LS-120TSG	LS-270H	LS-88V II	TX-1210Hi
F-715S	KS-1200TS	LS-100TSV	LS-120TU	LS-270V II	LS-QT	TX-1210Hi II
F-720	LC-210 Hi II	LS-101H	LS-120V	LS-330H	MP-120LTS	TX-12H
F-720i	LC-210HI	LS-102Z	LS-120V II	LS-355TS	MP-1211LTS	WS-112H
F-760S	LC-210Hi B	LS-103TC	LS-120V-B	LS-39H	MP-121DTS	WS-1200TV
F-788DX	LC-210Hi G	LS-10DT	LS-120V-G	LS-566H	MP-1411LTS	WS-1210Hi
FC-45S	LC-210Hi II G	LS-120 Hi	LS-120V-P	LS-63TG	P1-DTS II	WS-1210Hi II
FC-4S	LC-210Hi II GR	LS-120 RS	LS-121TC	LS-82Z	P23-DTS II	WS-1210T
HS-1000TG	LC-210Hi II PB	LS-120 TU	LS-122R	LS-83TC	P3420-DL	WS-1410 T
HS-1200 T	LC-210Hi Y	LS120 V	LS-123TC	LS-88 L	TS-10TS	WS-1610 T

III. SHARP STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

CH-312	EL-231L	EL-331A	EL-500M	EL-509G	EL-520W	EL-6750
CH-412	EL-240S	EL-334F	EL-501 (BK)	EL-509R	EL-531GH	EL-6810
CH-612	EL-242M	EL-337C	EL-501V	EL-509V	EL-531RH	EL-6850
EL-124A	EL-243S	EL-338F	EL-501W	EL-509V/531W	EL-531VH	EL-771C
EL-144A	EL-250S	EL-339H	EL-506P	EL-510R	EL-531W	EL-M332
EL-125A	EL-310A	EL-376S	EL-506R	EL-520G	EL-546L	EL-M711G
EL-145A	EL-310A-GR	EL-378S	EL-506V	EL-520V	EL-546VA	EL-W211G
EL-2125	EL-327S	EL-379S	EL-506W	EL-520V (BK)	EL-556G	EL-W531
EL-233S	EL-330A	EL-421M	EL-509D	EL-520VA	EL-6053	

IV. HEWLETT-PACKARD STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

HP 9S	HP30S	HP Office Calc 100	HP Office Calc 300	HP Quickcalc Lifestyle
HP10S	HP Smartcalc 300s	HP Office Calc 200	HP Easycalc 100	

V. CITIZEN STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

CT-580	SDC-84407E	SDC-8610	SDC-8620A	SLD-7008	STL-795	W-11S
ET-210	SDC-8560	SDC-8610A	SDC-8975	SLD-742N	TL-780	

VI. AURORA STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

2512	DT210	DT-394	HC115	HC193	HL-125	SC-120
DB453B	DT303	EB-964	HC133	HC205	MS-270LA	SC582
DT120Vplus	DT-393	HC106				

VII. OLYMPIA STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

ARCUS 1	HL-88L	LCD-612ST	SD-100HW	SD-805M	SD-828
HL-110	LCD-186	SD-100H	SD-100V	SD-81H	SD-835

VIII. OTHER BRANDS

CEBAR CD402	TL 30XS	KARCE KC 539	PORPO YH-106	TAKSUN TS-217
DAL 506X	KARCE-833	TEXAS TI 30	TIME BIRD SJC-122	TAKSUN TS-128B
LIFELONG	KARCE KC 250	PORPO YH-105	TAKSUN TS-128	

Other brands of desktop calculators may be allowed to be used in the CPA licensure examination subject to inspection by the room watchers.

Concerned units are hereby directed to update the Examinees' Kit/Guide and poster on the List of Allowed Calculators.

This Memorandum Circular supersedes Memorandum Circular No. 2008-19 dated November 10,2008 and shall take effect immediately upon its publication in the official gazette or in a newspaper of general circulation.

Please be guided accordingly.

DATE OF PUBLICATION IN THE OFFICIAL GAZETTE : 12-21-09

DATE OF EFFECTIVITY: 01-06-10

NICOLAS P. LAPEÑA, JR.
Chairman

O-LIC/D-EXAM
DAQL/MMC/gri

PROFESSIONAL REGULATION COMMISSION
LUCENA
AGRICULTURAL AND BIOSYSTEMS ENGINEER
DECEMBER 4 & 5, 2025

School : PRC REGIONAL OFFICE IV-A TESTING CENTER

Address : 2/F LUCENA GRAND CENTRAL TERMINAL, INC., BRGY. ILAYANG DUPAY, LUCENA CITY

Building : PRC REGIONAL OFFICE IV-A TESTING CENTER **Floor :** 2ND **Room/Grp No. :** 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ABBOT	JOHN ALJENVIN	PAMBID	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
2	ACTA	MA. PAULINE	VALDERRAMA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
3	ALPAY	ROGEN KEN	RUZOL	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
4	AMAN	ARVEX	PEÑAMORA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
5	BADUA	CARL LOU	PANDIÑO	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
6	BALBA	KENNA	MAGTIBAY	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
7	BENOSA	HEART KEVIN	MENDOZA	NUEVA VIZCAYA STATE UNIVERSITY (NVSIT)-BAYOMBONG
8	BILAR	DIANA ROSE	ZIMARA	MARIANO MARCOS STATE UNIVERSITY-BATAC
9	BLASCO	NIñALYN	BLEZA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
10	BRAZA	EDDISON	AMBA	UNIVERSITY OF RIZAL SYSTEM-TANAY
11	BUTIAL	ALEXANDRA	CARRIAGA	CAMARINES NORTE STATE COLLEGE-LABO
12	CABRERA	JAMES WILSON	DE MESA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
13	CADSAWAN	DANTE KAKEDA	SAUSA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
14	CADSAWAN	MELCHIZEDEK	CATARINO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
15	DE ORO	DAN ANGELO	GARCIA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
16	DORADO	MARLENE	ARANZA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
17	DORIA	CECILIA	MERCURIO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
18	DUMANAS	MARY JHOANNE	APON	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
19	EROJO	MAILA THERESA	DUTERTE	CENTRAL MINDANAO UNIVERSITY
20	FAJILA	JOHN PHILIP	FALLARNA	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
21	FALCESO	JAY VINCENT	FETALCURIN	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
22	FALLA	FREZIL	GADO	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

PROFESSIONAL REGULATION COMMISSION
LUCENA
AGRICULTURAL AND BIOSYSTEMS ENGINEER
DECEMBER 4 & 5, 2025

School : PRC REGIONAL OFFICE IV-A TESTING CENTER

Address : 2/F LUCENA GRAND CENTRAL TERMINAL, INC., BRGY. ILAYANG DUPAY, LUCENA CITY

Building : PRC REGIONAL OFFICE IV-A TESTING CENTER **Floor :** 2ND **Room/Grp No. :** 2

Seat No.	Last Name	First Name	Middle Name	School Attended
23	GALICIA	LORENA	BATUYONG	MINDORO STATE UNIVERSITY-VICTORIA (FOR MINDORO S. C. OF AGRI. & TECH.-VICTORIA)
24	GANAL	JOHANNE KENT	ALVAREZ	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
25	GARCIA	MICHELLE	FAJARDO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
26	GARCIA	VON ALAINE		LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
27	GERONIMO	MARJAH GAIL	MUEGA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
28	GONZALES	PRINCESS MICAH	SINAPILO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
29	GREGANA	ANGEL NICOLE	BISNAR	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
30	JAMON	MARIA CHRISTINE	ACLAN	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
31	JOYOSA	YVETTE	DAYO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
32	JUGUILON	JOHN PAUL	COJA	CAMARINES NORTE STATE COLLEGE-LABO
33	KAGAHASTIAN	DEIROJ OJNESTY	CORDERO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
34	LALOON	PAUL BRYAN	ANDAYA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
35	LARGO	NIÑO	LAGUNA	CAMARINES NORTE STATE COLLEGE-LABO
36	LEOPANDO	JOSE NORDANT KENNETH	LARGO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
37	LINA	GINELL ERICCA	MACALALAD	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
38	MARAVILLA	EUNICE GRACE	GALLARDO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
39	MATEO	ROSE MARIE	LACOSTALES	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
40	MAYAO	MARCO	VALENZUELA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
41	MIONES	CAMILLE	NOLLEDO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
42	MONTEALEGRE	JESELLE	CASTILLO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
43	MORTOS	JENNIFER	CALAMBAS	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
44	NICOLAS	PETER BRADLEY	ACERIMO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

PROFESSIONAL REGULATION COMMISSION
LUCENA
AGRICULTURAL AND BIOSYSTEMS ENGINEER
DECEMBER 4 & 5, 2025

School : PRC REGIONAL OFFICE IV-A TESTING CENTER

Address : 2/F LUCENA GRAND CENTRAL TERMINAL, INC., BRGY. ILAYANG DUPAY, LUCENA CITY

Building : PRC REGIONAL OFFICE IV-A TESTING CENTER **Floor :** 2ND **Room/Grp No. :** 3

Seat No.	Last Name	First Name	Middle Name	School Attended
45	NOVA	ROBERT EZEKIEL	LUNA	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
46	PABILONIA	DARREL	JAVIN	CAVITE STATE UNIVERSITY (DON SEVERINO AGR'L. COLL.)
47	PALICPIC	KLYDE MICHAEL	SALUDARES	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
48	PANGANIBAN	GEOFREY	IMPERIAL	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
49	PATIAM	ZANDY MHEL	ANGELES	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
50	PITAO	KYLE	CUPAY	CARAGA STATE UNIVERSITY-BUTUAN CITY
51	POTESTADES	JAN WARREN	MIRAS	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
52	QUIMNO	RHEMA	MEDICO	CENTRAL MINDANAO UNIVERSITY
53	REALEZA	IVAN EARL	TORREFLORES	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
54	REY	EMMANUEL	MANALO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
55	ROMERO	CINDY	FONTELO	ROMBLON STATE UNIVERSITY-ODIONGAN (formerly ROMBLON STATE COLLEGE)
56	ROSEL	JANICE	GARCIA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
57	SABALVARO	SHELLA MEI	LAGRANA	MINDORO STATE UNIVERSITY-VICTORIA (FOR MINDORO S. C. OF AGRI. & TECH.-VICTORIA)
58	SAC	ALOHA JANE	FREYRA	CAMARINES NORTE STATE COLLEGE-LABO
59	SALAVERIA	SEBASTIAN	RIVERA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
60	SALE	ANGELO	RAFER	CAMARINES NORTE STATE COLLEGE-LABO
61	SAN JUAN	TRISTAN JOHN	BROÑOLA	UNIVERSITY OF RIZAL SYSTEM-TANAY
62	SANDOVAL	MA. SHAHONEY LLIAM	AGUILAR	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
63	SANIDAD	SABRINA	AREVALO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
64	SARMIENTO	DANICA	OREA	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS
65	SERRANO	EUCLID	ARMEZA	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
66	SERRANO	JAY	AMOYAN	NORTHWEST SAMAR STATE UNIVERSITY-(FOR SAMAR STATE COLL ,AGRI & FOR)-SN JORGE

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

PROFESSIONAL REGULATION COMMISSION
LUCENA
AGRICULTURAL AND BIOSYSTEMS ENGINEER
DECEMBER 4 & 5, 2025

School : PRC REGIONAL OFFICE IV-A TESTING CENTER

Address : 2/F LUCENA GRAND CENTRAL TERMINAL, INC., BRGY. ILAYANG DUPAY, LUCENA CITY

Building : PRC REGIONAL OFFICE IV-A TESTING CENTER **Floor :** 2ND **Room/Grp No. :** 4

Seat No.	Last Name	First Name	Middle Name	School Attended
67	TARROZA	DANIEL	MEDENILLA	CAMARINES NORTE STATE COLLEGE-LABO
68	TOBISE	JOSEPHINE	QUELISTE	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
69	TONGA	AARON	CABADING	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
70	TONGA	ABRAHAM	CABADING	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
71	VALDOZ	JOE MARVEL	DIAZ	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
72	VALE	JOHN MICSON	SUAYAN	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
73	VALERO	ALMIN PAUL	TURAY	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
74	VALEROSO	MIKAELA MAE	ESTRABO	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
75	VILLAOZ	JOHN DEXTER	TISOY	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN
76	ZEPEDA	HANNA CRISALYN	CEDAMON	LAGUNA STATE POLYTECHNIC UNIVERSITY-SINILOAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.