



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 3RD Room/Grp No. : 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AB-AB	CHIEZES	PALCONGAN	UNIVERSITY OF BAGUIO
2	ACHAWON	REDEN	AGNAPAN	SAINT LOUIS UNIVERSITY
3	ACOSTA	DARREN DANIELL	MANAOAT	UNIVERSITY OF THE PHILIPPINES-DILIMAN
4	ACUPAN	ELLEN GRACE	NANA	SAINT LOUIS COLLEGE OF SAN FERNANDO
5	AGUILAR	HANNA GRACE	ALEGADO	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
6	ALIMORONG	MARIFE MAE	LAROCO	SAINT LOUIS UNIVERSITY
7	ALMOITE	KRISTIAN KARL	GACUTAN	SAINT LOUIS UNIVERSITY
8	ALMONTE	JOHN	LAUDENCIO	LYCEUM NORTHWESTERN UNIVERSITY-DAGUPAN CITY
9	ALONZO	GIUSEPPE FIDEL NOE	RABANG	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 3RD Room/Grp No. : 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ALVARADO	CARL RENZO	GABOT	SAINT LOUIS UNIVERSITY
2	ALVARAN	IRRAH MARIE	DRIZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	ALVAREZ	ARISTOTLE JR	DELA CRUZ	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	ALVARO	MARYFHEY	CARLOS	SAINT LOUIS UNIVERSITY
5	AMANDO	ROLANDO JR	GARCIA	SAINT LOUIS UNIVERSITY
6	AMAYAG	MELANIE	TABA-AY	SAINT LOUIS UNIVERSITY
7	AMISTAD	CHELSEA	WENCESLAO	SAINT LOUIS UNIVERSITY
8	ANCHETA	NOEL ANTHONY	GAPASIN	SAINT LOUIS UNIVERSITY
9	ANGALA	MARY JOYCE	SUBIDO	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING **Floor :** 3RD **Room/Grp No. :** 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ANGELES	ALISON MAE	SOLIS	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
2	AQUINO	EIRIEL MERISSE	SALAZAR	UNIVERSITY OF SANTO TOMAS
3	ARELLANO	PAOLO	EVANGELISTA	COLUMBAN COLLEGE-OLONGAPO CITY
4	ARENAS	JEAN MARIE	AVILLE	SAINT LOUIS UNIVERSITY
5	ARGAÑO	ABRIL	TADEO	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)
6	ARQUERO	MARK ALDRIN	BAYONETO	COLUMBAN COLLEGE-OLONGAPO CITY
7	ARTATES	ALSHIRA	SIADOR	SAINT LOUIS UNIVERSITY
8	AS-IL	SYDNEYTON BARRI	PAYDOWAN	SAINT LOUIS UNIVERSITY
9	ASPURIA	FLORVHILYN	VILORIA	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 3RD Room/Grp No. : 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	AYAMAN	MARK ANGELO	SABADO	SAINT LOUIS COLLEGE OF SAN FERNANDO
2	BAESA	ROCKY	GABORNO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
3	BAIS	JOHN PAULLY	TESORO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	BALDELAMAR	ERLAN MAE	SALIVIO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
5	BALDONADO	MICAH JOY	ACIERTO	SAINT LOUIS UNIVERSITY
6	BALLANGAN	JIANN JRISTY	ALBERT	SAINT LOUIS UNIVERSITY
7	BAMBALAN	KAYZI RAY	BAJESTA	SAINT LOUIS UNIVERSITY
8	BAUTISTA	JUN HERVIN	GABRIEL	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
9	BAYANI	FAYE	INDIONGCO	HOLY ANGEL UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 3RD Room/Grp No. : 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BERONILLA	JOHN SAMUEL	CASTRO	UNIVERSITY OF PANGASINAN
2	BISDA	ROMA BIANCA	TAN	SAINT LOUIS UNIVERSITY
3	BONDOC	ANGEL	VILLANUEVA	URDANETA CITY UNIVERSITY (CCU)
4	BORJA	MYNARD	CACHERO	SAINT LOUIS UNIVERSITY
5	BRIONES	MARIA YSABELLA	PASCUAL	SAINT LOUIS UNIVERSITY
6	BRITANICO	DYAN	GABAYAN	SAINT LOUIS UNIVERSITY
7	BUAN	VIENNE PAOLENE	PARRO	SAINT LOUIS UNIVERSITY
8	BUGNOSEN	LEMERIE	RUTAQUIO	SAINT LOUIS UNIVERSITY
9	BUGTONG	LLOYD	VILLASE	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 3RD Room/Grp No. : 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	BULACLAC	MARGIE	CAHINDI	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
2	BURGOS	RAPHAEL	PATAGUE	SAINT LOUIS UNIVERSITY
3	BUSALPA	JUDY ANN	GENER	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	BUTAC	CHRISTIAN	AGUSTIN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
5	CABALONGA	GERRLENE	CABANGAN	UNIVERSITY OF SAINT LOUIS-TUGUEGARAO
6	CABANIT	MARK ANTHONY	FABRIGA	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN
7	CACANINDIN	PHILLIP	VALLEJO	SAINT LOUIS COLLEGE OF SAN FERNANDO
8	CACHIN	HENRY	MARAMBA	UNIVERSITY OF PANGASINAN
9	CALARA	JOEMAR	SARILE	UNIVERSITY OF LA SALETTE-SANTIAGO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING **Floor :** 3RD **Room/Grp No. :** 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CALLANTA	RUSSEL	TOLOSA	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
2	CAMACHO	KRISTINE KATE	SUCUANO	SAINT LOUIS UNIVERSITY
3	CAMILO	BERLEND	OLSIM	SAINT LOUIS UNIVERSITY
4	CAMPAY	VANNIE LYN	ASADON	SAINT LOUIS UNIVERSITY
5	CANTILLON	RONNIE JR	ARELLANO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	CARATQUIT	EMIL	GARCIA	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
7	CARDONA	GRETHEL JOY	PASCUAL	UNIVERSITY OF LA SALETTE-SANTIAGO
8	CARIÑO	JOHN RALPH	LOPEZ	UNIVERSITY OF LA SALETTE-SANTIAGO
9	CASEM	APRIL DIANE	DACUMOS	SAINT LOUIS COLLEGE OF SAN FERNANDO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 8

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CASILLA	DANIEL	MON	SAINT LOUIS COLLEGE OF SAN FERNANDO
2	CASTRO	LOURMA	DASIG	SAINT LOUIS UNIVERSITY
3	CATRAL	FRANCES KATREENA	BERMUDEZ	SAINT LOUIS UNIVERSITY
4	CELESTE	SUGAR RAY	ALDONZA	SAINT LOUIS UNIVERSITY
5	CHUNG	HESSHA MAE	LAVADO	COLUMBAN COLLEGE-OLONGAPO CITY
6	CLAUDIO	JACOB	ARIBE	SAINT LOUIS UNIVERSITY
7	CLAUSTRO	AUBREY	ALDACA	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN
8	COLLADO	NEIL CHRISTIAN	RAPADA	PANGASINAN STATE UNIVERSITY-URDANETA
9	COLYONG	JIMRAD	BALINGAN	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 9

Seat No.	Last Name	First Name	Middle Name	School Attended
1	CONSOLACION	MARION YVONNE	CONSOLACION	SAINT LOUIS UNIVERSITY
2	COQUIA	ADESSON	CARAMAT	UNIVERSITY OF LUZON (LUZON COLL.)
3	CORPUZ	KHESIE MAE	SANTIAGO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	CUEVA	ADYL DAREN	DELA CERNA	COLUMBAN COLLEGE-OLONGAPO CITY
5	CUISON	DIANA ANN	ABRIGO	SAINT LOUIS UNIVERSITY
6	CUISON	SIR IAN	REDONDO	SAINT LOUIS UNIVERSITY
7	CUNANAN	ELBERTO	PARAGAS	UNIVERSITY OF PANGASINAN
8	CUSTODIO	ANN GILLIAN	MAÑEBOG	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
9	DE GUZMAN	DOMINIQUE	CASILLA	SAINT LOUIS COLLEGE OF SAN FERNANDO

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 10

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DE GUZMAN	NIAH COLINA	QUIAMBAO	HOLY ANGEL UNIVERSITY
2	DE GUZMAN	RENATO JR	TUAZON	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
3	DE PANO	GILBERT JOHN	MORALES	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	DECENA	LUCINA JOYCE	TUMANENG	UNIVERSITY OF SAINT LOUIS-TUGUEGARAO
5	DELA CRUZ	AYSON	NACINO	UNIVERSITY OF LA SALETTE-SANTIAGO
6	DELA CRUZ	REILEEN MITZ	MANAYAN	SAINT LOUIS UNIVERSITY
7	DIEGO	JOHN PAUL	CANUTO	SAINT LOUIS UNIVERSITY
8	DIMALNA	SORAYA	MANGORANGCA	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)
9	DIMOG	CHRISTIAN	BENWIC	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 11

Seat No.	Last Name	First Name	Middle Name	School Attended
1	DINAMLING	DJAKE	PUGONG	SAINT LOUIS UNIVERSITY
2	DOCTOR	PAULO	ATEN-AN	SAINT LOUIS UNIVERSITY
3	DOMINGO	JORY NICOLAS	CONTRERAS	SAINT LOUIS UNIVERSITY
4	DUCUSIN	JOHN PAUL	SABADO	SAINT LOUIS UNIVERSITY
5	DUQUE	JESSICA NICOLE	LIM	SAINT LOUIS UNIVERSITY
6	DYQUIANGCO	ROBERTO JR	NACIONALES	SAINT LOUIS COLLEGE OF SAN FERNANDO
7	ELECCION	CATHLEEN KAY	BRAVO	SAINT LOUIS UNIVERSITY
8	ELEFANE	KASHMYR	GALLO	COLUMBAN COLLEGE-OLONGAPO CITY
9	ESCOBAR	MADELEINE	IMPERIAL	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 12

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ESCUBIO	JIAN MEEI	BATUCAL	UNIVERSITY OF SAINT LOUIS-TUGUEGARAO
2	ESGUERRA	MARIANNE JOYCE	DELOS SANTOS	SAINT LOUIS UNIVERSITY
3	ESMUNDO	MONICA MAE	DE GUZMAN	SAINT LOUIS UNIVERSITY
4	ESPIRITU	GERARD CARLO	VANA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
5	ESPIRITU	STEFFANIE JORJ	CAYABYAB	SAINT LOUIS UNIVERSITY
6	ESTORPE	GIANNINA ALEXIS	CAGAS	SAINT LOUIS UNIVERSITY
7	ESTRADA	MARK JOHN	DACANAY	SAINT LOUIS UNIVERSITY
8	EVANGELISTA	JESSU MAR	BANAN	SAINT LOUIS UNIVERSITY
9	FANGON	LOIRA	SANCHEZ	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 13

Seat No.	Last Name	First Name	Middle Name	School Attended
1	FEJI	PRECIOUS MAE	DEANO	SAINT LOUIS UNIVERSITY
2	FELICILDA	CARMINA	DE LEON	BATAAN PENINSULA STATE UNIVERSTIY - BALANGA
3	FERNANDEZ	GINELYN	MANLAPAZ	UNIVERSITY OF LUZON (LUZON COLL.)
4	FERNANDO	HURLY ARIES	ANANAYO	SAINT LOUIS UNIVERSITY
5	FERRARO	FRANK JR	JUGUILON	LYCEUM NORTHWESTERN UNIVERSITY- DAGUPAN CITY
6	GABAT	JOHN DARYL	VERANO	SAINT LOUIS COLLEGE OF SAN FERNANDO
7	GABOR	NEIL JOHN	NARDO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
8	GABRIEL	IAN	ANTALAN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
9	GACOTE	MIGUEL ANGELO	ABOGADO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 14

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GALICIA	DARIO	MEJIA	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
2	GALICIA	PAULO	TEODORO	UNIVERSITY OF PANGASINAN
3	GALINGAN	REZHA ELAINE	DE VERA	SAINT LOUIS UNIVERSITY
4	GAMUEDA	JEWEL RUBY	NAADAT	SAINT LOUIS UNIVERSITY
5	GAN	APRIL ROSE	ANGAD	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
6	GANANCIAL	MICHAEL JOEFFREY	ORTEZA	SAINT LOUIS COLLEGE OF SAN FERNANDO
7	GANDO	ZEDRIC	CUCHON	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
8	GANTAN	CATHERINE		UNIVERSITY OF BAGUIO
9	GARCIA	ALEXANDRA GILLIAN	SALE	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 4TH Room/Grp No. : 15

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GARCIA	KIMBERLY ANNE	CABRERA	HOLY ANGEL UNIVERSITY
2	GARCIA	KIMBERLY CHRISTINA	LOMONGO	SAINT LOUIS UNIVERSITY
3	GARINGO	KEVIN JAE	GINES	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	GATMAITAN	LEANI FAYE	ANDO	SAINT LOUIS UNIVERSITY
5	GATOC	PAMELA	CATAYTAY	UNIVERSITY OF LA SALETTE-SANTIAGO
6	GELACIO	ANGELICA MARIE	MONTON	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
7	GOMEZ	JOIE MARIZ	PAGUIO	SAINT LOUIS UNIVERSITY
8	GUIRA	KIMBERLY KEITH	PASCUA	SAINT LOUIS UNIVERSITY
9	GUIRNALDA	YANCY KLEA	BARACEROS	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 5TH Room/Grp No. : 16

Seat No.	Last Name	First Name	Middle Name	School Attended
1	GUTIERREZ	JINKY ROSE	DAGASDAS	UNIVERSITY OF LUZON (LUZON COLL.)
2	GUZMAN	JEZEL	JULIAN	SAINT LOUIS UNIVERSITY
3	HABER	HAROLD	ABUBO	NATIONAL COLLEGE OF SCIENCE & TECHNOLOGY-DASMARINAS
4	HEBRES	JENNIFER JOY	BERSAMIRA	SAINT LOUIS UNIVERSITY
5	HERNANDEZ	DARLENE	BRIZA	COLUMBAN COLLEGE-OLONGAPO CITY
6	HINSON	ARNEL	MORATO	SAINT LOUIS UNIVERSITY
7	INALDO	JAMELLA KEIHL		SAINT LOUIS UNIVERSITY
8	INFANTE	ELDRY JOHN	MANLAPAZ	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
9	JADORMIO	JERRY	CONDE	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 5TH Room/Grp No. : 17

Seat No.	Last Name	First Name	Middle Name	School Attended
1	JAPSON	SHALOU	NABUA	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)
2	JIMENEZ	CHRISTIAN EDWARD	PASCUAL	UNIVERSITY OF LUZON (LUZON COLL.)
3	JUAN	GLYCEL JOY	CORRALES	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	JUDAN	SHARINA VANICA	DELIZO	SAINT LOUIS UNIVERSITY
5	KAIBAN	ADRIAN KEITH		COLUMBAN COLLEGE-OLONGAPO CITY
6	LADERAS	KRISTINE ROYCE	PAGADUAN	URDANETA CITY UNIVERSITY (CCU)
7	LAGUITAN	PATRICIA ANN	DE MESA	UNIVERSITY OF LUZON (LUZON COLL.)
8	LANZAROTE	MALCOM	ECARPET	DIVINE WORD COLLEGE OF LAOAG
9	LAPEÑA	HANNAH RUTH	MARZO	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : UNIVERSITY OF BAGUIO
Address : GENERAL LUNA ROAD, BAGUIO CITY
Building : CENTENNIAL BUILDING Floor : 5TH Room/Grp No. : 18

Seat No.	Last Name	First Name	Middle Name	School Attended
1	LAYUG	GERALDINE	PECACHE	UNIVERSITY OF SANTO TOMAS
2	LAZAGA	JULIENNE CASSANDRA	SUPNET	SAINT LOUIS UNIVERSITY
3	LEAL	CHRISTINE ANNE	ELEPONGA	SAINT LOUIS UNIVERSITY
4	LICTAOA	RICHARD	MARZAN	SAINT LOUIS COLLEGE OF SAN FERNANDO
5	LIWALAS	CLARENZE CHRISTOPHER	MERCADO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
6	LONOGAN	LEO	BALABAG	SAINT LOUIS UNIVERSITY
7	LOPEZ	MARK OLIVER	DE VERA	URDANETA CITY UNIVERSITY (CCU)
8	MACAALAY	ALVIN KING	ICO	UNIVERSITY OF LUZON (LUZON COLL.)
9	MALONG	EDGAR	MACAALAY	UNIVERSITY OF PANGASINAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 1

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MAMACLAY	JHON CARLO	VILLANUEVA	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
2	MANALAD	KEVIN	SANTOS	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
3	MANALO	LOU ANNE	TRESPLACIOS	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	MANGOLTONG	ROMEO JR	CAJIGAN	UNIVERSITY OF BAGUIO
5	MANGUAN	CELESTINO III	CALIMLIM	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	MARQUEZ	NIALL DIVINA	EGANA	SAINT LOUIS UNIVERSITY
7	MAYORES	JIMMY	MORAÑA	SAINT LOUIS UNIVERSITY
8	MENDOZA	ANGELICA JOELLE	ALEJANDRO	SAINT LOUIS UNIVERSITY
9	MENDOZA	PRINCESS DIANE	MATIC	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 2

Seat No.	Last Name	First Name	Middle Name	School Attended
1	MENDOZA	REIN MICHAEL	RARANG	SAINT LOUIS UNIVERSITY
2	MERIALES	MARIE DOMINIQUE	RICO	LYCEUM NORTHWESTERN UNIVERSITY- DAGUPAN CITY
3	MIGUEL	MARKLLOYD		SAINT LOUIS UNIVERSITY
4	MIRANDA	NICO LANN	ROMERO	SAINT LOUIS UNIVERSITY
5	MONES	JONIE	BAÑAS	SAINT LOUIS COLLEGE OF SAN FERNANDO
6	MONTEMAYOR	MARK ANTHONY	NAPO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
7	MOSUELA	JAY-R	DUNGAYA	SAINT LOUIS UNIVERSITY
8	NAJORRA	CAMILLE ANNE	MADRIAGA	UNIVERSITY OF SAINT LOUIS-TUGUEGARAO
9	NARON	LYKA FAY	DALAPNAS	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 3

Seat No.	Last Name	First Name	Middle Name	School Attended
1	NARVARTE	JERICO	FINULIAR	SAINT LOUIS UNIVERSITY
2	NATIVIDAD	BRENT JEREMY	ABAYA	UNIVERSITY OF LA SALETTE-SANTIAGO
3	NAVARRO	ROANNE MICHEL	ENCARNACION	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	NGAOSI	ELLA MAY	CAYAT	SAINT LOUIS UNIVERSITY
5	OSORIO	CONRADO JR	LOMIBAO	UNIVERSITY OF LUZON (LUZON COLL.)
6	PACIS	CHRISTINE	LACADEN	SAINT LOUIS UNIVERSITY
7	PADER	MICHAEL ANGELO	GATTOC	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
8	PAGUE	ANDY	PAGUDAR	UNIVERSITY OF THE ASSUMPTION
9	PALMEDA	VENUS	CAPILLAN	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 4

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PANGALANGAN	MA. EDRALIZA	SERVIANO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
2	PANGILINAN	JOHNER	CHU	ARAULLO UNIVERSITY
3	PASCUA	ADRIAN PAUL	RANARA	PANGASINAN STATE UNIVERSITY-URDANETA
4	PASCUA	DAIMY MOORE	SAYEN	SAINT LOUIS UNIVERSITY
5	PASCUA	JUDY ANNE NICOLE	DE VERA	SAINT LOUIS UNIVERSITY
6	PASUQUIN	DJ	CORPUZ	UNIVERSITY OF LA SALETTE-SANTIAGO
7	PATACSIL	KARLYLE	MUNAR	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)
8	PEREZ	FERDINAND	RICOMANO	UNIVERSITY OF LA SALETTE-SANTIAGO
9	PIEDAD	ALVIN JAY	FRIO	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 5

Seat No.	Last Name	First Name	Middle Name	School Attended
1	PIGUING	PRINCESS DIANA	FRANCISCO	UNIVERSITY OF LUZON (LUZON COLL.)
2	PILAO	JOHN FREDRICK	REYES	NATIONAL UNIVERSITY-MANILA
3	PILI	RUZZEL JAN	BRIONES	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	PORTILLO	DONNA MAE	SAHAGUN	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)
5	PRINCENA	CHARMANE	SIBUMA	SAINT LOUIS UNIVERSITY
6	PRING	DERICK	MANGUERRA	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
7	PULMONES	FATIMA	RAYOS	UNIVERSITY OF LUZON (LUZON COLL.)
8	PUNZAL	JANNAH MAE	LEAL	SAINT LOUIS UNIVERSITY
9	QUIAMBAO	JOANA CAROLINA	PADUGA	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING **Floor :** 6TH **Room/Grp No. :** 6

Seat No.	Last Name	First Name	Middle Name	School Attended
1	QUIAMBAO	MARTIN GABRIEL	DEL PRADO	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
2	QUIGAO	RENE BABY	CALUDUCAN	SAINT LOUIS UNIVERSITY
3	QUILON	EARL IGNATIUS	MARQUEZ	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	RABINO	CHRISTIAN JAY	VARGAS	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN
5	RAMOS	JEREMY	SIPIN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	RAZON	AURA BELLE	TADEJA	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
7	RETUTA	ROANNE CHELSA	PEREZ	SAINT LOUIS UNIVERSITY
8	RINGOR	ANTONETTE	GRACIO	SAINT LOUIS UNIVERSITY
9	ROBANG	OLIVER	TEJADA	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 7

Seat No.	Last Name	First Name	Middle Name	School Attended
1	ROBLEZA	MARY JANE	SIAPNO	SAINT LOUIS UNIVERSITY
2	RODRIGO	DIMPLE	TORRES	COLUMBAN COLLEGE-OLONGAPO CITY
3	ROSETE	JOHN LESTER	HILARION	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
4	RUEDA	REGINE	UY	URDANETA CITY UNIVERSITY (CCU)
5	SADIE	RAINSEL CONRAD	TANGALIN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	SAGANDOY	CAREES RAXINE	ATTING	SAINT LOUIS UNIVERSITY
7	SAGAYAP	JILLIAN MARIE		COLUMBAN COLLEGE-OLONGAPO CITY
8	SAGPAEY	RODILYN	BALINTAN	SAINT LOUIS UNIVERSITY
9	SALAC	ANGELO JAMES	MAGAT	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 8

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SALAO	BRICHELLE KYLEEN	OGOY	SAINT LOUIS UNIVERSITY
2	SALCEDO	ISIAH	SECUSANA	SAINT LOUIS UNIVERSITY
3	SALCEDO	NERIZA JOY	JAVIEN	SAINT LOUIS UNIVERSITY
4	SALIWAN	JULIENNE CRISTY	DE GUZMAN	SAINT LOUIS UNIVERSITY
5	SALVADOR	MA. KRISTINA	IDA	SAINT LOUIS UNIVERSITY
6	SANGLAY	JOHN JASON	DACUMOS	SAINT LOUIS UNIVERSITY
7	SARIO	JOHNNY JR	RAMON	SAINT LOUIS UNIVERSITY
8	SARMIENTO	MARK LOUI	CAYANAN	DON HONORIO VENTURA TECHNOLOGICAL STATE UNIVERSITY
9	SEGUIN	DANIEL	MIGUEL	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 9

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SERIL	MARICAR	VILLANUEVA	SAINT LOUIS UNIVERSITY
2	SIBELIUS	CYPRENE KEITH	BALLASIO	SAINT LOUIS UNIVERSITY
3	SILVESTRE	ABEGAIL GRACE	ALONZO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
4	SITO	JOMAR	ANDRADA	SAINT LOUIS UNIVERSITY
5	SOLIMAN	JESUS JR	MACANDOG	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	SORIANO	GLEN PAOLO	ARGONZA	SAINT LOUIS UNIVERSITY
7	SORIANO	KRIS LAWRENCE	CASTRO	UNIVERSITY OF LA SALETTE-SANTIAGO
8	SORIANO	VANESSA	VALLE	UNIVERSITY OF LUZON (LUZON COLL.)
9	SOTTO	RENDELL	KLIATCHKO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 10

Seat No.	Last Name	First Name	Middle Name	School Attended
1	SUNGA	MARIA KRINESA	COLLADO	SAINT LOUIS UNIVERSITY
2	SUTIANGSO	ANN NICOLE	JOSE	SAINT LOUIS UNIVERSITY
3	TABACO	JULIE ANN	BRIONES	SAINT LOUIS UNIVERSITY
4	TABAREJO	CRISANTA JENIFER	CABUNTOCAN	SAINT LOUIS UNIVERSITY
5	TABUNO	BRYAN	CLARK	SAINT LOUIS UNIVERSITY
6	TALANGAN	RESTY	PANAYON	SAINT LOUIS UNIVERSITY
7	TALLEDO	PATRICK STEPHANIE	BARCELONA	SAINT LOUIS UNIVERSITY
8	TALPLACIDO	FIN AILEEN	TRANQUILINO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	TAMOR	ISRAEL PRINCE	SAPITULA	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 6TH Room/Grp No. : 11

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TAYABAN	GERMAINE	MONANG	SAINT LOUIS UNIVERSITY
2	TEJADA	CRICHTON KAHN	BULOSAN	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
3	TELIAKEN	PROFELIN MARIE	PALENG	SAINT LOUIS UNIVERSITY
4	TERING	RAINIEL	SORIANO	SAINT MARY'S UNIVERSITY
5	TICANGEN	DEBORAH	DOMIO	SAINT LOUIS UNIVERSITY
6	TIDOY	KAYLEIGH LANZE	ZUNIGA	UNIVERSITY OF SAINT LOUIS-TUGUEGARAO
7	TIGLAO	REYNELL	SALUNGA	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
8	TINIO	JEIEL	MAGNO	NUEVA ECIJA UNIVERSITY OF SCIENCE & TECHNOLOGY-CABANATUAN)
9	TIPAY	MARNIE	CALAGUAS	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 7TH Room/Grp No. : 12

Seat No.	Last Name	First Name	Middle Name	School Attended
1	TOMAS	MENALIZA	SORIANO	UNIVERSITY OF PANGASINAN
2	TONGNAWA	MASHACHRIS	WARDING	SAINT LOUIS UNIVERSITY
3	TONGOL	RECELINE	SASA	SAINT LOUIS UNIVERSITY
4	TRANSFIGURACION	CHRISTOPHER	SALUM	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
5	TUGUINAY	CLAIRE	BAY-ONG	SAINT LOUIS UNIVERSITY
6	UGALE	LARA MAE	LAMIGO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
7	UNIPA	GOLD ANNE	LIGSAY	UNIVERSITY OF SAINT LOUIS-TUGUEGARAO
8	VALDEZ	BERNARDINE	IBAY	SAINT LOUIS UNIVERSITY

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.



PROFESSIONAL REGULATION COMMISSION
BAGUIO
ARCHITECT
AUGUST 27 & 29, 2021

School : SAINT LOUIS LABORATORY HIGH SCHOOL

Address : NAVY BASE ROAD, BAGUIO CITY

Building : SENIOR HIGH SCHOOL BUILDING Floor : 7TH Room/Grp No. : 13

Seat No.	Last Name	First Name	Middle Name	School Attended
1	VALENCIA	ZALDY	TABAREJO	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN
2	VALERA	CHARITY MAE	VALERA	UNIVERSITY OF BAGUIO
3	VALLES	ARMAN	MADAYAG	SAINT LOUIS COLLEGE OF SAN FERNANDO
4	VINLUAN	ANTON LOUISE	RIVERA	SAINT LOUIS UNIVERSITY
5	VINUYA	JACKIELOU	CIRINEO	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)
6	YAMILAO	CHRIS	VILLEROS	BATAAN PENINSULA STATE UNIVERSITY-MAIN CAMPUS (for.BATAAN P.S, BATAAN NAT'L SCH. ARTS & TRADE)
7	YMSON	KRYSTIN MAY	JIMENEZ	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)
8	ZAMORA	WINSTON	FERRER	UNIVERSITY OF PANGASINAN

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.

Pursuant to Memorandum No. 68 (s.2020), examinees for the licensure examinations are required to submit either (1) a negative RT-PCR Test Results, if falling under the groups stated in DOH Memorandum 2020-258A, or (2) a Certification issued by any of the authorized officer under Memorandum No. 68, attesting that the examinee had undergone 14-day quarantine prior to the examination.

These requirements are mandatory and failure to present either of the two, the examinee shall not be allowed to take the licensure examinations.