




Republic of the Philippines
Professional Regulation Commission
Bids and Awards Committee
Central Office

P. Paredes St., Sampaloc, Metro Manila
Tel. Fax: 5-310-0037
Email: bac@prc.gov.ph



REGULAR MEMBERS:

On official travel
L. LOUIS P. VALERA
Chairman

DEMOSTHENES N. MISTAL
Vice-Chairman

JESPER P. PAQUITO
Member

LAMA GRACE C. YANG-EO
Member

CRISANTO L. DECENA
Member

ROSEWYNDALUZ G. GASCON
Member

ALTERNATE MEMBERS:

JANICE P. CASTELLANO
Vice-Chairman

ALDRICH G. LUNAG
Member

CARLA ANGELINE B. UJANO
Member

OMAIMAH E. GANDAMRA
Member

PROVISIONAL MEMBER:

DANNY MORRIS G. VALLEJOS
Provisional Member, IT Projects

SECRETARIAT:

KYLIE KAUR M. DADO
Secretary

DOLORES Y. DIMAANO
Member

EMMANUEL B. ANDAYA
Member

RINA V. GARCIA
Member

ANNABELLE S. EUGENIO
Member

ALYZA JOICE A. BAGADIONG
Member

CHRISALYNN A. AGOS
Member

JOHN LEONARD I. RELLOSA
Member

WIL CHARLOTTE G. OLARTE
Member


Section VII. Technical Specifications

Item:	Monochrome Printers (ITB No. 2025-30)																																									
Quantity:	22 units																																									
Specification:	<p>The Supplier must be able to provide the following <i>minimum specifications</i>:</p> <table><tr><td>Functions</td><td>Print, copy, scan</td></tr><tr><td>Print speed black (ISO, letter)</td><td>Up to 35 ppm</td></tr><tr><td>Print speed black (ISO, A4)</td><td>Up to 33 ppm</td></tr><tr><td>First page out black (letter, ready)</td><td>As fast as 6.6 sec</td></tr><tr><td>First page out black (A4, ready)</td><td>As fast as 7.0 sec</td></tr><tr><td>Duplex printing</td><td>Automatic (standard)</td></tr><tr><td>Duty cycle (monthly, A4)</td><td>Up to 50,000 pages</td></tr><tr><td>Recommended monthly page volume</td><td>350 to 2500 pages</td></tr><tr><td>Print languages</td><td>PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm</td></tr><tr><td>Print technology</td><td>Laser</td></tr><tr><td>Connectivity, standard</td><td>Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet</td></tr><tr><td>Network capabilities</td><td>10/100Mbps Ethernet</td></tr><tr><td>Processor speed</td><td>800 MHz</td></tr><tr><td>Maximum Memory</td><td>512 MB</td></tr><tr><td>Memory</td><td>512 MB</td></tr><tr><td>Compatible Operating Systems</td><td>Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux</td></tr><tr><td>Paper handling input, Standard</td><td>1 main tray; 250 sheets or 10 envelopes</td></tr><tr><td>Paper handling output, Standard</td><td>150 sheets output tray</td></tr><tr><td>Media types</td><td>Paper (cut sheets, plain, glossy film, labels), envelopes, card stock postcards</td></tr><tr><td>Media sizes supported</td><td>A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL</td></tr></table>		Functions	Print, copy, scan	Print speed black (ISO, letter)	Up to 35 ppm	Print speed black (ISO, A4)	Up to 33 ppm	First page out black (letter, ready)	As fast as 6.6 sec	First page out black (A4, ready)	As fast as 7.0 sec	Duplex printing	Automatic (standard)	Duty cycle (monthly, A4)	Up to 50,000 pages	Recommended monthly page volume	350 to 2500 pages	Print languages	PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm	Print technology	Laser	Connectivity, standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet	Network capabilities	10/100Mbps Ethernet	Processor speed	800 MHz	Maximum Memory	512 MB	Memory	512 MB	Compatible Operating Systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux	Paper handling input, Standard	1 main tray; 250 sheets or 10 envelopes	Paper handling output, Standard	150 sheets output tray	Media types	Paper (cut sheets, plain, glossy film, labels), envelopes, card stock postcards	Media sizes supported	A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL
Functions	Print, copy, scan																																									
Print speed black (ISO, letter)	Up to 35 ppm																																									
Print speed black (ISO, A4)	Up to 33 ppm																																									
First page out black (letter, ready)	As fast as 6.6 sec																																									
First page out black (A4, ready)	As fast as 7.0 sec																																									
Duplex printing	Automatic (standard)																																									
Duty cycle (monthly, A4)	Up to 50,000 pages																																									
Recommended monthly page volume	350 to 2500 pages																																									
Print languages	PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm																																									
Print technology	Laser																																									
Connectivity, standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet																																									
Network capabilities	10/100Mbps Ethernet																																									
Processor speed	800 MHz																																									
Maximum Memory	512 MB																																									
Memory	512 MB																																									
Compatible Operating Systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux																																									
Paper handling input, Standard	1 main tray; 250 sheets or 10 envelopes																																									
Paper handling output, Standard	150 sheets output tray																																									
Media types	Paper (cut sheets, plain, glossy film, labels), envelopes, card stock postcards																																									
Media sizes supported	A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL																																									



Republic of the Philippines
Professional Regulation Commission
Bids and Awards Committee
Central Office

P. Paredes St., Sampaloc, Metro Manila
Tel. Fax: 5-310-0037
Email: bac@prc.gov.ph



REGULAR MEMBERS:

On official travel
L. LOUIS P. VALERA
Chairman

DEMOSTHENES N. MISTAL
Vice-Chairman

JESPER P. PAQUITO
Member

LAMA GRACE C. YANG-EO
Member

CRISANTO L. DECENA
Member

ROSEWYN DALUZ G. GASCON
Member

ALTERNATE MEMBERS:

JANICE P. CASTELLANO
Vice-Chairman

ALDRICH G. LUNAG
Member

CARLA ANGELINE B. UJANO
Member

OMAIMAH E. GANDAMRA
Member

PROVISIONAL MEMBER:

DANNY MORRIS G. VALLEJOS
Provisional Member, IT Projects

SECRETARIAT:

KYLIE KAUR M. DADO
Secretary

DOLORES Y. DIMAANO
Member

EMMANUEL B. ANDAYA
Member

RINA V. GARCIA
Member

ANNABELLE S. EUGENIO
Member

ALYZA JOICE A. BAGADIONG
Member

CHRISALYNN A. AGOS
Member

JOHN LEONARD I. RELLOSA
Member

WIL CHARLOTTE G. OLARTE
Member

Scanner type	ADF; flatbed
Scan file format	JPG, TIFF, XPS, PDF, PDF/A
Scan resolution, optical	Up to 300 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed)
Scan resolution, hardware	Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed)
Scan size (ADF), maximum	216 x 356 mm
Scan size (ADF), minimum	148 x 210 mm
Scan size, maximum	216 x 297 mm
Scan speed (normal, A4)	Up to 19 ppm (b&w), up to 8 ppm (color)
Scan speed (normal, letter)	Up to 20 ppm (b&w), up to 9 ppm (color)
Automatic document feeder capacity	Standard, 50 sheets
Copy speed (black, normal quality, A4)	Up to 33 cpm
Copy resolution (black text)	Up to 300 dpi
Copies, maximum	Up to 999 copies
Copier settings	Number of copies; Lighter/darker; enhancements; binding margin; paper; multi-page copy; collation; quality
Power	220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; 802.1x authentication
Print cartridge	1 (black)


Other Requirements:

1. The winning bidder must provide a central customer service hotline number and email address.
2. The winning bidder shall provide on-site support service, and not carry-in to service centers, on the next two (2) business days (48 hours) after the final remote diagnosis for delivered items within Metro Manila.
3. The winning bidder shall provide an additional one (1) new set of toners (standard yield) per printer aside from the trial/ initial set of toners installed in the printer.
4. All bidders shall provide *Manufacturer or Reseller Certificate* from the Manufacturer or Distributor.
 - This requirement shall be submitted along with the other technical eligibility requirement (TECHNICAL COMPONENT ENVELOPE)



Republic of the Philippines
Professional Regulation Commission
Bids and Awards Committee
Central Office

P. Paredes St., Sampaloc, Metro Manila
Tel. Fax: 5-310-0037
Email: bac@prc.gov.ph



REGULAR MEMBERS:

On official travel

L. LOUIS P. VALERA

Chairman

DEMOSTHENES N. MISTAL

Vice-Chairman

JESPER P. PAQUITO

Member

LAMA GRACE L. YANG-EO

Member

CRISANTO L. DECENA

Member

ROSEWYNDALUZ G. GASCON

Member

ALTERNATE MEMBERS:

JANICE P. CASTELLANO

Vice-Chairman

ALDRICH G. LUNAG

Member

CARLA ANGELINE B. UJANO

Member

OMAIMAH E. GANDAMRA

Member

PROVISIONAL MEMBER:

DANNY MORRIS G. VALLEJOS

Provisional Member, IT Projects

SECRETARIAT:

KYLIE KAUR M. DADO

Secretary

DOLORES Y. DIMAANO

Member

EMMANUEL B. ANDAYA

Member

RINA V. GARCIA

Member

ANNABELLE S. EUGENIO

Member

ALYZA JOICE A. BAGADIONG

Member

CHRISALYNN A. AGOS

Member

JOHN LEONARD I. RELLOSA

Member

WIL CHARLOTTE G. OLARTE

Member

Warranties:

- The supplier shall provide one (1)-year warranty on the parts and services.
- The warranty shall commence upon issuance of Notice of Acceptance by the End-user.

**ACKNOWLEDGEMENT AND COMPLIANCE WITH THE TERMS OF
REFERENCE FOR THE PROCUREMENT OF MONOCHROME PRINTERS**

Signature over Printed Name of Authorized Representative

Designation: _____

Name of the Company: _____