

PERFORMANCE OF SCHOOLS IN ALPHABETICAL ORDER
September 2010 CERTIFIED PLANT MECHANIC LICENSURE EXAMINATION

SCHOOL	FIRST TIMERS				REPEATERS				OVERALL PERFORMANCE			
	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED
DON BOSCO COLLEGE SEMINARY-LAGUNA	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
DON BOSCO TECHNICAL COLLEGE-MANDALUYONG	1	0	1	100.00%	0	0	0	0.00%	1	0	1	100.00%
MINDANAO POLYTECHNIC STATE COLLEGE (DMMMPSC)	2	0	2	100.00%	0	1	1	0.00%	2	1	3	66.67%
PALOMPON INSTITUTE OF TECHNOLOGY-PALOMPON	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
TECHNICAL SCHOOL	3	4	7	42.86%	0	1	1	0.00%	3	5	8	37.50%
TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY	1	0	1	100.00%	0	0	0	0.00%	1	0	1	100.00%
TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-VISAYAS	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
UNIVERSITY OF SAN CARLOS	1	0	1	100.00%	0	0	0	0.00%	1	0	1	100.00%
WESTERN MINDANAO STATE UNIVERSITY-ZAMBOANGA CITY	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
XAVIER UNIVERSITY	3	0	3	100.00%	0	0	0	0.00%	3	0	3	100.00%

NOTHING FOLLOWS-----

Any discrepancy in the performance of schools listed above is entirely unintentional on the part of the Professional Regulation Commission but rather due to miscoding of school codes by the examinees themselves in the application forms. Concerned schools may write the Commission for correction.