

The performance of schools in the August 2015 Sanitary Engineer Licensure Examination in alphabetical order as per R.A. 8981 otherwise known as PRC Modernization Act of 2000 Section 7(m) "To monitor the performance of schools in licensure examinations and publish the results thereof in a newspaper of national circulation" is as follows:

**AUGUST 2015 SANITARY ENGINEER LICENSURE EXAM.
PERFORMANCE OF SCHOOLS IN ALPHABETICAL ORDER**

SEQ. NO.	SCHOOL	FIRST TIMERS				REPEATERS				OVERALL PERFORMANCE			
		PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED
1	BATANGAS STATE UNIVERSITY-BATANGAS CITY (PBMIT)	15	10	25	60.00%	1	3	4	25.00%	16	13	29	55.17%
2	DE LA SALLE UNIVERSITY-DASMARIÑAS	9	2	11	81.82%	0	0	0	0.00%	9	2	11	81.82%
3	MAPUA INSTITUTE OF TECHNOLOGY-MANILA	4	1	5	80.00%	1	1	2	50.00%	5	2	7	71.43%
4	NATIONAL UNIVERSITY-MANILA	15	3	18	83.33%	1	1	2	50.00%	16	4	20	80.00%
5	PARTIDO STATE UNIVERSITY-(GOA)GAO	5	12	17	29.41%	1	1	2	50.00%	6	13	19	31.58%
6	SAINT PAUL UNIVERSITY-TUGUEGARAO	1	0	1	100.00%	0	1	1	0.00%	1	1	2	50.00%
7	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY	7	0	7	100.00%	0	0	0	0.00%	7	0	7	100.00%
8	UNIVERSITY OF BAGUIO	6	0	6	100.00%	0	1	1	0.00%	6	1	7	85.71%
9	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN	0	3	3	0.00%	0	1	1	0.00%	0	4	4	0.00%
10	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)	4	0	4	100.00%	0	1	1	0.00%	4	1	5	80.00%
11	WESTERN MINDANAO STATE U-ZAMBOANGA CITY	7	9	16	43.75%	0	5	5	0.00%	7	14	21	33.33%
OVERALL TOTAL		73	40	113	64.60%	4	15	19	21.05%	77	55	132	58.33%

xxxxxxxxx NOTHING FOLLOWS xxxxxxxxxxxx

Any discrepancy in the report is not intentional on the part of the Commission, but rather due to miscoding of school codes by the examinees themselves. Concerned schools may write the Commission for correction.